Author Index to Volume 26

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 26, 1988. The Edition in which an item appears is indicated by a C, P, or L, respectively, following the page number.

Abbott, J. R.
—; Higgins, B. G.: Surface Tension of a Curing Epoxy (Note), 1985C
Abd El-Ghaffar, M. A. See Dadran, A. S., 609C
Abd-El-Hakim, A. A. See Badran, A. S., 609C
Abd Ellatif, Z. H. See Moustafa, A. B., 1587C
Abdel-Razik, E. A.
Photostabilizing Effect of 5-Hydroxy-3-Phenylamino-1-Phenyl-3:5-Dihydrobenzene Derivatives in Polychloroprene, 2359C
Abe, Y.
—; Kaijou, A.; Nagao, Y.; Misono, T.: Preparation of Polysiloxanes from Silicic Acid. X. Preparation and Properties of Allyldimethylsilylated Silicic Acids, 419C
Abeysekera, R. M. See Willison, J. H. M., 71L
Abhiraman, A. S. See Desai, P., 1657P
Abraham, T. See Evers, R. C., 3213C
New Bismaleimide Resin Systems: Decreased Moisture Absorption and Increased Impact Strength, 521L
—; Soloski, E. J.; Evers, R. C.: Amorphous Polyaramides with Low Glass Transition Temperatures (Note), 959C
Abuin, E. B.
—; Lissi, E. A.; Avaria, L.: Effect of pH on the Behavior of Hydrogen Peroxide as an Inhibitor or Chain Transfer Agent, 501L
Ackerman, J. L. See Garrido, L., 2367P
Adachi, H. See Saigo, K., 2085C
Adams, G. W.
—; Farris, R. J.: Latent Energy of Deformation of Bisphenol A Polycarbonate, 433P
Agherghinei, I. See Vasile, C., 1639C
Aguilár, A. See De Andres, J., 1323C
Ahmed, E. See Salman, S. R., 99L
Ahmed, S. U.
—; Livant, P. D.; Sikes, A. M.; Mathias, L. J.: Linear A–B and AA–BB Polyamides with Backbone Aryl, Alkyl, and Alkenyl Units, 2345C
Ajji, A.
—; Choplin, L.; Prud'homme, R. E.: Rheology and Phase Separation in Polystyrne/Poly(Vinyl Methyl Ether) Blends, 2279P
Akashi, M. See Miyauchi, N., 1561C
Akbar, A. See Galioğlu, O., 2355C
Akbulut, U. See Türker, L., 2485P
Akiyama, R. See Kakimoto, M.-A., 99C
Akizuki, S. See Miyata, M., 229L
Alamo, R. G.
—; Glaser, R. H.; Mandelkern, L.: The Cocrystallization of Polymers: Polyethylene and Its Copolymers, 2169P
Alassia, L. M.
—; Frontini, G. L.; Vega, J. R.; Meira, G. R.: The Effect of Impurities in Continuous "Living" Anionic Polymerizations, 201L
Alcalde, J. See Madruga, E. L., 2281C
Aleman, J. V. See Hurtado-Laguna, F., 2631C
Alhaj-Mohammed, M. H.
—; Davies, G. R.; Jawad, S. A.; Ward, I. M.: The Dielectric Properties of Liquid-crystal Random Copolyesters of 4-Hydroxybenzoic Acid and 2-Hydroxy 6-Naphthoic Acid, 1751P
Al-Hassan, K. A.
Edge-excitation Red Shift of the Fluorescence of Flexible Solute Molecules in a Poly(methyl methacrylate) Polymer Matrix, 1727P
Ali, Sk. A. See Wazeer, M. I. M., 1539P
Al-Jarrah, M. M. F. See Salman, S. R., 99L
Allmér, B.
—; Hult, A.; Rånby, B.: Surface Modification of Polymers. I. Vapour Phase Photografting with Acrylic Acid, 2099C
Al-Salah, H. A.
—; Xiao, H. X.; McLean, J. A., Jr.; Frisch, K. C.: Polyurethane Cationomers. I. Structure-Properties Relationships, 1609C
Ambrose, R. J.
Review of *Adhesion and Adhesives-Science and Technology*, 373L
Review of *Applied Polymer Analysis and Characterization*, 52L
Review of *Plastics Mold Engineering Handbook (4th Edition)*, 244L
Review of *Structure and Bonding 64—Metal Complexes with Tetrapyrrole Ligands I*, 171L
Review of *Surface and Colloid Science*, 325L
Review of *Synthetic Adhesives and Sealants—Critical Reports on Applied Chemistry, Volume 16*, 165L
Amer, L. I. See Moustafa, A. B., 1587C
Ando, T. See Tsunoda, S., 1697P
Andrzejewska, E.
—; Żuk, A.; Garbarczyk, J.: Polymerization of 1,3,5-Trithiane in the Solid State Initiated by UV-Irradiation. I. Polymerization Conditions and Polymer Characterization, 3151C
Angola, J. C.
—; Fujita, Y.; Sakai, T.; Inoue, T.: Compatibilizer-aided Toughening in Polymer Blends Consisting of Brittle Polymer Particles Dispersed in a Ductile Polymer Matrix, 807P
Antoun, S.
—; Karasz, F. E.; Lenz, R. W.: Synthesis and Electrical Conductivity of Poly(arylene Vinylene). I. Poly(2,5-Dimethoxyphenylene Vinylene) and Poly(2,5-Dimethylphenylene Vinylene), 1809C
Anzai, J.-I.
—; Hasebe, Y.; Ueno, A.; Osa, T.: Photoexcitable Polymer Membranes. Photoinduced Membrane Potential across Poly(vinyl Chloride) Membrane Doped with a Photosensitive Crown Ether Having Lipophilic Side Chain, 1519C
Aoki, H.
—; Suzuki, T.: Study on Thermal Behavior of Thermooxidized Poly(vinyl Formal), 31C
Aoshima, S.
—; Higashimura, T.: Synthesis of Functionalized Linear Poly(divinylbenzene). III. Synthesis of Polymeric Delocalized Carbanion of Poly(divinylbenzene) and Its Reactions, 393C
Aponte, M. A. See Lin, P., 603P
Apsimon, J. W. See Guiver, M. D., 123L
Arai, Y. See Hu, C. J., 2423C; Moriya, O., 2573C
Araki, T.
—; Kubo, Y.; Hino, A.; Yasuda, Y.; Kamachi, M.: Nonclassical Urea Oligomers. IX. Photo-Reducing Nature of Binuclear Copper Complexes of Noncyclic Pendant-Type Urea Oligomers, 285C
Arikawa, H. See Higashi, F., 3071C
Arita, Y. See Tomoi, M., 2251C
Arnautov, S. A. See Sergeev, V. A., 1125C
Arnold, F. E. See Tan, L.-S., 1819C, 3103C
Aronson, S.
—; Wilensky, S. B.: Complex Formation in 2-Polyvinylpyridine-Iodine Solutions (Note), 1259C
Asada, Y. See Hirai, T., 147L
Asai, K. See Kiyotsukuri, T., 2225C
Atsumi, M. See Miyata, Y., 2561C
Audebert, R. See Boussouira, B., 649P; Iliopoulos, I., 275C, 2093P
Auman, B. C. See Percec, V., 721C
Avaria, L. See Abuin, E. B., 501L
Ayama, K. See Kiyotsukuri, T., 807C

Babilis, D.
—; Paleos, C. M.; Dais, P.: Polymerization of Oriented Monomers. IX. Further Studies on the Polymerization and Vesicular Properties of Allyl and Diallyl Based Monomeric and Polymerized Quaternary Ammonium Salts, 2141C
Babu, G. N. See Dharia, J. R., 595C; Pathak, C. P., 503C; Ramakrishna, M. S., 445C
Badran, A. S.
—; Abd-El-Hakim, A. A.; Moustafa, A. B.; El-Ghaffar, M. A. Abd: Redox Polymerization of Methyl Acrylate in Absence and in Presence of Some Inorganic Silicon Compounds, 609C
—; Helaly, F. M.; Younan, A. F.: Pseudoheterogeneous Polymerization of Methyl Methacrylate in Presence of Some Metal Chlorides or Sulfates, 2529C
Bailey, W. J. See Pan, C.-Y., 2737C
Bakhmutov, V. I. See Otton, J., 2199C
Balakrishnan, T.
—; Subbu, S.: Comparative Study of the Absolute Reactivity of Vinyl Monomers: Kinetics of Polymerization of Vinyl Monomers Initiated by Mn^{3+}-Thiodiglycolic Acid Redox System, 355C
Balasubramanian, T. R.
—; Mahadevan, V.: Electro-initiated Polymerization of Acrylonitrile in Aqueous Acetic Acid Containing $Mn(OAc)_2 \cdot 4H_2O$ and $CNCH_2COOH$, 301C
Balik, C. M. See Said, M. A., 1457P
Ballistreri, A.
—; Montaudo, G.; Scamporrino, E.; Puglisi, C.; Vitalini, D.; Cucinella, S.: Intumescent Flame Retardants for Polymers. IV. The Polycarbonate–Aromatic Sulfonates System, 2113C
Balsara, N. P.
—; Nauman, E. B.: The Entropy of Inhomogeneous Polymer–Solvent Systems, 1077P
Ban, H. See Fujino, M., 109L
—; Sukegawa, K.: Molecular Structure and Photoreaction of Poly(methylpropylsilane), 521C
Bankert, R. J. See Yee, A. F., 2463P
Banks, F. See Polk, M. B., 2405C
Bansleben, D. A. See Purgett, M. D., 657C
Banu, D. See Feldman, D., 973C
Bao, Y. T.
—; Samuel, N. K. P.; Pitt, C. G.: The Prediction of Drug Solubilities in Polymers, 41L
Barbari, T. A.
—; Koros, W. J.; Paul, D. R.: Gas Sorption in Polymers Based on Bisphenol-A, 729P
—; Koros, W. J.; Paul, D. R.: Gas Transport in Polymers Based on Bisphenol-A, 709P
Barrales-Rienda, J. M.
—; Mazón-Arechederra, J. M.: Dependence of the Glass Transition Temperature of Poly[*N*-(*n*-alkyloxy-carbonyl-methyl)Maleimides] and Poly[*N*-(5-*n*-alkyloxycarbonyl-*n*-pentyl) Maleimides] on *n*-Alkyl Side-chain Length, 935P
Barron, P. F.
—; Busfield, W. K.; Hanna, J. V.: Extensive Stereoregularity Changes Induced in Molten Isotactic Polypropylene by High Energy Radiation and Other Morphology Effects, 225L
Bartlett, P. N. See Hayat, U., 201C
Basak, S. See Martinez, M., 911P
Bataille, F.
—; Bataille, P.; Fortin, R.: Emulsion Polymerization of Styrene IV: Effect of Co(II), Ni(II), and Pb(II) on the Polymerization of Styrene Initiated by Potassium Persulfate (Note), 1471C
Bataille, P. See Bataille, F., 1471C
Battacharya, S. K.
—; Misra, A.; Stein, R. S.: Morphology of a Liquid-Crystalline Polyester Film, 515P
Bauer, D. R.
Review of *Paint and Surface Coatings—Theory and Practice*, 241L
Baum, K.
—; Cheng, P. G.; Hunadi, R. J.; Bedford, C. D.: Polymerization of Fluorinated Diacetylenes, 3229C
Bazin, M. See Gobbe, C., 857P
Bedford, C. D. See Baum, K., 3229C
Behbahani, H. F.
—; Inoue, H.: Polymerization in Submonolayers of Styrene Monomer Adsorbed from Its Vapor Phase, 1519P
Beihoffer, T. W.
—; Glass, J. E.: The Introduction of Hydroxyl Functionality into Polymers: The Synthesis, Polymerization, and Hydrolysis of Vinylbenzyl Acetate, 343C
Bell, J. P. See Yu, Y., 247C
Bell, V. L.
—; Wakelyn, N. T.: Graft Copolymers from Poly(2,6-Dimethylphenylene Oxide) and Pivalolactone, 827C
Bello, A. See González, C. C., 1397P
Bellus, M. See Renner, A., 1361C
Bensan, Z. See Junhua, Wu, 433L
Benson, R. S.
—; Lyman, D. J.: Morphology of Block Copolyurethanes. III. Effect of Polyether Molecular Weight on the Mechanical Properties of Solvent Cast Films, 1393C
Berry, G. C.
Remarks on a Relation among the Intrinsic Viscosity, the Radius of Gyration, and the Translational Friction Coefficient (Note), 1137P
Bertinelli, F.
—; Costa Bizzarri, P.; Della Casa, C.; Fiorini, M.: Infrared Study of a Thianthrenic Polymer, 2203P
Besombes, M.
—; Menguel, J.-F.; Delmas, G.: Composition Analysis of an Ethylene-Propylene Block Copolymer by Fractionation and Turbidity Measurements at the Lower Critical Solubility Gap, 1881P
Bessiere, J.-M.
—; Boutevin, B.; Sarraf, L.: Separation and Structural Analysis by ^{1}H-NMR of the Telomers of Methyl Methacrylate with Thiophenol, 3275C
Bhanu, V. A. See Kishore, K., 2831C
Bhattacharya, S. K.
—; Misra, A.; Stein, R. S.: Morphology of a Liquid-Crystalline Polyester Film, 515P
Bhattacharyya, R. See Pramanick, D., 573C, 1457C
Bhushan, B. See Vallat, M.-F., 555P
Bigger, S. W. See Ghiggino, K. P., 505L
Biroš, J. See Hrabák, F., 267C
Bílá, J. See Hrabák, F., 267C
Black, D. A. See Martinez, M., 911P
Blum, Y. See Chow, A. W., 103L
Boenig, H. V.
Review of *Proceedings of the Sixth Tihany Symposium on Radiation Chemistry*, 415L
Boerio, F. J. See Venkatachalam, R. S., 2447P
Bornmann, John A.
Chemical Reactions in the Low-Temperature Decomposition of an Epoxy Resin, 409L
Borrajo, J. See Cuadrado, T. R., 1735P
Bottino, A.
—; Capannelli, G.; Munari, S.; Turturro, A.: Solubility Parameters of Poly(vinylidene fluoride), 785P
Boue, F. See Vilgis, T. A., 2291P
Boussouira, B.
—; Ricard, A.; Audebert, R.: Counterion Selectivity in Cationic Polyelectrolytes, 649P
Boutevin, B. See Bessiere, J.-M., 3275C
Boyer, R. F.
T_{11} from the Temperature Dependence of Carbon-13 NMR Correlation Times $\bar{\tau}_c$, 893P

Bradbury, J. H. See Perera, M. C. S., 637C
—; Elix, J. A.; Perera, M. C. S.: Comparison of Methods of Calculation of ^{13}C-NMR Chemical Shifts of Diene Polymers with Applications to Isomerized Natural Rubber, 615C
Brady, J. M.
—; Thomas, E. L.: Effect of Short-chain Branching on the Morphology of LLDPE-Oriented Thin Films, 2385P
Brather, A.
On the Nature of the Free Volume in Amorphous Polymers, 1823P
Brauman, S. K.
Polymer Degradation During Combustion, 1159P
—; Pronko, J. G.: Chemiluminescence Studies of the Thermooxidation of PEEK, 1205P
Briber, R. M.
—; Khoury, F.: Electron Energy Loss Spectroscopy: Application to Synthetic Organic Polymers, 621P
Brossas, J. See Reghunadhan Nair, C. P., 1791C; Pujol, J. M., 1573C
Brown, C. E. See Suebsaeng, T., 2705C
—; Kovacic, P.; Welch, K. J.; Cody, R. B.; Hein, R. E.; Kinsinger, J. A.: Laser Desorption/Fourier Transform Mass Spectra of Poly(phenylene sulfide), Polyaniline, Poly(vinyl phenol), Polypyrene, and Related Oligomers: Evidence for Carbon Clusters and Feasibility of Physical Dimension Measurement, 131C
Bu, H. S. See Cheng, S. Z. D., 1947P
Buback, M.
—; Garcio-Rubio, L. H.; Gilbert, R. G.; Napper, D. H.; Guillot, J.; Hamielec, A. E.; Hill, D.; O'Driscoll, K. F.; Olaj, O. F.; Shen, J.; Solomon, D.; Moad, B.; Stickler, M.; Tirrell, M.; Winnik, M. A.: Consistent Values of Rate Parameters in Free Radical Polymerization Systems, 293L
Budd, P. M.
The Determination of Number-, Weight-, and z-average Molecular Weights by Meniscus-depletion Sedimentation Equilibrium (Note), 1143P
Busfield, W. K. See Barron, P. F., 225L

Cabasso, I. See Sahni, S. K., 3251C
—; Sahni, S. K.; Vofsi, D.: Synthesis and Characterization of Monomers and Polymers of Acrylated Phosphonate Esters Derived from Glycerol, D-Mannitol, D-Sorbitol, Pentaerythritol, and Dipentaerythritol, 2997C
Campa, J. G. De La See Abajo, J. De, 313L
Capannelli, G. See Bottino, A., 785P
Carella, J. M. See Failla, M. D., 2433P
Carlson, J. D. See Said, M. A., 1457P
Cassidy, P. E. See Rudzinski, W. E., 1677C
Castillón, F. F.
—; Navarro, R. E.; Ogawa, T.: Studies on Diacetylenic Vinyl Compounds. II. Copolymerization of Phenyl-4′-Vinyl-phenylbutadiyne with Styrene and Methyl Methacrylate, 321C
Catala, J. M. See Pujol, J. M., 1573C
Chang, H.-S.
—; Chen, S.-A.: Kinetics and Mechanism of Emulsifier-Free Emulsion Polymerization. II. Styrene/Water Soluble Comonomer(Sodium Methallyl Sulfonate) System, 1207C
Chang, M. C. O.
—; Thomas, D. A.; Sperling, L. H.: Group Contribution Analysis of the Damping Behavior of Homopolymers, Statistical Copolymers, and Interpenetrating Polymer Networks Based on Acrylic, Vinyl, and Styrenic Mers, 1627P
Chang, T.-C. See Chen, W.-H., 3269C
Chao, T. H.
—; March, J.: A Study of Polypyrrole Synthesized with Oxidative Transition Metal Ions, 743C
Charlet, G.
—; Delmas, G.: Heat of Fusion of Poly(4-methylpentene-1), 1111P
Charton, M.
The Quantitative Description of Small Molecule Binding to Abiotic Polymers, 1265C
Chatzi, E. G.
—; Tidrick, S. L.; Koenig, J. L.: Characterization of the Surface Hydrolysis of Kevlar-49 Fibers by Diffuse Reflectance FTIR Spectroscopy, 1585P
Chaudhuri, A. K. See Saha, S. K., 901C
Chawla, C. P. See Hoyle, C. E., 1295C
Chen, C.-Y.
—; Kuo, J.-F.: Aqueous Polymerization of Acrylamide Initiated by Oxygenated Cobalt(III) Triethylenetetramine Complex, 1115C
Chen, G.-Y. See Cuculo, J. A., 179P
—; Cuculo, J. A.; Tucker, P. A.: Structure Development of Fibers from Liquid-crystalline PET/60HB Copolyester, 1677P
Chen, S.-A. See Chang, H.-S., 1207C
—; Wu, K.-W.: Emulsion Polymerization: On the Characterization of the Particle Size Distribution, 1143C
—; Wu, K.-W.: Emulsion Polymerization: Theory of Particle Size Distribution in Copolymerization System, 1487C
Chen, W.-H.
—; Chang, T.-C.; Higashi, F.: Liquid-Crystalline Copoly(ester-Amide)s Prepared from Hydroxybenzoic and 4-Aminobenzoic Acids, 3269C
Chen, Y.
—; Saigo, K.; Yonezawa, N.; Hasegawa, M.: Linear Dichroism Induced by the Photocleavage of Polyamides Containing Cyclobutane Rings (Note), 3397C
Cheng, P. G. See Baum, K., 3229C
Cheng, S. Z. D.
—; Bu, H. S.; Wunderlich, B.: Molecular Segregation and Nucleation of Poly(ethylene Oxide) Crystallized from the Melt. III. Morphological Study, 1947P
Chern, R. T. See Sheu, F. R., 883P
Chien, J. C. See Dickinson, L. C., 191L
—; Hu, Y.: Superactive and Stereospecific Catalysts. II. Kinetics of Propylene Polymerizations, 2973C
Chien, J. C. W. See Hu, Y., 2003C
—; Razavi, A.: Metallocene-Methylaluminoxane Catalyst for Olefin Polymerization. II. Bis-η^5-(Neomenthyl Cyclopentadienyl)zirconium Dichloride, 2369C
—; Wang, B.-P.: Metallocene-Methylaluminoxane Catalysts for Olefin Polymerization. I. Trimethylaluminum as Coactivator, 3089C
Chinara, B. B. See Samal, B. B., 3159C
Choi, K.-Y. See Yi, M. H., 1507C
Choi, S.-K. See Gal, Y.-S., 115L
Choplin, L. See Ajji, A., 2279P
Chow, A. W.
—; Hamlin, R. D.; Blum, Y.; Laine, R. M.: Polymerization Kinetics of Polysilazane by Transition Metal Catalyzed Dehydrocoupling Reaction, 103L
Choy, C. L.
—; Leung, W. P.; Ong, E. L.; Wang, Y.: Mechanical Anisotropy in Rolled Nylon 66, 1569P
—; Nakafuku, C.: Thermal Expansion of Polyoxymethylene, 921P
Chu, S. G. See Kim, J., 677P
Chûjô, R. See Jo, Y. S., 463P
Chujo, Y.
—; Hiraiwa, A.; Kobayashi, H.; Yamashita, Y.: Synthesis of Fluorine-Containing Graft Copolyamides by Using Condensation-Type Macromonomers, 2991C
Chung, T.-S.
Production of Ultrahigh-modulus Liquid-crystal Polymer Rods (Note), 1549P

Chung, Y. See Salamone, J. C., 2923C
Cifra, P.
—; Karasz, F. E.; MacKnight, W. J.: Computer Simulation of a Binary Polymer Mixture in Three Dimensions, 2379P
Cimecioglu, A. L.
—; East, G. C.; Morshed, M.; Zeronian, S. H.: The Synthesis and Characterization of Poly(methylene Terephthalate), 2129C
Clabes, J. G. See Silverman, B. D., 1199C
Clas, S.-D.
—; Heyding, R. D.; McFaddin, D. C.; Russell, K. E.; Scammell-Bullock, M. V.; Kelusky, E. C.; St-Cyr, D.: Crystallinities of Copolymers of Ethylene and 1-Alkenes, 1271P
Clash, C. See Lin, P., 603P
Claudy, P. See Pascal, T., 865C
Clouet, G. See Reghunadhan Nair, C. P., 1791C
Clough, S. B. See Salamone, J. C., 2923C
Cody, R. B. See Brown, C. E., 131C
Cohen, J. See Rabin, Y., 397L
Cohen-Addad, J. P. See Feio, G., 389P
Coleman, B. D.
—; Newman, D. C.: On the Rheology of Cold Drawing. I. Elastic Materials, 1801P
Collier, H. L. See Liu, F. J., 3015C
Collins, M. A.
Optical Properties of Poly-diacetylene Monolayers, 367P
Cook, R.
Computer Simulation of Polymeric Materials. I. Stress–Strain Behavior, 1337P
Energy Storage in Polymer Chains Under Stress, 1349P
Cooper, S. L. See Ding, Y. S., 289P; Li, C., 315P; Stevenson, J. C., 953P
Costa Bizzarri, P. See Bertinelli, F., 2203P
—; Della Casa, C.; Fiorini, M.; Porzio, W.: Synthesis of Intramolecularly Cyclized Poly(Phenylene Sulfide)s of the Thianthrene-Type, 255C
Coutinho, F. M. B.
—; Rocha, M. G.: Kinetic Study of the Reaction between a Hydroxylated Polybutadiene and Isocyanates in Chlorobenzene, III. Reaction with Dimer Diacid Diisocyanate (DDI), 3167C
Cox, M. E. See Parker, J. W., 1179C
Cravalho, E. G. See Domb, A. J., 2623C
Cuadrado, T. R.
—; Borrajo, J.; Williams, R. J. J.: Analysis of the Thermodynamic Compatibility of Interpenetrating Networks During Their Synthesis, 1735P
Cucinella, S. See Ballistreri, A., 2113C
Cuculo, J. A. See Chen, G. Y., 1677P
—; Chen, G.-Y.: Extrusion, Fiber Formation, and Characterization of Thermotropic Copolyesters, 179P
Cung, M. T. See Petit, A., 1093C

Dabbagh, G. See Tarascon, R., 3173C
Dais, P. See Babilis, D., 2141C
Dautzenberg, H.
—; Rother, G.: Interpretation of Light Scattering from Supermolecular Structures in Liquid Systems by Master Curves, 353P
Davies, G. R. See Alhaj-Mohammed, M. H., 1751P; Nix, E. L., 127P
De Abajo, J.
—; De La Campa, J. G.: Fully Aromatic Poly(ether-esters), 313L
De Andres, J.
—; Aguilar, A.; Domenech, J.: Autoxidation Kinetics of Atactic Polypropylene in Bulk, 1323C
Debolt, L. C.
—; Mark, J. E.: Effects of Bond-angle Inversion on the Statistical Properties of Poly(dimethylsiloxane), 989P
—; Mark, J. E.: Theoretical Stress–Strain Isotherms for Elastin Model Networks, 865P
de Candia, F.
—; Russo, R.; Tidjani, A.; Vittoria, V.; Peterlin, A.: Aging Phenomena in Isotactic Polypropylene Drawn at Differenc Temperatures, 1897P
Dehay, G. See Gobbe, C., 857P
De La Campa, J. G. See De Abajo, J., 313L
Delgado, J.
—; El-Aasser, M. S.; Silebi, C. A.; Vanderhoff, J. W.; Guillot, J.: Miniemulsion Copolymerization of Vinyl Acetate and Butyl Acrylate. II. Mathematical Model for the Monomer Transport, 1495P
Della Casa, C. See Bertinelli, F., 2203P; Costa Bizzarri, P., 255C
Delmas, G. See Besombes, M., 1881P; Charlet, G., 1111P
De Micheli, R. See Failla, M. D., 2433P
Desai, P.
—; Abhiraman, A. S.: Fundamental Aspects of Stress, Deformation, and Phase Transitions in Crystallizable Polymers: Experiments with Poly(ethylene terephthalate) in Uniaxial Stress Fields, 1657P
Desai, T.
—; Shah, P.; Suthar, B.: Water Insoluble Polyacrylamide Part VI: Dilute Solution Properties of Poly(*N*-acryloyl-*m*-aminobenzoic acid), 491P
Deshpande, D. D. See Ramakrishna, M. S., 445C
Dezern, J. F.
Synthesis and Characterization of BTDA-Based Polyamide-Imides, 2157C
Dharia, J. R.
—; Pathak, C. P.; Babu, G. N.; Gupta, S. K.: Organotin Polymers. I. Copolymerization on Tributyltin Methacrylate with (Hydroxy)alkyl Methacrylates, 595C
Dickinson, L. C.
—; MacKnight, W. J.; Chien, J. C.: Motion of Junction Point in Network Systems by ^{31}P-NMR Lineshapes and Relaxation, 191L
Ding, Y. S.
—; Register, R. A.; Nagarajan, M. R.; Pan, H. K.; Cooper, S. L.: EXAFS Analysis of Plasticized Zinc-Neutralized Sulfonated Polystyrene Ionomers, 289P
Dodd, G. H. See Hayat, U., 201C
Domb, A. J.
—; Cravalho, E. G.; Langer, R.: The Synthesis of Poly(hydroxamic Acid) from Poly(acrylamide), 2623C
Domenech, J. See De Andres, J., 1323C
Donaruma, L. G.
Review of *Advances in Biomedical Polymers, Vol. 35*, 49L
Review of *Advances in Polymer Science-83 Biopolymers*, 276L
Review of *Biomedical Applications of Polymers*, 374L
Review of *Biorganic Marine Chemistry*, 415L
Review of *Definitions in Biomaterials*, 414L
Duda, J. L. See Vrentas, J. S., 1059P
Duever, T. A.
—; O'Driscoll, D. F.; Reilly, P. M.: Monte Carlo Estimation of Kinetic Parameters in Polymerization Reactions, 965C
Duffy, J. V. See Glover, D. J., 79C
Durning, C. J.
—; Secor, R. M.: Thermodynamic Properties of Chain Liquid Mixtures with Strong, Local Interactions, 91P
Dworjanyn, P. A.
—; Garnett, J. L.: Synergistic Effects of Urea with Polyfunctional Acrylates for Enhancing the Photografting of Styrene to Polypropylene, 135L

East, G. C. See Cimecioglu, A. L., 2129C
Edwards, B. See Taylor, L. D., 177L
Eguchi, W. See Yoshikawa, M., 89L, 263L
Eichinger, B. E. See Galliatsatos, V., 595P

Eirich, F. R.
Review of *Current Topics in Polymer Science, Volume II—Rheology and Polymer Processing*, 167L
Review of *Nonionic Surfactants Physical Chemistry*, 167L
Review of *Progress in Colloid & Polymer Science, Volume 72, Polymers as Colloid Systems*, 245L
Eisenberg, A. See Murali, R., 1385P; Smith, P., 569P
El-Aasser, M. S. See Delgado, J., 1495P; Lu, Y. Y., 1187P
El-Ghaffar, M. A. Abd See Badran, A. S., 609C
Elix, J. A. See Bradbury, J. H., 615C; Perera, M. C. S., 637C
Endo, T. See Hiraguri, Y., 381L; Kitamura, N., 993C; Mizuya, J., 3119C; Moriya, O., 2573C; Saotome, Y., 485L; Sato, T., 341L; Tagoshi, H., 77L; Uno, H., 453L
—; Kitamura, N.; Takata, T.; Nishikubo, T.: New Acrylates and Methacrylates Bearing Pendant Spiro Ortho Ester Groups, 517L
Enmanji, K.
Photoinitiation Reaction of Water-Soluble Monomer with Benzoin Ethyl Ether Included in Cyclodextrin (Note), 1465C
Enokida, M. See Takei, M., 997P
Erman, B.
Mechanical Instability of Amorphous Polymeric Networks: Asymmetric Deformation Under Symmetric Biaxial Tension, 1297P
Errede, L. A.
—; Kueker, M. J.; Tiers, G. V. D.; Van Bogart, J. W. C.: Polymer Drying, 1. Time-Studies of Desorption from Liquid Saturated Poly(styrene-co-divinylbenzene) Microparticles, 3375C
Erskine, D.
—; Yu, P. Y.; Freilich, S. C.: High Pressure Visible Spectroscopy of Polyimide Film, 465L
Ernst, B.
—; Navard, P.; Haudin, J. M.: Dynamic Rheological Measurements on Hydroxypropylcellulose Solutions, 211P
Evers, R. C. See Abraham, T., 959C
—; Moore, G. J.; Abraham, T.: Thermally Reactive Aromatic Polyamides, 3213C

Failla, M. D.
—; Carella, J. M.; De Micheli, R.: Relaxation Processes and Structure of Ultradrawn Polyethylene, 2433P
Farris, R. J. See Adams, G. W., 433P
Fawcett, A. H.
—; Guthrie, J.; Otterburn, M. S.; Szeto, D. Y. S.: The Microstructure of Poly(ethyl cyanoacrylate), 459L
Feijen, J. See Vulić, I., 381C
Feio, G.
—; Cohen-Addad, J. P.: NMR Approach to the Kinetics of Polymer Crystallization. 1. Cis-1,4-Polybutadiene, 389P
Feldman, D.
Review of *Advances in Foam Aging. A Topic in Energy Conservation*, 372L
Review of *Applied Polymer Analysis and Characterization. Recent Developments in Techniques, Instrumentation, Problem Solving*, 49L
Review of *Chemical Reactions in Plastics Processing*, 243L
Review of *Complexes in Free-Radical Polymerization*, 491L
Review of *Crystallographically Ordered Polymers*, 448L
Review of *Current Topics in Polymer Science Vol. 1. Polymer Chemistry and Polymer Physics*, 274L
Review of *Current Topics in Polymer Science, Vol. II*, 241L
Review of *Future Trends in Polymer Science and Technology. Polymers: Commodities or Specialties?*, 242L
Review of *High Performance Polymers: Their origin and development*, 166L
Review of *Order in the Amorphous "State" of Polymers*, 372L
Review of *Plastics Additives Handbook, 2nd Edition*, 447L
Review of *Plastics Technology Handbook*, 275L
Review of *Polymer Elecrolyte Reviews*, 371L
Review of *Polyquinane Chemistry–Synthesis and Reactions*, 325L
Review of *Reaction Engineering of Steps Growth Polymerization*, 447L
Review of *Synthetic Polymeric Membranes*, 242L
Review of *Thermoplastic Elastomers. A Comprehensive Review*, 448L
—; Banu, D.: Kinetic Data on the Curing of an Epoxy Polymer in the Presence of Lingnin, 973C
Fernandez-Monreal, M. C. See Madruga, E. L., 2281C
Fernando, P. L. See Mirabella, F. M., Jr., 1995P
Ferruti, P.
—; Ranucci, E.: Poly(Esterioetheramines), a New Family of Tertiary Amino Polymers, 357L
Fiorini, M. See Bertinelli, F., 2203P; Costa Bizzarri, P., 255C
Fleš, D. See Vuković, R., 1249C
Ford, E. A. See Mirabella, F. M., Jr., 1995P
Fornes, R. E. See Kelly, B. K., 1261P; Kelly, B. K., 1871P; Pawlowski, W. P., 1101P; Seo, K. S., 245P; Seo, K. S., 533P; Wilson, T. W., 2029P
Fortin, R. See Bataille, F., 1471C
Fouassier, J. P. See Lougnot, D. J., 1021C
Freilich, S. C. See Erskine, D., 465L
French, D. M.
Slope of the Flory-Huggin's Interaction Parameter-Polymer Concentration Curve, 469L
Frisch, H. L. See Gebreyes, K., 3391C
—; Gebreyes, K.; Frisch, K. C.: Synthesis and Characterization of Semi- and Full-Interpenetrating Polymer Networks of Poly(2,6-Dimethyl-1,4-Phenylene Oxide) and Polydimethylsiloxane, 2589C
Frisch, K. C. See Al-Salah, H. A., 1609C; Frisch, H. L., 2589C
Frontini, G. L. See Alassia, L. M., 201L
Fu, F.-S.
—; Mark, J. E.: Elastomer Reinforcement from a Glassy Polymer Polymerized In Situ, 2229P
Fuhrer, H. See Renner, A., 1361C
Fujii, T. See Nishikubo, T., 2881C
Fujino, M.
—; Matsumoto, N.; Ban, H.; Sukewaga, K.: Synthesis of Alternating Organosilane High-polymer -Poly[bis(dimethylsilylene)-alt-dibutylsilylene]-, 109L
Fujita, K. See Nomura, M., 385L
Fujita, Y. See Angola, J. C., 807P
Fukuchi, Y.
—; Kuboki, T.; Takahashi, T.; Noguchi, H.; Saburi, M.; Uchida, Y.: Thermo-initiated Anionic Polymerization of Epoxides Using the Titanium Tetraisopropoxide and Protected Aryl Alcohol System, 269L
—; Takahashi, T.; Noguchi, H.; Saburi, M.; Uchida, Y.: Polymerization of Epoxides Catalyzed by the Titanium Tetraisopropoxide/Phenol System and its Mechanism, 401L
Fukuda, W.
—; Suzuki, Y.; Kakiuchi, H.: Novel Synthesis of Poly(1-t-Butylpyrrolidin-2-one-3,4-diylethylene) by Cyclopolymerization of N-t-Butyl-N-allylacrylamide, 305L
Fukutomi, T. See Ishizu, K., 281L
Furusaka, M. See Takahashi, Y., 2267P

Gaetano, K. D. See Schindler, A., 47L
Gal, Y.-S.
—; Choi, S.-K.: Cyclopolymerization of

Dipropargyl Sulfide by Transition Metal Catalysts, 115L
Galioğlu, O.
—; Akbar, A.: Perfume Alcohols Supported to Sulfochlorinated Poly(Styrene-co-Divinyl Benzene) Beads, 2355C
Gallego, F.
—; Muñoz, M^a. E^a.; Peña, J. J.; Santamaría, A.: The Observation of a Sub(gel-sol) Transition in PVC/DOP Gels, 1871P
Galliatsatos, V.
—; Eichinger, B. E.: Simulations on Radiation-cured Polyethylene, 595P
Garbarczyk, J. See Andrzejewska, E., 3151C
García, M. See Guzmán, J., 207C
Garcio-Rubio, L. H. See Buback, M., 293L
Garito, A. F. See Kuzyk, M. G., 277P
Garnett, J. L. See Dworjanyn, P. A., 135L
Garrett, P. D.
—; Grubb, D. T.: Effect of Drawing on the α Relaxation of Poly(vinyl alcohol), 2509P
Garrido, J. See Zanocco, A., 2827C
Garrido, L.
—; Mark, J. E.; Ackerman, J. L.; Kinsey, R. A.: Studies of Self-diffusion of Poly(dimethylsiloxane) Chains in PDMS Model Networks by Pulsed Field Gradient NMR, 2367P
Garton, A.
—; Stevenson, W. T. K.: Crosslinking of Epoxy Resins at Interfaces. IV. Anhydride-Cured Resins at Carbon and Graphite Surfaces, 541C
—; Stevenson, W. T. K.; Wang, S. P.: The Crosslinking of Epoxy Resins at Interfaces. V. Amine-Cured Resins at Carbon and Graphite Surfaces, 1377C
—; Wang, S.; Weiss, R. A.: FTIR Studies of Ionic Interactions in Blends (Note), 1545P
Gaylord, N. G.
—; Mehta, R.: Peroxide-Catalyzed Grafting of Maleic Anhydride onto Molten Polyethylene in the Presence of Polar Organic Compounds, 1189C
—; Mehta, R.: Radical-Catalyzed Homopolymerization of Maleic Anhydride in Presence of Polar Organic Compounds, 1903C
Gebben, B.
—; Mulder, M. H. V.; Smolders, C. A.: Cyclo Dehydration Reaction of Polyhydrazides. I. Kinetic Parameters Obtained with Nonisothermal Thermogravimetry, 1743C
—; Mulder, M. H. V.; Smolders, C. A.: Cyclo Dehydration Reaction of Polyhydrazides. II. Kinetic Parameters Obtained from Isothermal Thermogravimetry, 1757C
Gebreyes, K. See Frisch, H. L., 2589C
—; Frisch, H. L.: Improved Synthesis and Characterization of Interpenetrating Polymer Networks of Poly(2,6-Dimethyl-1,4-Phenylene Oxide) (PPO) and Polydimethylsiloxane (PDMS) (Note), 3391C
George, E. R.
—; Porter, R. S.: Depression of the Crystal-nematic Phase Transition in Thermotropic Liquid Crystal Copolyesters, 83P
German, A. L. See Tacx, J. C. J. F., 61C, 1439C
Ghatge, N. D. See Vernekar, S. P., 953C
Ghiggino, K. P.
—; Scully, A. D.; Bigger, S. W.; Yandell, M. D.; Vogl, O.: Photophysics of Polymer-Bound 2H-(2'-Hydroxyphenyl)-2H-Benzotriazole Photostabilizers, 505L
Ghosh, U.
—; Misra, T. N.: Spectroscopic Studies of Photochemical Reactions in Organic Solids: Photopolymerization and Photodimerization of trans β-2 Furyl Acrylic Acid (Note), 1681C
Giannetti, E.
—; Storti, G.; Morbidelli, M.: Emulsion Polymerizations. I. A Novel Approach to the Evaluation of the Molecular Weight Distributions, 1835C
—; Storti, G.; Morbidelli, M.: Emulsion Polymerizations. II. Kinetics, Molecular Weight Distributions, and Polymer Microstructure of Emulsion Copolymers, 2307C
Gilbert, R. D. See Kelly, B. K., 1261P, 1871P; Pawlowski, W. P., 1101P; Seo, K. S., 245P, 533P; Wilson, T. W., 2029P
Gilbert, R. G. See Buback, M., 293L
Giuliani, J. F.
An Investigation of the Solubility of Organic Vapors in Polymer Films Using an Optical Wave Guide Interfacial Probe (Note), 2197P
Glans, J. H. See Longone, D. T., 405C
Glaser, R. H. See Alamo, R. G., 2169P
—; Mandelkern, L.: On the Fractionation of Homopolymers During Crystallization from the Pure Melt, 221P
Glass, J. E. See Beihoffer, T. W., 343C
Glatkowski, P. J. See Schlenoff, J. B., 2247P
Glover, D. J.
—; Duffy, J. V.; Hartmann, B.: Steric Hindrance in the Amine-Epoxide Reaction, 79C
Gobbe, C.
—; Bazin, M.; Gounot, J.; Dehay, G.: An Apparatus for Measuring Polymer Thermal Conductivities at High Pressure and Temperature, 857P
Gonsalves, K. E.
—; Rausch, M. D.: Competitive Amidation of Sebacoyl Chloride with Mixtures of Hexamethylenediamine and 1,1'-Bis(β-aminoethyl)ferrocene, 2769C
González, C. C.
—; Pereña, J. M.; Bello, A.: Dynamic Mechanical Relaxations of Polyterephthalates Based on Trimethylene Glycols, 1397P
Gordon, B., III
—; Kumpf, R. J.; Painter, P. C.: A Thermally Stable Polybenzimidazole Polybenzoxazole Segmented Block Copolymer, 1689C
Goto, Y.
—; Yamada, E.; Nakayama, M.; Tokumaru, K.: Visible Light Induced Polymerization of Vinyl Monomers Sensitized by a Thiopyrylium Salt with a Peroxyester (Note), 1671C
Gotoh, M. See Sasaki, S., 637P
Gounot, J. See Gobbe, C., 857P
Graczyk, T.
—; Hornof, V.: Graft Copolymerization of Cellulose Initiated by Ceric Salts: Effect of Reaction Conditions on the Consumption of Ceric Ion, 2019C
Grayson, M. A.
—; Wolf, C. J.: The Effect of Morphology on the Transport of Dichloromethane in Poly(aryl-ether-ether-ketone), 2145P
Green, G. D. See Mulvaney, J. E., 2597C
Greener, J. See Ramos, A. R., 501P
Grubb, D. T. See Garrett, P. D., 2509P
Guenet, J.-M. See McKenna, G. B., 267P
Guerra, G.
—; Williams, D. J.; Karasz, F. E.; MacKnight, W. J.: Miscible Polybenzimidazole Blends with a Benzophenone-based Polyimide, 301P
Guillaume, J. L.
—; Pichot, C.; Guillot, J.: Emulsifier-Free Emulsion Copolymerization of Styrene and Butyl Acrylate. II. Kinetic Studies in the Presence of Ionogenic Comonomers, 1937C
Guillot, J. See Buback, M., 293L; Delgado, J., 1495P; Guillaume, J. L., 1937C
Guiver, M. D.
—; Apsimon, J. W.: The Modification of Polysulfone by Metalation, 123L
Gupta, M. C.
—; Pandey, R. R.: γ-Irradiation of Nylon 6, 491C
Gupta, S. K. See Dharia, J. R., 595C
Guthrie, J. See Fawcett, A. H., 459L
Guthrie, S. R. See Rudzinski, W. E., 1677C
Guyhaniyogi, S. C. See Trumbo, D. L., 1331P
Guyot, A. See Planche, J. P., 429C
Guzmán, J.
—; García, M.; Riande, E.: Cationic Copolymerization of 3-Methyltetrahydrofuran

and 3,3-Dimethyloxetane: Structural Study of the Copolymers, 207C

Habeger, C. See Pankonin, B., 339P
Hagiwara, T.
—; Someno, T.; Hamana, H.; Narita, T.: Anionic Polymerization of *N*-Substituted Maleimide.II. Polymerization of *N*-Ethylmaleimide, 1011C
Haken, J. K.
—; Tan, L.: Mechanism of Thermal Degradation of Poly(Alkyl Acrylate)s Using Pyrolysis Gas Chromatography Mass Spectrometry, 1315C
Halary, J. L. See Iliopoulos, I., 275C
Hallbrucker, A. See Johari, G. P., 1923P
Hamada, K.
—; Iijima, T.; McGregor, R.: Mobility of Spin Probes Having a Primary, Secondary, Tertiary, or Quaternary Amino Group in Drawn and Undrawn Nylon 6 Film, 421P
Hamana, H. See Hagiwara, T., 1011C
Hamano, T.
—; Masuda, T.; Higashimura, T.: Copolymerization of 1-(Trimethylsilyl)-1-propyne with Disubstituted Hydrocarbon Acetylenes, 2603C
Hamielec, A. E. See Buback, M., 293L
Hamlin, R. D. See Chow, A. W., 103L
Han, C.-C. See Lenz, R. W., 3241C
Han, C. D. See Kim, J., 677P
Review of *Injection and Compression Molding Fundamentals*, 413L
Hanna, J. V. See Barron, P. F., 225L
Haque, E.
—; Qutubuddin, S.: Novel Polymeric Materials from Microemulsions, 429L
Haque, Y.
—; Ratner, B. D.: Role of Negative Ions in the RF Plasma Deposition of Fluoropolymer Films from Perfluoropropane, 1237P
Harashina, H. See Nohara, M., 2695C
Hargreaves, K.
The Initiation of Vinyl Polymerization by Tetrakis(Trialkyl-Phosphite) Nickel(0) Derivatives, 465C
Harita, Y. See Nishikubo, T., 2881C
Harruna, I. I.
—; Polk, M. B.: Thermotropic Copolyesters. II. Synthesis and Characterization of Copolyesters Containing the Bicyclo[2.2.2]oct-2-ene Mesogenic Unit, 2171C
Hartmann, B. See Glover, D. J., 79C
Harwood, H. J. See Trumbo, D. L., 1331P
Hasebe, Y. See Anzai, J.-I., 1519C
Hasegawa, M. See Chen, Y., 3397C; Nohara, M., 2695C
Hashiba, T. See Kiyotsukuri, T., 3409C
Hashimoto, T.
—; Ibuki, H.; Sawamoto, M.; Higashimura, T.: Living Cationic Polymerization of 2-Vinyloxyethyl Phthalimide: Synthesis of Poly(vinyl ether) with Pendant Primary Amino Functions, 3361C
Hata, Y. See Iwata, H., 3309C
Hatada, K. See Nakayama, Y., 559C
Hauber, B. F. See Millich, F., 1217P
Haubs, M. See Taylor, L. D., 177L
Haudin, J. M. See Ernst, B., 211P
Hayamizu, K. See Matsumura, K., 2215P
Hayashi, K. See Ohtsuka, T., 481L
Hayashi, S. See Hirai, T., 147L, 299L
Hayat, U.
—; Bartlett, P. N.; Dodd, G. H.; Lewis, M. H.: Microanalysis of Polymers Using a Windowless Energy-Dispersive X-Ray Detector, 201C
Hegedus, R. D.
—; Lenz, R. W.: Telechelic Sulfate Ionomers. I. Preparation and Solution and Thermal Properties, 367C
Heilmann, S. M. See Katritzky, A. R., 3323C
Hein, R. E. See Brown, C. E., 131C
Heineman, W. R. See Huber, E. W., 333L
Heise, M. S.
—; Martin, G. C.: Mechanism of 2-Ethyl-4-methylimidazole in the Curing of the Diglycidyl Ether of Bisphenol A, 153L
Helaly, F. M. See Badran, A. S., 2529C
Hendricks, R. W. See Suehiro, S., 745P
Herring, F. G. See Jagannathan, N. R., 1C
Heyding, R. D. See Clas, S.-D., 1271P
Higashi, F. See Chen, W.-H., 3269C
—; Arikawa, H.; Mochizuki, A.: Thermotropic Liquid Crystallinity of Copoly(ester-Amides) Prepared by the Direct Polycondensation with Diphenyl Chlorophosphate in Pyridine, 3071C
—; Hirakouchi, H.: Aromatic Copolyesteramides by the Direct Polycondensation with Diphenyl Chlorophosphate and Carboxamides in Pyridine, 1969C
—; Lee, Y.-N.: Further Study of the Direct Polycondensation with Phenylphosphonic Dichloride in Pyridine (Note), 3123C
—; Nishi, T.: High-Molecular-Weight Poly(*p*-Phenyleneterephthalamide) by $CaCl_2$ Promoted Direct Polycondensation with Thionyl Chloride in *N*-Methylpyrrolidone, 3235C
—; Sugimori, S.; Mashimo, T.: Direct Polyesterification with Thionyl Chloride in Pyridine Improved by a Modification of Monomer Sequences in Copolymers, 1003C
—; Sugimori, S.; Mashimo, T.: Direct Polyesterification with Thionyl Chloride in Pyridine Improved by a Modification of Monomer Sequences in Copolymers, 1277C
—; Yamada, Y.: Direct Polyesterification with Diphenyl Chlorophosphate in the Presence of Carboxamides in Pyridine (Note), 1979C
Higashimura, T. See Aoshima, S., 393C; Hamano, T., 2603C; Hashimoto, T., 3361C
Higgins, B. G. See Abbott, J. R., 1985C
Hill, A. J.
—; Jones, P. L.; Lind, J. H.; Pearsall, G. W.: A Positron Annihilation Lifetime Study of Isothermal Structural Relaxation in Bisphenol-A Polycarbonate, 1541C
Hill, D. See Buback, M., 293L
Hino, A. See Araki, T., 285C
Hiraguri, Y.
—; Endo, T.: Radical Polymerization of 3-Substituted-1-Methylenecyclobutanes, 381L
Hirai, T.
—; Kikuoka, A.; Asada, Y.; Hayashi, S.: Permeant Distribution in the Membrane during the Permeating Process, 147L
—; Okazaki, A.; Ohno, S.; Hayashi, S.: Color Variation of the Iodine Complex of Poly(vinyl Alcohol-co-vinyl Acetate) Induced by the Difference of the Sequence Distribution, 299L
Hiraiwa, A. See Chujo, Y., 2991C
Hirakouchi, H. See Higashi, F., 1969C
Hirose, T. See Kamiya, Y., 159P, 1409P
Hisada, H. See Kawakami, Y., 1307C
Hmamouchi, M.
—; Prud'Homme, R. E.: Synthesis and Polymerization of Racemic and Optically Active Substituted β-Propiolactones. V. α-Methyl β-Propiolactone, 1593C
Ho, P. S. See Silverman, B. D., 1199C
Hofer, D. C. See Silverman, B. D., 1199C
Hogen-Esch, T. E. See Khan, I. M., 2553C
Honiball, D.
—; McGill, W. J.: A Technique for Measuring the Crosslink Densities in Both Phases of a Vulcanizate Blend, 1529P
—; Huson, M. G.; McGill, W. J.: A Nucleation Theory for the Anomalous Freezing Point Depression of Solvents in Swollen Rubber Gels, 2413P
Hopfenberg, H. B. See Sheu, F. R., 883P
Hopfinger, A. J.
—; Koehler, M. G.; Pearlstein, R. A.; Tripathy, S. K.: Molecular Modeling of Polymers. IV. Estimation of Glass Transition Temperatures, 2007P
Hori, Y. See Sakaguchi, M., 1307

Horiuchi, R. See Yokota, R., 215L
Hornof, V. See Graczyk, T., 2019C
Hosang, O. See Renner, A., 1361C
Hou, W.-H. See Huang, W.-K., 1867C
Howell, B. A.
—; Smith, P. B.: Composition of Vinylidene Chloride/Phenylacetylene (VDC/PA) Copolymers and Vinylidene Chloride/Methyl Acrylate/Phenylacetylene (VDC/MA/PA) Terpolymers from Analysis by ^{13}C-NMR Spectroscopy, 1287P
Howley, P. S. See Rowland, S. P., 1769C
Hoyle, C. E.
—; Chawla, C. P.; Kim, K.-J.: The Effect of Flexibility on the Photodegradation of Aromatic Diisocyanate-Based Polyurethanes, 1295C
Hozumi, S. See Moghaddam, M. J., 3297C
Hrabák, F.
—; Lokaj, J.; Bílá, J.; Pivcová, H.; Tkaczyk, M.; Biroš, J.: Preparation and Properties of 1-Ethoxy-2,2,2-Trifluoroethyl Esters of Acrylic and Methacrylic Acids and of Their Polymers, 267C
Hsiao, C. C. See Sun, B. N., 967P
Hsieh, B. R.
—; Litt, M. H.: Low Surface Energy Polymers and Surface-Active Block Polymers. III. Adamantyl-Containing Polymers, 2501C
Hsiue, G.-H. See Huang, W.-K., 1867C
—; Swamikannu, A. X.; Litt, M. H.: Synthesis and Characterization of a Multiblock Copolymer of Poly(*N*-Isovaleryl Ethyleneimine) and Poly(ethylene Glycol), 3043C
Hsu, C. S. See Percec, V., 2047C
Hu, C.-J.
—; Oshima, R.; Arai, Y.; Senō, M.: Synthesis and Photoinduced Memory Effect of Poly[2-*N*-Carbazolyethyl Acrylate-co-2-(3,5-Dinitrobenzoyloxy)ethyl Methacrylate], 2423C
—; Oshima, R.; Sato, S.; Senō, M.: Synthesis and Photoinduced Discharge Characteristics of Polyacrylates with Pendant Carbazole Group, 441L
—; Oshima, R.; Senō, M.: Synthesis and Photogeneration Properties of Copolyacrylate Having Carbazole Donor and Trinitrofluorenone Acceptor Chromophores, 1239C
Hu, X. See Yan, D. Y., 65L
Hu, Y. See Chien, J. C. W., 2973C
—; Chien, J. C. W.: Superactive and Stereospecific Catalysts. I. Structures and Productivity, 2003C
Huang, M. B. See Tabata, M., 2725C
Huang, W.-K.
—; Hsiue, G.-H.; Hou, W.-H.: Epoxidation of Polybutadiene and Styrene—Butadiene Triblock Copolymers with Monoperoxyphthalic Acid: Kinetic and Conformation Study, 1867C
Huber, E. W.
—; Heineman, W. R.: The Polymerization of Dimethyldiallylammonium Chloride by Gamma Irradiation as Followed by ^1H NMR, 333L
Hudgin, D. E. See Semsarzadeh, M. A., 2763C
Huglin, M. B.
—; O'Donohue, S. J.; Sasia, P. M.: Selective Adsorption to Cellulose in Cadoxen Solution, 1067P
Hult, A. See Allmér, B., 2099C
Humphreys, J.
—; Lewis, E. L. V.; Ward, I. M.; Nix, E. L.; McGrath, J. C.: A Study of the Mechanical Anisotropy of High-draw, Low-draw, and Voided PVDF, 141P
Hunadi, R. J. See Baum, K., 3229C
Hurtado-Laguna, F.
—; Aleman, J. V.: Longitudinal Volume Viscosity of Poly(methyl methacrylate), 2631C
Huson, M. G. See Honiball, D., 2413P
Hutchinson, J. M.
—; Ruddy, M.: Thermal Cycling of Glasses. II. Experimental Evaluation of the Structure (or Nonlinearity) Parameter x, 2341P
Hwang, Y. Y. See Kim, W. S., 347L

Ibuki, H. See Hashimoto, T., 3361C
Ichihara, H. See Takei, M., 997P
Ichimura, I.
—; Sakuragi, M.: A Spiropyran-Iodonium Salt System as a Two Photon Radical Photoinitiator, 185L
Ihata, J.
Formation and Reaction of Polyenesulfonic Acid. I. Reaction of Polyethylene Films with SO_3, 167C
Formation and Reaction of Polyenesulfonic Acid. II. Photoreaction of Polyenesulfonic Acids, 177C
Formation and Reaction of Polyenesulfonic Acid. III. Preparation and Photoreaction of 1,3,5-Hexatriene-1,6-disulfonic Acid, 187C
Iijima, T. See Hamada, K., 421P
—; Sakamoto, Y.; Kakiuchi, H.: Thermally Reactive Aromatic Polyamides, 3189C
Iitaka, Y. See Nohara, M., 2695C
Iizawa, T. See Nishikubo, T., 2881C
—; Miyaji, T.; Nishikubo, T.: Polycondensation of Bis(*p*-Nitrophenyl)β-Truxinate with Diamine, 2941C
Ikada, Y. See Iwata, H., 3309C
Ikai, S. See Yano, T., 457C, 477C
Ikeda, T. See Inubushi, S., 1779C
Iliopoulos, I.
—; Audebert, R.: Polymer Complexes Stabilized through Hydrogen Bonds: A Semiquantitative Theoretical Model, 2093P
—; Halary, J. L.; Audebert, R.: Polymer Complexes Stabilized through Hydrogen Bonds. Influence of "Structure Defects" on Complex Formation: Viscometry and Fluorescence Polarization Measurements, 275C
Imachi, M.
Hot-Melt Adhesion and Wettability of Polyethylene/Metal in the Vicinity of the Metal Melting Point, 129L
Imai, K.
—; Shiomi, T.; Tezuka, Y.; Kawanishi, T.; Jin, T.: Poly(vinyl Alcohol) Obtained through Polymerization of Some Vinyl Esters, 1961C
Imai, M. See Sasaki, Y., 2465C
Imai, Y. See Kakimoto, M.-A., 99C, 149C, 2863C, 2899C; Otsuki, T., 2263C; Yoneyama, M., 2917C
Inaki, Y. See Moghaddam, M. J., 3297C
Inomata, K. See Tomoi, M., 2291C
Inoue, H. See Behbahani, H. F., 1519P
—; Ueda, A.; Nagia, S.: Block Copolymers Derived from Azobiscyanopentanoic Acid.X. Synthesis of Silicone—Vinyl Block Copolymers via Polysiloxane(azobiscyanopentanamide)s, 1077C
Inoue, K.
—; Ueda, M.; Imai, Y.: Synthesis and Characterization of Phenyl-Pendant Aromatic Polythiazoles from Bis-α-bromophenyl-acetyl Compounds and Dithioamides, 2899C
Inoue, R. See Kiyotsukuri, T., 2849C
Inoue, T. See Angola, J. C., 807P; Saito, H., 1761P; Yano, T., 477C, 457C
Inoue, Y. See Jo, Y. S., 463P
Inubushi, S.
—; Ikeda, T.; Tazuke, S.; Satoh, T.; Kumagai, Y.: Tough Epoxy Resins Cured with Aminimides, 1779C
Irwin, R. S.
Review of *Polyimides—Thermally Stable Polymers*, 165L
Isayev, A. I.
—; Wong, C. M.: Parallel Superposition of Small- and Large-Amplitude Oscillations upon Steady Shear Flow of Polymer Fluids, 2303P

Ishida, H. See Shirai, M., 2075P
Ishida, T. See Takahashi, Y., 2267P
Ishigaki, S. See Tomoi, M., 2251C
Ishitani, A. See Nakayama, Y., 559C
Ishizu, K.
—; Fukutomi, T.: Core-Shell Type Polymer Microspheres Prepared from Block Copolymers, 281L
—; Mitsutani, K.: Synthesis and Morphology of Poly(4-vinylpyridine-g-t-Butyl Methacrylate) Graft Copolymers Using Macromonomer Method, 511L
Ito, H. See Ueda, M., 89C, 2395C
Ito, O.
—; Tamura, S.; Matsuda, M.; Murakami, K.: Reactivities of Sulfur-Centered Radical Toward Polyisoprenes and Polybutadienes Studied by Flash Photolysis Method, 1429C
Itoyama, K.
Melt Spinning of Thermotropic Liquid-crystal Polyesters to Form Ultrahigh-modulus Filaments, 1845P
Ittel, S. D. See Mulhaupt, R., 2487C
Iwata, H.
—; Kishida, A.; Suzuki, M.; Hata, Y.; Ikada, Y.: Oxidation of Polyethylene Surface by Corona Discharge and the Subsequent Graft Polymerization, 3309C

Jackson, Jr., W. J.
—; Morris, J. C.: Liquid Crystal Polymers. IX. Copolyesters of *Trans*-4,4′-Stilbenedicarboxylic Acid, 1,4-Butanediol, and Aromatic Dicarboxylic Acids, 835C
Jagannathan, N. R.
—; Herring, F. G.: Application of Two-Dimensional NMR Techniques for the Elucidation of the Proton Spectrum of the Epoxy Monomer, Diglycidyl Ether of Bisphenol A, 1C
Janarthanan, V.
—; Thyagarajan, G.: FT–IR Studies of Solvent and Temperature Effects of Poly(diglycidal Ether of Bisphenol A) (Epoxy), 2127P
Jasinski, R.
Influence of Stabilizer's Type and Quantity on Rubber Surface Layer Structure, 473L
Jawad, S. A. See Alhaj-Mohammed, M. H., 1751P
Jenekhe, S. A.
—; Tibbetts, S. J.: Ion Implantation Doping and Electrical Properties of High-temperature Ladder Polymers, 201P
Jeng, J.-T. See Lee, Y.-D., 2039C
Jeon, S. H.
—; Ree, T.: Characterization of Poly(carboxylic Acid)/Poly(ethylene Oxide) Blends Formed Through Hydrogen Bonding by Spectroscopic and Calorimetric Analyses, 1419C
Jérôme, R. See Voyer, R., 117C
Jhon, M. S. See Kim, W. G., 859C
Ji, A. See Lu, C. X., 1659C, 3337C
Jian, Y. See Tsubokawa, N., 2715C
Jin, C. See Otsuhata, K., 601C
Jin, T. See Imai, K., 1961C
Jo, Y. S.
—; Maruyama, Y.; Inoue, Y.; Chûjô, R.; Tasaka, S.; Miyata, S.: Densification and Orientation on Poling in Copoly(vinylidene cyanide/vinyl acetate) with the Aid of ^{13}C CP/MAS NMR Spectroscopy (Note), 463P
Johari, G. P.
—; Hallbrucker, A.; Mayer, E.: Calorimetric Relaxation and Glass Transition in Poly(propylene Glycols) and Its Monomer, 1923P
Jones, G. A. See Starkweather, H. W., Jr., 257P
Jones, P. L. See Hill, A. J., 1541C
Joshi, M. G.
—; Rodriguez, F.: The Kinetics of Photoinitiated Dead-End Polymerization, 819C
Jung, J. C. See Suh, D. H., 83L; Yi, M. H., 1507C

Junhua, Wu
—; Ziang, P.; Xueli, D., Xiao, Z.; Bensan, Z.; Mai, Z.: A HREM Study on Molecular Images of Poly(phthalocyaninatosiloxane), 433L
Jusifov, G. A. See Rzaev, Z. M. O., 849C
Jutier, J.-J.
—; Lemieux, E.; Prud'homme, R. E.: Miscibility of Polyester/Nitrocellulose Blends: A DSC and FTIR Study, 1313P

Kai, Y. See Yano, T., 457C, 477C
Kaijou, A. See Abe, Y., 419C
Kaito, A.
—; Nakayama, K.; Kanetsuna, H.: Polarized Reflection Spectrum and Molecular Orientation in Uniaxially Drawn Poly(ethylene Terephthalate), 1439P
Kakimoto, M.-A. See Otsuki, T., 2263C; Yoneyama, M., 2917C
—; Akiyama, R.; Negi, Y. S.; Imai, Y.: Synthesis and Characterization of Aromatic Polyimide and Polyamide-Imide from 2,5-Bis(4-Isocyanatophenyl)-3,4-Diphenylthiophene and Aromatic Tetra- and Tricarboxylic Acids, 99C
—; Padmanaban, M.; Yoneyama, M.; Imai, Y.: Preparation and Properties of *N*-phenylcarbamoyl-pendant Polyamides from 3,5-Diaminobenzanilide and Various Aromatic and Aliphatic Dicarboxylic Acids (Note), 2863C
—; Yoneyama, M.; Imai, Y.: Preparation and Properties of Polyamides from 4-Phenoxy- and 4-Phenylthio-*m*-phenylenediamine and Both Aromatic and Aliphatic Diacids, 149C
Kakiuchi, H. See Fukuda, W., 305L; Iijima, T., 3189C; Tomoi, M., 2251C, 2291C
Kalachandra, S. See Singh, D. P., 1795P
Kalfoglou, N. K. See Margaritis, A. G., 1595P
Kamachi, M. See Araki, T., 285C
Kamiya, Y.
—; Hirose, T.; Mizoguchi, K.; Terada, K.: Sorptive Dilation of Poly(vinyl benzoate) and Poly(vinyl butyral) by Carbon Dioxide, 1409P
—; Hirose, T.; Naito, Y.; Mizoguchi, K.: Sorptive Dilation of Polysulfone and Poly(ethylene terephthalate) Films by High-pressure Carbon Dioxide, 159P
Kamogawa, H.
—; Sakai, T.; Sohma, H.: Chemical Release Control: Schiff Bases of Vinylbenzaldehyde and Functional Amines, 1335C
—; Satoh, S.: Organic Solid Photochromism by Photoreduction Mechanism: Aryl Viologens Embedded in Poly(*N*-vinyl-2-pyrrolidone) (Note), 653C
Kanetsuna, H. See Kaito, A., 1439P
Karasz, F. E. See Antoun, S., 1809C; Cifra, P., 2379P; Guerra, G., 301P; Lenz, R. W., 3241C; Schlenoff, J. B., 2247P
Kashiwabara, H. See Sakaguchi, M., 1307
Katritzky, A. R.
—; Tarr, R. D.; Heilmann, S. M.; Rasmussen, J. K.; Krepski, L. R.: Polymers by the Reaction of *Bis*(pyrylium Salts) with Diamines: A Novel Approach to Ionene Polymers, 3323C
Kawaguchi, H. See Shinkai, S., 391L
Kawaguchi, T. See Kojima, T., 1479C
Kawakami, Y.
—; Hisada, H.; Yamashita, Y.: Polystyrenes with *p*-Oligo-siloxane, silane, germanosiloxane, germane, or stannane as *p*-Substituents as Materials for Oxygen Permeable Membranes, 1307C
Kawanishi, T. See Imai, K., 1961C
Kaya, M. See Kitani, A., 1531C
Keller, A. See Ungar, G., 259L
Keller, T. M.
Phthalonitrile-Based High Temperature Resin, 3199C
Kelly, B. K.
—; Gilbert, R. D.; Fornes, R. E.; Stannett, V. T.:

Sorption and Transport Properties of MY720/DDS Epoxy Reacted with Blocking Reagents, 1261P
—; Gilbert, R. D.; Fornes, R. E.; Stannett, V. T.: Sorption and Transport Properties of MY720/DDS Epoxy Reacted with Blocking Reagents, 1871P
Kelusky, E. C. See Clas, S.-D., 1271P
Kennedy, J. P. See Peng, K. L., 2235C; Percec, V., 721C
Khan, I. M.
—; Hogen-Esch, T. E.: Oligomerization of Vinyl Monomers. XXI. Characterization of Model Carbanions of Living Poly(2-Vinylpyridine) in THF by Li-NMR and Conductance: Evidence for the Occurrence and Nature of Triple Ion Formation, 2553C
Khoury, F. See Briber, R. M., 621P
Kigashi, F.
—; Lee, Y.-N.; Kobayashi, A.: Polyamide Synthesis by the Direct Polycondensation with Phenylphosphonic Dichloride in Pyridine, 2077C
Kikuoka, A. See Hirai, T., 147L
Kim, B. S.
—; Porter, R. S.: Uniaxial Drawing of Poly(ethylene oxide)/Poly(methyl methacrylate) Blends by Solid-State Extrusion, 2499P
Kim, D. K. See Suh, D. H., 83L
Kim, J.
—; Han, C. D.; Chu, S. G.: Viscoelastic Behavior and Order-Disorder Transition in Mixtures of a Block Copolymer and a Midblock-associating Resin, 677P
Kim, K.-J. See Hoyle, C. E., 1295C
Kim, S. W. See Vulić, I., 381C
Kim, S. Y. See Seoul, G., 1965P
Kim, W. G.
—; Jhon, M. S.: Participation of Water in Conformational Change of Isotactic Poly(2-Hydroxyethyl Methacrylate) as Studied by Viscometry in Various Electrolytic Solutions, 859C
Kim, W. S.
—; Seo, H. H.; Hwang, Y. Y.; Lee, J. K.: Effect of Temperature on the Binding of Methyl Orange by Crosslinked Poly(4-vinylpyridine), 347L
Kimmich, R. See Köpf, M., 319L
Kinoshita, T. See Takei, M., 997P
Kinpara, H. See Sakaguchi, M., 1307P
Kinsey, R. A. See Garrido, L., 2367P
Kinsinger, J. A. See Brown, C. E., 131C
Kirikihira, I. See Miyauchi, N., 1561C
Kisakürek, D. See Türker, L., 2485P
Kishida, A. See Iwata, H., 3309C
Kishore, K.
—; Bhanu, V. A.: Effect of Oxygen on the Polymerization of Acrylamide (Note), 2831C
Kissin, Y. V. See Nowlin, T. E., 755C
Kitagawa, M.
—; Yoneyama, T.: Plastic Dilation due to Compression in Polymer Solids, 207L
Kitamura, N. See Endo, T., 517L
—; Nambu, Y.; Endo, T.: Preparation of a Polymeric Membrane Crosslinked by the Viologen Structure from a Cyanopyridinium Salt Polymer, 993C
Kitani, A.
—; Kaya, M.; Tsujioka, S.-I.; Sasaki, K.: Flexible Polyaniline, 1531C
Kiyotsukuri, T. See Nagata, M., Jr., 235C
—; Hashiba, T.; Ozawa, N.; Tsutsumi, N.: Thermo-oxidative Crosslinking of Polyamides by Torsional Braid Analysis (Note), 3409C
—; Tsutsumi, N.; Ayama, K.; Nagata, M.: Preparation and Properties of Silicon Containing Copolyamides, 807C
—; Tsutsumi, N.; Inoue, R.: Effect of Polycondensation Methods on Structural Order in Copolyamides (Note), 2849C
—; Tsutsumi, N.; Okada, K.; Asai, K.; Nagata, M.: Synthesis and Properties of Aramids and Polyarylates Having Perfluoro-Substituents on the Benzene Ring, 2225C
Knothe, G. See Wöhrle, D., 2435C
Kobayashi, A. See Kigashi, F., 2077C
Kobayashi, H. See Chujo, Y., 2991C
Kobayashi, K. See Tsubokawa, N., 223C
Kochi, M. See Yokota, R., 215L
Koehler, M. G. See Hopfinger, A. J., 2007P
Koenig, J. L. See Chatzi, E. G., 1585P; Weisenberger, L. A., 771P
Koezuka, H. See Tsunoda, S., 1697P
Kojima, T.
—; Kurotu, T.; Kawaguchi, T.; Urata, Y.: Thermal Decomposition of Poly(γ-benzyl-L-glutamate) and γ-Benzyl-L-glutamate/γ-Methyl-L-glutamate Copolymers (Note), 1479C
Kokorudz, J. S. See Liu, F. J., 3015C
Kolesinski, H. S. See Taylor, L. D., 177L
Komarova, L. I. See Otton, J., 2199C
Koopmans, R. J.
Die Swell-Molecular Structure Model for Linear Polyethylene, 1157C
Köpf, M.
—; Schnur, G.; Kimmich, R.: The NMR Relaxation Crossover from Melts to Diluted Solutions of Polyisoprene in the Light of the Tube Concept, 319L
Koros, W. J. See Barbari, T. A., 709P; Barbari, T. A., 729P; Moe, M. B., 1931P
Korshak, V. V. See Otton, J., 2199C
Koshiba, M. See Nishikubo, T., 2881C
Kotek, R.
—; Krigbaum, W. R.: Thermotropic Polyesters of 4′-Hydroxyphenyl-4-hydroxybenzoate: A Study of the Transition Temperatures, 1173P
Kouno, Y. See Nomura, M., 385L
Koutsolelos, P. G. See Mikroyannidis, J. A., 2811C
Kovacic, P. See Brown, C. E., 131C
Kovacs, A. J. See Ramos, A. R., 501P
Kradjel, C. See Roy, R. B., 1733C
Krause, S. See Wang, B., 2237P
Krepski, L. R. See Katritzky, A. R., 3323C
Kretz, M.
—; Meurer, B.; Lotz, B.; Weill, G.: Plastic Deformation of Polytetramethylene Oxide. I. Influence of Molecular Weight Distribution, Crystallinity, and Structure, 663P
—; Meurer, B.; Spegt, P.; Weill, G.: Plastic Deformation of Poly(tetramethylene Oxide). II. Molecular Orientation as Measured by X-ray Diffraction and NMR Measurements, 1553P
Kricheldorf, H. R.
—; Schwarz, G.; Ruhser, F.: New Polymer Syntheses. XIX. Syntheses of Aromatic Polyesters from Phenoxyterephthalic Acid, 1621C
Krigbaum, W. R.
—; Liu, C. K.; Yang, D.-K.: Fiber Spinning from the Nematic Melt. V. Flow Instabilities in the 75:25 Copolyester of *p*-Hydroxybenzoic Acid and 2-Hydroxy-6-naphthoic Acid, 1711P
Krigbaum, W. R. See Kotek, R., 1173P
Kubo, Y. See Araki, T., 285C
Kuboki, T. See Fukuchi, Y., 269L
Kueker, M. J. See Errede, L. A., 3375C
Kumagai, Y. See Inubushi, S., 1779C
Kumar, K.
—; Litt, M. H.: A New Silane Polymer as a Precursor to SiC, 25L
Kumazawa, H. See Sada, E., 1035P
Kumpf, R. J. See Gordon, B., III, 1689C
Kuo, J.-F. See Chen, C.-Y., 1115C
Kurata, T. See Tsunoda, S., 1697P
Kurešević, V. See Vuković, R., 1249C
Kurosawa, K. See Sato, M., 3077C
Kurotu, T. See Kojima, T., 1479C
Kuruppu, K. D. A. See Yoneyama, M., 2917C
Kurz, D. W. See Mathias, L. J., 233L
Kuzyk, M. G.

—; Sohn, J. E.; Garito, A. F.: A Model for X-Ray-Induced Solid-State Polymerization, 277P
Kwei, T. K. See Lin, P., 603P
Kyu, T. See Suehiro, S., 745P
—; Saldanha, J. M.: Miscible Blends of Polycarbonate and Polymethyl Methacrylate, 33L

Lagos, A.
—; Reyes, J.: Grafting onto Chitosan. I. Graft Copolymerization of Methyl Methacrylate onto Chitosan with Fenton's Reagent (Fe^{2+}–H_2O_2) as a Redox Initiator, 985C
Laine, R. M. See Chow, A. W., 103L
Laivins, G. V.
—; Sixou, P.: Formation of Ordered Phases of (Hydroxypropyl)cellulose in Miscible and Immiscible Isobutyric Acid/Water Mixtures, 113P
Lal, J.
Review of *Rubber Processing and Production Organization*, 245L
Review of *Rubber Technology, Third Edition*, 540L
Langer, R. See Domb, A. J., 2623C
Ledwith, A. See Yağci, Y., 1911C
Lee, J. K. See Kim, W. S., 347L
Lee, S. G. See Yi, M. H., 1507C
Lee, Y.
—; Lefebvre, J.-M.; Porter, R. S.: Uniaxial Draw of Poly(aryl-ether-ether-kenone) by Solid-state Extrusion, 795P
Lee, Y.-D.
—; Tsai, H.-B.; Jeng, J.-T.: Polyarylates. V. The Influence of Phase Transfer Agents on the Interfacial Polycondensation, 2039C
Lee, Y.-N. See Higashi, F., 3123C; Kigashi, F., 2077C
Leest, Y.
—; Smets, G.: Dissociation of 2,2′-Substituted Thioindigo Whites, and Recombination of Their Radicals in Solution and in Polymer Matrix, 913C
Lefebvre, J.-M. See Lee, Y., 795P
Lefelar, J. A.
Effect of Heating and Aging on Microstructure of Polyester–Polyamide Copolymer, 1469P
Lemieux, E. See Jutier, J.-J., 1313P
Lenz, R. W. See Antoun, S., 1809C; Hegedus, R. D., 367C
—; Han, C.-C.; Stenger-Smith, J.; Karasz, F. E.: Preparation of Poly(phenylene Vinylene) from Cycloalkylene Sulfonium Salt Monomers and Polymers, 3241C
Letoffe, J.-M. See Pascal, T., 865C
Leung, W. P. See Choy, C. L., 1569P
Levine, Y. K. See van Gurp, M., 1613P
Levita, G. See Smith, T. L., 875P
Lewis, E. L. V. See Humphreys, J., 141P
Lewis, M. H. See Hayat, U., 201C
Li, C.
—; Yu, X.; Speckhard, T. A.; Cooper, S. L.: Synthesis and Properties of Polycyanoethylmethylsiloxane Polyurea Urethane Elastomers: A Study of Segmental Compatibility, 315P
Li, M. Y.
—; Pearce, E. M.; Reiser, A.; Narang, S.: A New Approach to High Temperature Photoresists Based on Styrylpyridinium Units, 2517C
Li, X. See Miyauchi, N., 1561C
Liedberg, B. See Wu, C. R., 1127P
Lin, C. H. See Matyjaszewski, K., 3031C
Lin, F. See Liu, R. X., 17L
Lin, J. S. See Suehiro, S., 745P
Lin, P.
—; Clash, C.; Pearce, E. M.; Kwei, T. K.; Aponte, M. A.: Solubility and Miscibility of Poly(ethyl oxazoline), 603P
Lin, S. See Sun, L., 2113P
Lind, J. H. See Hill, A. J., 1541C
Linde, H. G.
Adhesive Interface Interactions between Primary Aliphatic Amine Surface Conditioners and Polyamic Ester/Polyimide Resins, 1149P
Ling, H.-C. See Vrentas, J. S., 1059P
Linssen, H. N. See Tacx, J. C. J. F., 61C
Lipscomb, N. T.
—; Tarshiani, Y.: Kinetics and Mechanism of the Benzoin Isobutyl Ether Photoinitiated Polymerization of Styrene, 529C
Lissi, E. A. See Abuin, E. B., 501L; Zanocco, A., 2827C
Litt, M. H. See Hsieh, B. R., 2501C; Hsiue, G. H., 3043C; Kumar, K., 25L; Ruan, J. Z., 1483P
Liu, C. K. See Krigbaum, W. R., 1711P
Liu, F. J.
—; Kokorudz, J. S.; Collier, H. L.: Synthesis and Characterization of Urethane Polymers Containing 2,2′-Biimidazole, 3015C
Liu, R. X.
—; Lin, F.; Wu, S. K.; Rabek, J. F.: Metal Salts of 2(2,4-Dihydroxybenzol)benzoic Acid as a New Class of Effective Photostabilizers, 17L
Livant, P. D. See Ahmed, S. U., 2345C
Llorente, M. A. See Sanjuan, J., 235P
Lokaj, J. See Hrabák, F., 267C
Longone, D. T.
—; Glans, J. H.: Synthesis and Electrical Properties of Substituted Paracyclophane Polymers, 405C
Lorkowski, H.-J. See Wuensche, P., 2669C
Lotz, B. See Kretz, M., 663P
Lougnot, D. J.
—; Fouassier, J. P.: Comparative Reactivity of Water Soluble Photoinitiators as Viewed in Terms of Excited States Processes, 1021C
Lu, C. X.
—; Xiao, C.; Zhu, Z.; Ji, A; Overberger, C. G.: Synthesis of Optically Active Copoly(vinylamine-vinylalcohol) Containing a Pair of Adeninyl and Thyminyl Pendant Groups, 3337C
—; Yang, Y.; Xiao, C.; Ji, A.: Nucleic Acid Base Grafted Imino Polyurethane, 1659C
Lu, Y. See Sun, L., 2113P
Lu, Y. Y.
—; El-Aasser, M. S.; Vanderhoff, J. W.: Dispersion Polymerization of Styrene in Ethanol: Monomer Partitioning Behavior and Locus of Polymerization, 1187P
Lu, Z. See Sun, L., 2113P
Lucki, J. See Rabek, J. F., 2537C
Lui, J. H. See Ma, J. T., 195L
Lund, A. See Tabata, M., 2725C
Lunell, S. See Tabata, M., 2725C
Lyman, D. J. See Benson, R. S., 1393C

Ma, J.-J. See Quirk, R. P., 2031C
Ma, J. T.
—; Wu, L.; Qi, G. G.; Lui, J. H.; Yao, K. D.; Tang, P. L.; Zhang, Y. L.; Tong, T. Z.: Radiation Crosslinked Poly(Vinylmethylsiloxane) for Levonorgestrel Delivery System, 195L
Machado, J. M. See Schlenoff, J. B., 2247P
MacKnight, W. J. See Cifra, P., 2379P; Dickinson, L. C., 191L; Guerra, G., 301P
Macosko, C. W. See Miller, D. R., 1P
Madeleine, D. G.
—; Ward, T. C.; Taylor, L. T.: The Role of Colloid Formation, Imidization, and Aggregation in the Structure of BTDA-ODA Polyimide Films Modified with Gold, 1641P
Madruga, E. L.
—; San Román, J.; Alcalde, J.; Fernandez-Monreal, M. C.: Synthesis, Free-Radical Polymerization, and Stereochemical Configuration of Methyl α-*p*-Cyanobenzylacrylate, 2281C
Mahadevan, V. See Balasubramanian, T. R., 301C; Padma, S., 195C, 1253C

Mai, Z. See Junhua, Wu, 433L
Majumdar, D.
—; Ratner, B. D.: Synthesis, Bulk Characterization, and Surface Characterization of *p*-Hydroxystyrene/Styrene Copolymers, 1991C
Majumdar, R. N. See Newmark, R. A., 71C
Maldar, N. N. See Mohite, S. S., 2777C
Malinge, J. See Pascal, T., 865C
Mamedova, S. G. See Rzaev, Z. M. O., 849C
Manabe, O. See Shinkai, S., 391L
Mandelkern, L. See Alamo, R. G., 2169P; Glaser, R. H., 221P
Mano, M. See Ueda, M., 2295C, 2395C
Marand, H. L.
—; Stein, R. S.; Stack, G. M.: Isothermal Crystallization of Poly(vinylidene fluoride) in the Presence of High Static Electric Fields. I. Primary Nucleation Phenomenon, 1361P
Maravigna, P.
Thermally Stable Polymers by Condensation of Diphenols with Glyoxal, 2475C
March, J. See Chao, T. H., 743C
Marechal, E. See Tessier, M., 2785C
Marega, C. See Zannetti, R., 2399P
Margaritis, A. G.
—; Kalfoglou, N. K.: Compatibility of Poly(vinyl chloride) with Polyalkyleneoxides. I. Poly(methylene oxide) and Poly(ethylene oxide), 1595P
Marigo, A. See Zannetti, R., 2399P
Mark, H. See Overberger, C. G., 277L
—; Overberger, C. G.; Pearce, E.: Kurt C. Frisch, 1L
Mark, H. F.
C. G. Overberger: Co-Founder and Permanent Standard Bearer of the *Journal of Polymer Science*, xiC
Interscience Publishers, Inc.: Dr. Maurits Dekker and Dr. Eric S. Proskauer, xvC
Tradition and Change, xviiC
Mark, J. E. See Debolt, L. C., 865P, 989P; Fu, F.-S., 2229P; Garrido, L., 2367P
Markova, G. D. See Otton, J., 2199C
Marowitz, H.
Review of *Radiothermoluminescence and Transitions in Polymers*, 51L
Marti, J. See Reimschuesel, H. K., 43C
Martin, G. C. See Heise, M. S., 153L
Martinez, M.
—; Reynolds, J. R.; Basak, S.; Black, D. A.; Marynick, D. S.; Pomerantz, M.: Electromechanical Synthesis and Optical Analysis of Poly[(2,2′-dithienyl)-5,5′-diylvinylene], 911P
Martinez, G.
—; Mijangos, C.; Terroba, P.; Millán, J.: Stereoselective Substitution on PVC Using Phase Transfer Catalysts, 1629C
Martorana, A. See Zannetti, R., 2399P
Maruyama, Y. See Jo, Y. S., 463P
Marvel, C. S. See Mohite, S. S., 2777C
Marynick, D. S. See Martinez, M., 911P
Mashimo, T. See Higashi, F., 1003C, 1277C
Masuda, T. See Hamano, T., 2603C
Mateva, R.
—; Sirashki, G.: Copolymerization of Trioxane with Phenylglycidylether, 511C
Mathias, L. J. See Ahmed, S. U., 2345C
—; Kurz, D. W.; Viswanathan, T.: Multifunctional Captodative Monomers: Urea-Containing Dehydroalanines, 233L
Mathur, S. C.
—; Newman, B. A.; Scheinbeim, J. I.: Piezoelectricity in Uniaxially Stretched and Plasticized Nylon 11 Films, 447P
Matsuda, H. See Nomura, R., 627C
Matsuda, M. See Ito, O., 1429C
Matsui, K. See Nagase, Y., 3131C
Matsumoto, A.
—; Matsuo, H.; Oiwa, M.: Molecular Weight and Molecular-Weight Distribution of Copolymers Obtained at an Early Stage of Copolymerization of Methyl Methacrylate with Oligoglycol Dimethacrylates, 287L
—; Murata, H.; Yamane, H.; Oiwa, M.; Murata, Y.: Reactive Oligomers. V. Polymerization of Ethylene Glycol Bis(isopropyl Fumarate), Ethylene Glycol Bis(*n*-butyl Fumarate), and Diethylene Glycol Bis(*n*-butyl Fumarate) (Note), 1975C
Matsumoto, N. See Fujino, M., 109L
Matsumura, K.
—; Hayamizu, K.; Nakane, T.; Yanagishita, H.; Yamamoto, O.: Angular Dependence of ^{1}H- and ^{3}H-NMR Spectra of Water and Methanol Absorbed in Cellulose Triacetate Film, 2215P
Matsuo, H. See Matsumoto, A., 287L
Matyjaszewski, K.
—; Lin, C. H.: Activation and Racemization of Trifluoroacetate Esters in the Cationic Polymerization of Styrene, 3031C
Mavroyannakis, E. G.
Relaxation Relationships of the Thermally Stimulated Depolarization Currents, 139L
Maxka, J. See Wolff, A. R., 701C, 713C
Mayer, E. See Johari, G. P., 1923P
Mazón-Arechederra, J. M. See Barrales-Rienda, J. M., 935P
McFaddin, D. C. See Clas, S.-D., 1271P
McGill, W. J. See Honiball, D., 1529P, 2413P
McGrath, J. C. See Humphreys, J., 141P
McGregor, R. See Hamada, K., 421P
McKenna, G. B.
—; Guenet, J.-M.: The Effects of Solvent Type on the Concentration Dependence of the Compression Modulus of Thermoreversible Isotactic Polystyrene Gels, 267P
McLean, J. A., Jr. See Al-Salah, H. A., 1609C
Meador, M. A. B.
Processable, High Temperature Polymers from 1,4,5,8-Tetrahydro-1,4; 5,8-Diepoxyanthracene and Bis-Dienes, 2907C
Meeten, G. H.
—; Navard, P.: Cholesteric Hydroxypropylcellulose Solutions: Microscopy and Small-Angle Light Scattering, 413P
Mehta, R. See Gaylord, N. G., 1189C, 1903C
Meira, G. R. See Alassia, L. M., 201L
Melissaris, A. P. See Mikroyannidis, J. A., 1405C
—; Mikroyannidis, J. A.: Bismaleimides Chain-Extended by Imidized Benzophenone Tetracarboxylic Dianhydride and Their Polymerization to High Temperature Matrix Resins, 1165C
—; Mikroyannidis, J. A.: High Temperature Phosphorylated or Nonphosphorylated Laminating Resins Based on Maleimido-Substituted Aromatic *s*-Triazines, 1885C
Memory, J. D. See Seo, K. S., 245P, 533P; Wilson, T. W., 2029P
Menguel, J.-F. See Besombes, M., 1881P
Meurer, B. See Kretz, M., 663P, 1553P
Mijangos, C. See Martinez, G., 1629C
Mikroyannidis, J. A. See Melissaris, A. P., 1165C, 1885C
Flame Retardation of Polyurethanes by Means of 1,4-Bis[(dialkoxyphosphinyl) hydroxymethyl] benzene, 885C
Synthesis, Physical, and Thermal Properties of Linear Poly(dialkoxyphosphinyl-*s*-Triazine)s, 583C
—; Koutsolelos, P. G.: Bismaleimides and Bisnadimides Derived from 2,5-Bis(4-Aminophenyl)-3,4-Diphenylthiophene and Their Polymerization to Heat-Resistant Matrix Resins, 2811C
—; Melissaris, A. P.: Bis- or Tetra-Maleimides of Substituted *s*-Triazines Chain-Extended by Imide, Amide, and Urea Groups for Fire- and Heat-Resistant Applications, 1405C
Millán, J. See Martinez, G., 1629C
Miller, D. R.
—; Macosko, C. W.: Network Parameters for Crosslinking of Chains with Length and Site

Distribution, 1P
Millich, F.
—; Hauber, B. F.: Calorimetric Determination of Head-to-Head Defect in Poly(vinylidene fluoride), 1217P
Min, K. E.
—; Paul, D. R.: Blends of Poly(vinyl methyl ether) with Styrenic Copolymers, 2257P
—; Paul, D. R.: Effect of Tacticity on Permeation Properties of Poly(methyl methacrylate), 1021P
Mirabella, F. M., Jr.
—; Westphal, S. P.; Fernando, P. L.; Ford, E. A.; Williams, J. G.: Morphological Explanation of the Extraordinary Fracture Toughness of Linear Low Density Polyethylenes, 1995P
Misono, T. See Abe, Y., 419C
Misra, A. See Bhattacharya, S. K., 515P
Misra, T. N. See Ghosh, U., 1681C
Mita, I. See Yokota, R., 215L
Mitchell, D. J. See Pawlikowski, G. T., 1865P
Mitomo, H.
Estimation of Lamellar Thickness of Nylon 66 Single Crystal of Hydrolysis and Gel Permeation Chromatography (Note), 467P
Mitsutani, K. See Ishizu, K., 511L
Miyaji, T. See Iizawa, T., 2941C
Miyata, M.
—; Akizuki, S.; Tsutsumi, H.; Takemoto, K.: Functional Monomers and Polymers. CLVI. Asymmetric Inclusion Polymerization of 1,3-Butadiene Derivatives with Polar Substituents in a Deoxycholic Acid Canal, 229L
Miyata, S. See Jo, Y. S., 463P
Miyata, Y.
—; Atsumi, M.: Spectroscopic Studies on the Initial Stages of Thermal Degradation of Polychloroprene, 2561C
Miyauchi, N.
—; Kirikihira, I.; Li, X.; Akashi, M.: Graft Copolymers Having Hydrophobic Backbone and Hydrophilic Branches. III. Synthesis of Graft Copolymers Having Oligovinylpyrrolidone as Hydrophilic Branch, 1561C
Miyazawa, T. See Saotome, Y., 485L
Mizoguchi, K. See Kamiya, Y., 159P, 1409P
Mizuya, J.
—; Yokozawa, T.; Endo, T.: A Novel Reactive Monomer: Preparation and Radical Polymerization of Allenyl Glycidyl Ether (Note), 3119C
Moad, B. See Buback, M., 293L
Mochizuki, A. See Higashi, F., 3071C
Moe, M. B.
—; Koros, W. J.; Paul, D. R.: Effects of Molecular Structure and Thermal Annealing on Gas Transport in Two Tetramethyl Bisphenol-A Polymers, 1931P
Moghaddam, M. J.
—; Hozumi, S.; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers 159 Synthesis and Photochemical Reactions of Polymers Containing Thymine Photodimer Units in the Main Chain, 3297C
Mohanty, T. R. See Samal, B. B., 3159C
Mohapatro, L. M. See Samal, B. B., 3159C
Mohite, S. S.
—; Maldar, N. N.; Marvel, C. S.: Synthesis and Characterization of Silicon-Containing Phenylated Soluble Aramids, 2777C
Montaudo, G. See Ballistreri, A., 2113C
Moonan, W. K. See Smith, T. L., 875P
Moore, G. J. See Evers, R. C., 3213C
Morawetz, H.
Review of *Mechanisms of Photophysical Processes and Photochemical Reactions in Polymers—Theory and Application*, 276L
Review of *Polymer Photophysics and Photochemistry—An Introduction to the Study of Photoprocesses in Macromolecules*, 243L
Morbidelli, M. See Giannetti, E., 1835C, 2307C
Morgan, L. W. See Scholsky, K. M., 181L
Mori, S. See Nagase, Y., 3131C
Moriya, O.
—; Arai, S.; Endo, T.: Synthesis of Organotin Polymers by the Reaction of Diallyl Carbonates with Bu_3SnH, 2573C
Morris, J. C. See Jackson, W. J., Jr., 835C
Morshed, M. See Cimecioglu, A. L., 2129C
Moser, R. See Renner, A., 1361C
Moustafa, A. B. See Badran, A. S., 609C
—; Abd Ellatif, Z. H.; Amer, L. I.: Stereoregularity of Poly(methyl Methacrylate) Prepared by Aqueous Polymerization and Catalyzed by Corundum, 1587C
Mueller, S. See Wuensche, P., 2669C
Mulder, M. H. V. See Gebben, B., 1743C, 1757C
Mulhaupt, R.
—; Ovenall, D. W.; Ittel, S. D.: Control of Composition in Ethylene Copolymerizations Using Magnesium Chloride Supported Ziegler–Natta Catalysts, 2487C
Müller, J.
—; Wendorff, J. H.: Thermal Density-Fluctuations in Rejuvenated and Aged Polycarbonate, 421L
Mulvaney, J. E.
—; Green, G. D.: Polyesters from α,α'-Dicarbomethoxy-α,α'-Diphenyl-*p*-Xylylene and the Synthesis and Properties of a New Quinodimethane, 2597C
Munari, S. See Bottino, A., 785P
Muñoz, M^a. E^a. See Gallego, F., 1871P
Munro, H. S.
—; Till, C.: The Surface Photopolymerization of Perfluorobenzene and Photocopolymerization of Perfluorobenzene/Benzene: A Possible Model for Plasma Polymerization, 2873C
Murakami, K. See Ito, O., 1429C
Murali, R.
—; Eisenberg, A.: Ionic Miscibility Enhancement in Poly(tetrafluoroethylene)/Poly(ethyl acrylate) Blends. I. Dynamic Mechanical Studies, 1385P
Murata, H. See Matsumoto, A., 1975C
Murata, Y. See Matsumoto, A., 1975C
Murthy, N. S. See Reimschuesel, H. K., 43C
Murthy, S. S. N.
Temperature Dependence of Relaxation Processes in Amorphous Polymers, 361L

Nadkarni, V. M. See Rajan, C. R., 2581C
Nagai, S. See Inoue, H., 1077C
Nagao, M. See Sasaki, S., 637P
Nagao, Y. See Abe, Y., 419C
Nagaoka, S. See Nakayama, Y., 559C
Nagarajan, M. R. See Ding, Y. S., 289P
Nagase, Y.
—; Mori, S.; Matsui, K.; Uchikura, M.: Chemical Modification of Poly(substituted-Acetylene). III. Synthesis and Gas Permeability of Poly(1-phenyl-1-Propyne)/Poly(dimethylsiloxane) Graft Copolymer (Note), 3131C
Nagata, M. See Kiyotsukuri, T., 807C, 2225C
Nagata, Jr., M.
—; Tsutsumi, N.; Kiyotsukuri, T.: Synthesis and Properties of Polyamides Derived from Systematically Halogenated Terephthalic Acids with Fluorine, Chlorine, or Bromine Atoms, 235C
Naito, Y. See Kamiya, Y., 159P
Nakafuku, C. See Choy, C. L., 921P
Nakane, T. See Matsumura, K., 2215P
Nakanishi, F.
Photoreaction of Amphiphilic Diolefins in Monolayers Formed on an Air-Water Interface, 159L
—; Yamada, K.; Nakanishi, H.: A Reversible Photochemical Process in the Solid State: Photopolymerization of 5,5′-1,4-Phenylene-bis(2-Cyano-2,4-Pentadienoic Acid)

Derivatives and Photodepolymerization of Their Polymers (Note), 329C
Nakanishi, H. See Nakanishi, F., 329C
Nakatsuchi, K. See Sato, M., 3077C
Nakayama, K. See Kaito, A., 1439P
Nakayama, M. See Goto, Y., 1671C
Nakayama, Y.
—; Takahagi, T.; Soeda, F.; Hatada, K.; Nagaoka, S.; Suzuki, J.; Ishitani, A.: XPS Analysis of NH_3 Plasma-Treated Polystyrene Films Utilizing Gas Phase Chemical Modification, 559C
Nalwa, H. S.
Magnetic Susceptibility of Polypyrrole and Polythiophene Conducting Polymers, 351L
Nambu, Y. See Kitamura, N., 993C; Sato, T., 341L
Nametov, K. M. See Otton, J., 2199C
Nanayakkara, J. See Nix, E. L., 127P
Nanda, S. See Samal, B. B., 3159C
Nandu, M. See Polk, M. B., 2405C
Napper, D. H. See Buback, M., 293L
Narang, S. See Li, M. Y., 2517C
Narita, T. See Hagiwara, T., 1011C
Nauman, E. B. See Balsara, N. P., 1077P; Winkler, R. E., 2853C
Nava, H. See Percec, V., 721C, 783C
Navard, P. See Ernst, B., 211P; Meeten, G. H., 413P
Navarro, R. E. See Castillón, F. F., 321C
Nayak, B. See Samal, S. K., 1035C
Nedel'kin, V.I. See Sergeev, V. A., 1125C
Neel, J. See Petit, A., 1093C
Negi, Y. S. See Kakimoto, M.-A., 99C
Nema, S. K. See Sreedhar, J., 493L
Newman, B. A. See Mathur, S. C., 447P
Newman, D. C. See Coleman, B. D., 1801P
Newmark, R. A.
—; Majumdar, R. N.: ^{13}C-NMR Spectra of *cis*-Polymyrcene and *cis*-Polyfarnesene, 71C
Ngai, K. L. See Yee, A. F., 2463P
Nishi, T. See Higashi, F., 3235C
Nishijima, Y. See Tsubakiyama, K., 1231C
Nishikubo, T.
—; Shimokawa, T.; Fujii, T.; Iizawa, T.; Harita, Y.; Koshiba, M.: Study of Photopolymers. XXXIII. Chemical Modification of Poly(epichlorohydrin) and Its Application as Photosensitive Polymers, 2881C
Nishikubo, T. See Endo, T., 517L; Iizawa, T., 2941C
Nix, E. L. See Humphreys, J., 141P
—; Nanayakkara, J.; Davies, G. R.; Ward, I. M.: Primary and Secondary Pyroelectricity in Highly Oriented Polyvinylidene Fluoride, 127P
Noguchi, H. See Fukuchi, Y., 269L, 401L
Noguchi, Y. See Tomoi, M., 2291C
Nohara, M.
—; Hasegawa, M.; Harashina, H.; Iitaka, Y.: Photoreactive Polyamides Having *m*- or *l*-type Dimer Moiety Derived from 4-(3-Oxo-3-Phenyl-1-Propenyl) benzoic Acid Derivatives, 2695C
Nomura, M.
—; Satpathy, U. S.; Kouno, Y.; Fujita, K.: Investigation on the Locus of Particle Formation in Emulsion Polymerization Containing Partially Water-Soluble Monomers, 385L
Nomura, R.
—; Wada, Y.; Matsuda, H.: Polymerization of Oxiranes by Polymeric Organoantimony Oxides, 627C
Nowlin, T. E.
—; Kissin, Y. V.; Wagner, K. P.: High Activity Ziegler-Natta Catalysts for the Preparation of Ethylene Copolymers, 755C
Nozue, I. See Wolff, A. R., 701C
Nwankwo, I.
—; Xia, D. W.; Smid, J.: Salt Effects on Cloud Points and Viscosities of Polymethacrylates with Pendant Oligo-oxyethylene Chains, 581P
Ochiai, S. See Yoshikawa, M., 263L
Odochian, L. See Vasile, C., 1639C
O'Donohue, S. J. See Huglin, M. B., 1067P
O'Driscoll, D. F. See Duever, T. A., 965C
O'Driscoll, K. F. See Buback, M., 293L
Ogata, N. See Yoshikawa, M., 335C
Ogawa, T. See Castillón, F. F., 321C
—; Sakai, M.: Gel Permeation Chromatography of Polyamide by *N*-Trifluoroacetylation, 3141C
Ohkatsu, Y. See Sato, M., 3077C
Ohkawa, H. See Uryu, T., 1227P
Ohno, S. See Hirai, T., 299L
Ohsawa, Y. See Yoshikawa, M., 89L
Ohtsuka, T.
—; Yamamoto, Y.; Hayashi, K.: Photosensitized Cationic Polymerization of Cyclohexane Oxide via Electron-Transfer Reactions, 481L
Oiwa, M. See Matsumoto, A., 287L, 1975C
Okada, K. See Kiyotsukuri, T., 2225C
Okano, T. See Vulić, I., 381C
Okazaki, A. See Hirai, T., 299L
Okuno, T. See Yasuda, T., 1781P, 2061P
Olaj, O. F. See Buback, M., 293L
Ong, E. L. See Choy, C. L., 1569P
Onwumere, H. D. See Polk, M. B., 2405C
O'Reilly, J. M. See Ramos, A. R., 501P
Organ, S. J. See Ungar, G., 259L
Osa, T. See Anzai, J.-I., 1519C
Oshima, R. See Hu, C.-J., 441L, 1239C, 2423C; Uryu, T., 1227P
Ota, T. See Sato, T., 2839C; Tanaka, H., 11L
Otsuhata, K.
—; Jin, C.; Tabata, Y.: Copolymerization of Trifluoropropene with Itaconic Acid and Ethylvinylether by Using Gamma Rays, 601C
Otsuki, T.
—; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of Aromatic—Aliphatic Copolyamides from Aromatic Diisocyanates and Dicarboxylic Acids, 2263C
Otta, P. K. See Samal, B. B., 3159C
Otterburn, M. S. See Fawcett, A. H., 459L
Otton, J.
—; Ratton, S.: Investigation of the Formation of Poly(ethylene Terephthalate) with Model Molecules: Kinetics and Mechanism of the Catalytic Esterification and Alcoholysis Reactions. I. Carboxylic Acid Catalysis (Monofunctional Reactants), 2183C
—; Ratton, S.; Vasnev, V. A.; Markova, G. D.; Nametov, K. M.; Bakhmutov, V. I.; Komarova, L. I.; Vinogradova, S. V.; Korshak, V. V.: Investigation of the Formation of Poly(ethylene Terephthalate) with Model Molecules: Kinetics and Mechanisms of the Catalytic Esterification and Alcoholysis Reactions. II. Catalysis by Metallic Derivatives (Monofunctional Reactants), 2199C
Ovenall, D. W. See Mulhaupt, R., 2487C
Overberger, C. G. See Lu, C. X., 3337C; Mark, H., 1L; Schiavone, R. J., 107C; Ye, D., 765C
—; Mark, H.: A Memorial Tribute to Carl Shipp Marvel, 277L
Ozawa, N. See Kiyotsukuri, T., 3409C

Padma, S.
—; Mahadevan, V.; Srinivasan, M.: Syntheses and Characterization of Some Polyquinazolinediones (Note), 1253C
—; Mahadevan, V.; Srinivasan, M.: Synthetic Study of Aromatic Polybenzoxazinone Derived from Methylene-4,4′-Diaminodiphenyl-3,3′-Dicarboxylic Acid, 195C
Padmanaban, M. See Kakimoto, M.-A., 2863C
Painter, P. C. See Gordon, B., III, 1689C
Paleos, C. M. See Babilis, D., 2141C
Pan, C.-Y.
—; Wang, Y.; Bailey, W. J.: Synthesis and Polymerization of 2-Butyl-7-Methylene-1,4,6-Trioxaspiro(4,4) Nonane, 2737C

Pan, H. K. See Ding, Y. S., 289P
Pandey, R. R. See Gupta, M. C., 491C
Pankonin, B.
—; Habeger, C.: A Strip Resonance Technique for Measuring the Ultrasonic Viscoelastic Parameters of Polymeric Sheets with Application to Cellulose, 339P
Park, J. S. See Ruckenstein, E., 529L
Parker, J. W.
—; Cox, M. E.: Mass Transfer of Oxygen in Poly(2-Hydroxyethyl Methacrylate), 1179C
Parmer, J. F.
—; Porter, R. S.: Molecular Interactions in Polystyrene Cosolvent Systems, 981P
Pascal, T.
—; Malinge, J.; Sillion, B.; Claudy, P.; Letoffe, J.-M.: Synthesis of Polyphthalocyanines by an Oxidoreduction Reaction Initiated by the Benzhydrol Functional Group. I. Model Study, 865C
Pathak, C. P. See Dharia, J. R., 595C
—; Patni, M. J.; Babu, G. N.: Synthesis, Microstructure, and Copolymerization Studies of 2-Chloroethyl α-Chloroacrylate, 503C
Patni, M. J. See Pathak, C. P., 503C
Paul, D. R. See Barbari, T. A., 709P, 729P; Min, K. E., 1021P, 2257P; Moe, M. B., 1931P
Pawlikowski, G. T.
—; Mitchell, D. J.; Porter, R. S.: Coextrusion Drawing of Rector Powder of Ultrahigh Molecular Weight Polyethylene, 1865P
Pawlowski, W. P.
—; Gilbert, R. D.; Fornes, R. E.; Purrington, S. T.: The Liquid-Crystalline Properties of Selected Cellulose Derivatives, 1101P
Pearce, E. See Mark, H., 1L
Review of *Fourier Transform Infrared Characterization of Polymers*, 413L
Pearce, E. M. See Li, M. Y., 2517C; Lin, P., 603P
—; Tirrell, D. A.: The Future of the *Journal of Polymer Science: Chemistry*, vC
Pearlstein, R. A. See Hopfinger, A. J., 2007P
Pearsall, G. W. See Hill, A. J., 1541C
Pelter, M. W.
—; Taylor, R. T.: The Substitution of Polychlorotrifluoroethylene with Sulfur, Selenium, and Phosphorus Nucleophiles, 2651C
Pelton, R. H.
Polystyrene and Polystyrene-butadiene Latexes Stabilized by Poly(N-isopropylacrylamide), 9C
Peña, J. J. See Gallego, F., 1871P
Peng, K. L.
—; Kennedy, J. P.; Wilczek, L.: New Telechelic Polymers and Sequential Copolymers by Polyfunctional Initiator-Transfer Agents (Inifers). LIII. Lithiation of 2,4,4-Trimethyl-1-pentene and Isopropylidene Capped Polyisobutylenes by Butyllithiums in the Presence of Complexing Agents, 2235C
Peppas, N. A. See Tsou, A. H., 2043P
Percec, V.
—; Auman, B. C.; Nava, H.; Kennedy, J. P.: Functional Polymers and Sequential Copolymers by Phase Transfer Catalysis. XXVIII. Synthesis and Characterization of Alternating Block Copolymers and Polyformals of Polyisobutylene and Aromatic Polyether Sulfone, 721C
—; Hsu, C. S.; Tomazos, D.: Synthesis and Characterization of Liquid Crystalline Copolymethacrylates, Copolyacrylates, and Copolysiloxanes Containing 4-Methoxy-4′-Hydroxy-α-Methylstilbene and 4-Hydroxy-4′-Methoxy-α-Methylstilbene Constitutional Isomers as Side-Groups, 2047C
—; Nava, H.: Synthesis of Aromatic Polyethers by Scholl Reaction. I. Poly(1,1′-Dinaphthyl Ether Phenyl Sulfone)s and Poly(1,1′-Dinaphthyl Ether Phenyl Ketone)s, 783C
—; Schild, H. G.; Rodriguez-Parada, J. M.; Pugh, C.: Interchain Electron Donor-Acceptor Complexes. Determination of Equilibrium Constant and Thermodynamic Parameters in the Solid State, 935C
Pereña, J. M. See González, C. C., 1397P
Perera, M. C. S. See Bradbury, J. H., 615C
—; Elix, J. A.; Bradbury, J. H.: Furanized Rubber Studied by NMR Spectroscopy, 637C
Pérez, E.
—; Vanderhart, D. L.: $A^{13}C$ CP-MAS NMR Study of Irradiated Polyethylene, 1979P
Peterlin, A. See de Candia, F., 1897P
Petit, A.
—; Cung, M. T.; Neel, J.: Polymérisation Radicalaire du Pentadiéne-1,3.II. Microstructure des Résidus Pentadiéniques dans less Homo- et Copolyméres des *cis* et *trans* Pentadiénes-1,3 avec l'Acrylonitrile, 1093C
Petropoulos, J. H.
On the Dual Mode Gas Transport Model for Glassy Polymers, 1009P
—; Sanopoulou, M.: Test of a Model of Test-dependent Diffusion by Means of Combined Colored Tracer and Birefringence Profile Measurements, 1087P
Phingbodhipakkiya, M. See Polk, M. B., 2405C
Pichot, C. See Guillaume, J. L., 1937C
Pitt, C. G. See Bao, Y. T., 41L
Pivcová, H. See Hrabák, F., 267C
Plage, B. See Schulten, H.-R., 2381C
Planche, J. P.
—; Revillon, A.; Guyot, A.: Chemical Modification of Polynorbornene. I. Sulfonation in Dilute Solution, 429C
Platzer, N.
Review of *Developments in Polymer Stabilisation*, 537L
Review of *Encyclopedia of Polymer Science and Engineering*, 171L
Review of *Encyclopedia of Polymer Science and Technology*, 54L
Review of *Encyclopedia of PVC Second Edition Volume 2 Compound Design and Additives*, 273L
Review of *Engineering Science of Polymeric Materials*, 416L
Review of *Future Trends in Polymer Science and Technology*, 53L
Review of *Handbook of Fillers for Plastics*, 274L
Review of *Molecular Structure and Energetics: Volume 1, Chemical Bonding Models; Volume 2, Physical Measurements; Volume 3, Studies of Organic Molecules; Volume 4, Biophysical Aspects*, 168L
Review of *New Trends in Colloid Science; Volume 73*, 537L
Review of *Polymer Yearbook 4*, 538L
Review of *Polymer-Plastics Technology and Engineering*, 538L
Review of *Polymers: An Encyclopedic Sourcebook of Engineering Properties*, 172L
Review of *Polyquinane Chemistry-Synthesis and Reactions*, 273L
Review of *Stereoselective Synthesis*, 53L
Plazek, D. J. See Vallat, M.-F., 545P, 555P
—; Rosner, M. J.; Plazek, D. L.: Viscoelastic Behavior of Amorphous Polymers near the Glass Temperature, 473P
Plazek, D. L. See Plazek, D. J., 473P
Polk, M. B. See Harruna, I. I., 2171C
—; Onwumere, H. D. Banks F.; Venkatasubramanian, N.; Nandu, M.; Phingbodhipakkiya, M.; Samulski, E. T.: Thermotropic Copolyesters. III. Synthesis and Characterization of Liquid Crystal Copolyesters Containing the Bicyclo[2.2.2.]octane Ring System, 2405C
Pomerantz, M. See Martinez, M., 911P
Ponrathnam, S. See Rajan, C. R., 2581C
Porter, R. S. See George, E. R., 83P; Kim, B. S., 2499P; Lee, Y., 795P; Parmer, J. F., 981P; Pawlikowski, G. T., 1865P; Saraf, R. F., 1049P
Porzio, W. See Costa Bizzarri, P., 255C

Prabhakaran, P. V. See Sreedhar, J., 493L
Pramanick, D.
—; Sarkar, J.; Bhattacharyya, R.: Studies on Some Radical Transfer Reactions by Entrapping the Radicals as Polymer End Groups. II. Reactions of OH Radicals with Amino Acids, 573C
—; Sarkar, J.; Bhattacharyya, R.: Studies on Some Radical Transfer Reactions by Entrapping the Radicals as Polymer Endgroups. III. Reaction of OH Radical with Halide Ions, 1457C
Prevorsek, D. C.
Review of *High Modulus Polymers—Approaches to Design and Development*, 326L
Priel, Z. See Rabin, Y., 397L
Pronko, J. G. See Brauman, S. K., 1205P
Proskauer, E. S.
A Tribute to Dr. Mark, viiC
Prud'homme, R. E. See Ajji, A., 2279P; Hmamouchi, M., 1593C; Jutier, J.-J., 1313P; Riedl, B., 1769P; Voyer, R., 117C
Pu, H. H. See Xiaojiang, Z., 255L
Pu-Chen, Y. See Wen-E, Y., 2683C
Pugh, C. See Percec, V., 935C
Puglisi, C. See Ballistreri, A., 2113C
Pujol, J. M.
—; Brossas, J.; Catala, J. M.: Synthesis of Polybutadiene—Polysulphide, 1573C
Purgett, M. D.
—; Vogl, O.: Functional Polymers. XLVIII. Polymerization of ω-Alkenoate Derivatives, 677C
—; Xie, S.; Bansleben, D. A.; Vogl, O.: Functional Polymers. XLVII. Synthesis of Various Derivatives of ω-Alkenoates, 657C
Purrington, S. T. See Pawlowski, W. P., 1101P

Qi, G. G. See Ma, J. T., 195L
Quirk, R. P.
—; Ma, J.-J.: Characterization of the Functionalization Reaction Product of Poly(styryl) lithium with Ethylene Oxide, 2031C
Qutubuddin, S. See Haque, E., 429L

Rabek, J. F. See Liu, R. X., 17L
—; Lucki, J.: Crosslinking of Polystyrene under Friedel-Crafts Conditions in Dichloroethane and Carbon Tetrachloride Solvents Through the Formation of Strongly Colored Polymer-$AlCl_3$-Solvent Complexes, 2537C
Rabin, Y.
—; Cohen, J.; Priel, Z.: Viscosity of Polyelectrolyte Solutions—The Generalized Fuoss Law, 397L
Raghava, R. S.
Development and Characterization of Thermosetting–Thermoplastic Polymer Blends for Applications in Damage-tolerant Composites, 65P
Rai, S. See Sreedhar, J., 493L
Rajan, C. R.
—; Nadkarni, V. M.; Ponrathnam, S.: Poly(phenylene Sulfide): Synthesis from 1,4-Dibromobenzene and Sodium Sulfate, 2581C
Ramakrishna, M. S.
—; Deshpande, D. D.; Babu, G. N.: Radiation-Induced Copolymerization of Hydrophilic Monomers: Synthesis and Thermal Properties, 445C
Ramos, A. R.
—; Kovacs, A. J.; O'Reilly, J. M.; Tribone, J. J.; Greener, J.: Effect of Combined Pressure and Temperature Changes on Structural Recovery of Glass-forming Materials. I. Extension of the KAHR Model, 501P
Rånby, B. See Allmér, B., 2099C
Ranucci, E. See Ferruti, P., 357L
Rao, B. S.
Novel Bismaleimides Via Epoxy-Carboxy Addition Reaction: Synthesis Characterization and Thermal Stability, 3L
Rao, K. V. C. See Sreedhar, J., 493L
Rasmussen, J. K. See Katritzky, A. R., 3323C
Ratner, B. D. See Haque, Y., 1237P; Majumdar, D., 1991C
Ratton, S. See Otton, J., 2183C, 2199C
Rausch, M. D. See Gonsalves, K. E., 2769C
Ray, A. R. See Samal, B. B., 3159C
Razavi, A. See Chien, J. C. W., 2369C
Reddy, T. A.
—; Srinivasan, M.: Preparation and Properties of Polyamides from 2,8-Phenoxathiin-Bis-(γ-Ketobutyric Acid), 2,7-Thianthrene-Bis(γ-Ketobutyric Acid), and Aromatic Diamines, 1705C
—; Srinivasan, M.: Syntheses and Characterization of Poly(benzimidazolyl)thiaxanthones, 1051C
—; Srinivasan, M.: Synthesis and Characterization of Polyamides Containing Heterocyclic Thiaxanthone Units, 1063C
Ree, T. See Jeon, S. H., 1419C
Reghunadhan Nair, C. P.
—; Clouet, G.; Brossas, J.: Copolymerization of Diethyl 2-(Methacryloyloxy) Ethyl Phosphate with Alkyl Acrylates: Reactivity Ratios and Glass Transition Temperatures, 1791C
Register, R. A. See Ding, Y. S., 289P
Reilly, P. M. See Duever, T. A., 965C
Reimschuesel, H. K.
—; Marti, J.; Murthy, N. S.: Ethylene-Chlorotrifluoroethylene Copolymers. II. Effects of Structure on Resistance to Thermal Stress Cracking, 43C
Reiser, A. See Li, M. Y., 2517C
Rellick, G. S.
—; Runt, J.: A Dielectric Study of Poly(ethylene-co-vinyl acetate)-Poly(vinyl chloride) Blends. III. Direct Current Conductivity and Electrode Polarization, 1425P
Rendell, R. W. See Yee, A. F., 2463P
Renner, A.
—; Moser, R.; Bellus, M.; Fuhrer, H.; Hosang, O.; Szekely, G.: Cure of Epoxy Resins with Cyanoacetamides, 1361C
Revillon, A. See Planche, J. P., 429C
Reyes, J. See Lagos, A., 985C
Reynolds, J. R. See Martinez, M., 911P
Riande, E. See Guzmán, J., 207C
Ricard, A. See Boussouira, B., 649P
Riedl, B.
—; Prud'homme, R. E.: Thermodynamics of Miscible Polymer Blends Using a Concentration-dependent χ Parameter, 1769P
Ringsdorf, H. See Taylor, L. D., 177L
Rocha, M. G. See Coutinho, F. M. B., 3167C
Rochow, T.
Review of *Polymer Microscopy*, 169L
Rodriguez, E. L.
Adiabatic Heating in Poly(methyl methacrylate) at High Hydrostatic Pressures (Note), 459P
Rodriguez, F. See Joshi, M. G., 819C
Rodriguez-Parada, J. M. See Percec, V., 935C
Roland, C. M.
Rheology of a Miscible Polymer Blend, 839P
Roovers, J.
—; Toporowski, P. M.: Synthesis and Characterization of Ring Polybutadienes, 1251P
Rosner, M. J. See Plazek, D. J., 473P
Rossi, A. R. See Silverman, B. D., 1199C
Roth, P. G. See Venkatachalam, R. S., 2447P
Rother, G. See Dautzenberg, H., 353P
Rowland, S. P.
—; Howley, P. S.: Hydrogen Bonding on Accessible Surfaces of Cellulose from Various Sources and Relationship to Order within Crystalline Regions, 1769C
Roy, R. B.
—; Kradjel, C.: Application of NIRA Techniques

for the Determination of Polymer End and Functional Groups, 1733C
Ruan, J. Z.
—; Litt, M. H.: Synthesis and Properties of Poly(1,2-8,9 trans-Quinacridono), 1483P
Ruckenstein, E.
—; Park, J. S.: Hydrophilic-Hydrophobic Polymer Composites, 529L
Ruddy, M. See Hutchinson, J. M., 2341P
Rudin, A. See Van Ballegooie, P., 2449C
Rudzinski, W. E.
—; Guthrie, S. R.; Cassidy, P. E.: Poly(Schiff base) Polymers Based on Substituted Bisphenyl (Note), 1677C
Ruhser, F. See Kricheldorf, H. R., 1621C
Runt, J. See Rellick, G. S., 1425P
Russell, K. E. See Clas, S.-D., 1271P
Grafting of Maleic Anhydride to *n*-Eicosane, 2273C
Russo, R. See Candia, F. de, 1897P
Rustamov, F. B. See Rzaev, Z. M. O., 849C
Rye, R. R.
Radiation Hardening of Polytetrafluoroethylene Against Chemical Etching, 2133P
Rzaev, Z. M. O.
—; Mamedova, S. G.; Jusifov, G. A.; Rustamov, F. B.: Complex Radical Copolymerization of Di-*n*-Butylstannyl Dimethacrylate with Maleic Anhydride, 849C

Saburi, M. See Fukuchi, Y., 269L, 401L
Sada, E.
—; Kumazawa, H.; Yoshio, Y.; Wang, S.-T.; Xu, P.: Permeation of Carbon Dioxide Through Homogeneous Dense and Asymmetric Cellulose Acetate Membranes, 1035P
Saha, S. K.
—; Chaudhuri, A. K.: Polymerization of Methyl Methacrylate with Ferric Laurate in Combination with Various Substituted Amines as Initiators, 901C
Sahni, S. K. See Cabasso, I., 2997C
—; Cabasso, I.: Synthesis and Characterization of Acrylated Phosphonates and Their Polymers Having 1,3-Dioxolane and 1,3-Dioxane Moieties Derived from Brominated Cyclic Acetals of Polyols through the Arbuzov Reaction. II, 3251C
Sahu, S. See Samal, B. B., 3159C
Said, M. A.
—; Balik, C. M.; Carlson, J. D.: High-energy Ion Implantation of Polymers: Poly(vinylidene fluoride), 1457P
Saigo, K. See Chen, Y., 3397C
—; Tateishi, K.; Adachi, H.: Radical Cyclopolymerizations of Diallylsilanes and Triallylsilanes, 2085C
Saito, H.
—; Takahashi, M.; Inoue, T.: Cooperative Chain Relaxation in Miscible Polymer Blends, 1761P
Sakaguchi, M.
—; Kinpara, H.; Hori, Y.; Shimada, S.; Kashiwabara, H.: Ionic Products in Ground Polymer. IV. Anions in Poly(vinylidene fluoride), 1307P
Sakai, I. See Tanaka, H., 11L
Sakai, M. See Ogawa, T., 3141C
Sakai, T. See Angola, J. C., 807P; Kamogawa, H., 1335C
Sakamoto, Y. See Iijima, T., 3189C
Sakata, J.
—; Yamamoto, M.; Tajima, I.: Plasma Polymerization of Mixed Monomer Gases, 1721C
Sakuragi, M. See Ichimura, I., 185L
Salamone, J. C.
—; Chung, Y.; Clough, S. B.; Watterson, A. C.: Thermally Reversible, Covalently Crosslinked Polyphosphazenes, 2923C
Saldanha, J. M. See Kyu, T., 33L
Salman, S. R.
—; Al-Jarrah, M. M. F.; Ahmed, E.: Photopolymerization of *p*-Divinylbenzene, 99L
Samal, B. B.
—; Sahu, S.; Chinara, B. B.; Nanda, S.; Otta, P. K.; Mohapatro, L. M.; Mohanty, T. R.; Ray, A. R.; Singh, K. C.: Grafting of Vinyl Monomers onto Sisal Fiber in Aqueous Solution, 3159C
Samal, S. K.
—; Nayak, B.: Electroinitiated Polymerization of Acrylamide in Acetonitrile Medium, 1035C
Samskog, P. O. See Tabata, M., 2725C
Samuel, N. K. P. See Bao, Y.-T., 41L
Samulski, E. T. See Polk, M. B., 2405C
Sanda, P. N. See Silverman, B. D., 1199C
Sanjuan, J.
—; Llorente, M. A.: Experimental Analysis of the Molecular Theory of Rubber Elasticity, 235P
Sanopoulou, M. See Petropoulos, J. H., 1087P
San Román, J. See Madruga, E. L., 2281C
Santamaría, A. See Gallego, F., 1871P
Sanui, K. See Yoshikawa, M., 335C
Saotome, Y.
—; Miyazawa, T.; Endo, T.: Synthesis and Radical Polymerization of Vinyl Monomers Bearing Penicillin Skeleton: New Chiral Polymers and Observation of Complete Polymerization Inhibition, 485L
Saraf, R. F.
—; Porter, R. S.: Deformation of Semicrystalline Polymers via Crystal–Crystal Phase Transition, 1049P
Sarkar, J. See Pramanick, D., 573C, 1457C
Sarraf, L. See Bessiere, J.-M., 3275C
Sasai, K. See Tanaka, H., 11L; Kitani, A., 1531C
Sasaki, S.
—; Nagao, M.; Gotoh, M.; Uematsu, I.: Compatibility and Mesophase Separation in Blends of α-Helical Polyglutamates, 637P
Sasaki, Y.
—; Imai, M.; Tanaka, J.; Shimizu, H.: The Effect of Divinylsulfone on the Irradiation Crosslinking of Polypropylene, 2465C
Sasia, P. M. See Huglin, M. B., 1067P
Sato, M.
New Thermotropic Homo- and Copolyesters Containing α,α′-Diethylstilbene as a Mesogen, 2613C
—; Kurosawa, K.; Nakatsuchi, K.; Ohkatsu, Y.: Synthesis and Liquid Crystalline Properties of Thermotropic Homo- and Copolycarbonates, 3077C
Sato, S. See Hu, C.-J., 441L
Sato, T. See Tanaka, H., 11L
—; Nambu, Y.; Endo, T.: Preparation of Cellulose Derivatives Containing the Viologen Moiety, 341L
—; Takahashi, H.; Tanaka, H.; Ota, T.: Radical Polymerization of 3-Cyano-3-Ethoxycarbonylpropyl Vinyl Ether via Addition-Abstraction Mechanism (Note), 2839C
Satoh, S. See Kamogawa, H., 653C
Satoh, T. See Inubushi, S., 1779C
Satpathy, U. S. See Nomura, M., 385L
Sawamoto, M. See Hashimoto, T., 3361C
Scammell-Bullock, M. V. See Clas, S.-D., 1271P
Scamporrino, E. See Ballistreri, A., 2113C
Schaefgen, J. R.
Review of *Comb-Shaped Polymers and Liquid Crystals*, 371L
Scheinbeim, J. I. See Mathur, S. C., 447P
Schiavone, R. J.
—; Overberger, C. G.: Reactions and Polymerization of 1-Trityl-4-Vinylimidazole, 107C
Schild, H. G. See Percec, V., 935C
Schindler, A.
—; Gaetano, K. D.: Poly(lactate) III. Stereoselective Polymerization of Meso-Dilactide, 47L

Schlenoff, J. B.
—; Machado, J. M.; Glatkowski, P. J.; Karasz, F. E.: Chemical and Electrochemical Doping on Poly(Paraphenylene Vinylene) Blends, 2247P
Schnur, G. See Köpf, M., 319L
Scholsky, K. M.
—; Morgan, L. W.: Fractionation of Synthetic Polymers Using Supercritical Nitrous Oxide, 181L
Schulten, H.-R.
—; Plage, B.: Thermal Degradation of Aliphatic Polyamides Studied by Field Ionization and Field Desorption Mass Spectrometry, 2381C
Schwarz, G. See Kricheldorf, H. R., 1621C
Scully, A. D. See Ghiggino, K. P., 505L
Secor, R. M. See Durning, C. J., 91P
Semsarzadeh, M. A.
—; Hudgin, D. E.: Powder and Fiber Filled Interpenetrating Network of Metal Polymer Composites (INMPC) of Polypropylene, 2763C
Şen, Ş. See Türker, L., 2485P
Senō, M. See Hu, C.-J., 441L, 1239C, 2423C
Seo, H. H. See Kim, W. S., 347L
Seo, K. S.
—; Fornes, R. E.; Gilbert, R. D.; Memory, J. D.: Effects of Ionizing Radiation on Epoxy, Graphite Fiber and Epoxy/Graphite Fiber Composites. Part I: Surface Energy Changes, 245P
—; Fornes, R. E.; Gilbert, R. D.; Memory, J. D.: Effects of Ionizing Radiation on Epoxy, Graphite Fiber, and Epoxy/Graphite Fiber Composites. Part II: Radical Types and Radical Decay Behavior, 533P
Seoul, G.
—; Kim, S. Y.: Single-crystal-like Orientation of Ultrahigh-molecular-weight Polyethylene by Uniaxial Stretching, 1965P
Sergeev, V. A.
—; Nedel'kin, V.I.; Arnautov, S. A.: Sulphur-Containing Polyarylenequinodiimides, 1125C
Shah, P. See Desai, T., 491P
Sharma, A. K.
Parylene C at Subambient Temperatures, 2953C
Shen, J. See Buback, M., 293L
Sheu, F. R.
—; Chern, R. T.; Stannett, V. T.; Hopfenberg, H. B.: Transport of Carbon Dioxide and Methane in Glassy Aromatic Polyesters, 883P
Shimada, S. See Sakaguchi, M., 1307; Takei, M., 997P
Shimizu, H. See Sasaki, Y., 2465C
Shimizu, M. See Yano, T., 457C, 477C
Shimokawa, T. See Nishikubo, T., 2881C
Shinkai, S.
—; Kawaguchi, H.; Manabe, O.: Seiective Adsorption of UO_2^{2+} to a Polymer Resin Immobilizing Calixarene-Based Uranophiles, 391L
Shiomi, T. See Imai, K., 1961C
Shirai, M.
—; Ishida, H.; Tanaka, M.: Cation Binding Properties of Photodimerizable Polymers Bearing Benzodiglyme Units, 2075P
Shugard, A. See Tarascon, R., 3173C
Sikes, A. M. See Ahmed, S. U., 2345C
Silebi, C. A. See Delgado, J., 1495P
Sillion, B. See Pascal, T., 865C
Silverman, B. D.
—; Sanda, P. N.; Clabes, J. G.; Ho, P. S.; Hofer, D. C.; Rossi, A. R.: Molecular Orbital Analysis of the XPS Spectrum of a Flourine Containing Polyimide PMDA-BDAF, 1199C
Singh, D. P.
—; Kalachandra, S.; Turner, D. T.: Glass Transition of Polymers Made from Slurries of Poly(ethyl methacrylate) and Methyl Methacrylate (Note), 1795P
Singh, K. C. See Samal, B. B., 3159C
Sirashki, G. See Mateva, R., 511C
Sixou, P. See Laivins, G. V., 113P
Smets, G. See Leest, Y., 913C
Smid, J. See Nwankwo, I., 581P
Smith, P.
—; Eisenberg, A.: Effect of Plasticization by Amines on the Physical Properties of an Acidic Styrene Copolymer, 569P
Smith, P. B. See Howell, B. A., 1287P
Smith, T. L.
—; Levita, G.; Moonan, W. K.: Reversal and Activation of Physical Aging by Applied Deformations in Simple Compression and Extension, 875P
Smolders, C. A. See Gebben, B., 1743C, 1757C
Soeda, F. See Nakayama, Y., 559C
Sohma, H. See Kamogawa, H., 1335C
Sohn, J. E. See Kuzyk, M. G., 277P
Solomon, D. See Buback, M., 293L
Soloski, E. J. See Abraham, T., 959C; Tan, L.-S., 3103C
Soma, H. See Yokota, R., 215L
Someno, T. See Hagiwara, T., 1011C
Sone, Y. See Tsubokawa, N., 223C, 2715C
Speckhard, T. A. See Li, C., 315P
Spegt, P. See Kretz, M., 1553P
Sperling, L. H. See Chang, M. C. O., 1627P
Sreedhar, J.
—; Rai, S.; Nema, S. K.; Prabhakaran, P. V.; Rao, K. V. C.: Study on Phosphorylation Reaction for the Synthesis of Soluble Amino Terminated Oligomers of Aromatic Polyamides and Their Block Copolymers with Polybutadiene, 493L
Srinivasan, M. See Padma, S., 195C, 1253C; Reddy, T. A., 1051C, 1063C, 1705C; Subramaniam, P., 1553C; Thanuja, J., 1697C
Stack, G. M. See Marand, H. L., 1361P
—; Ting, R. Y.: Thermodynamic and Morphological Studies of the Solid-state Transition in Copolymers of Vinylidene Fluoride and Trifluoroethylene, 55P
Stahl, G. A.
Review of *Mega Molecules*, 449L
Stannett, V. T. See Kelly, B. K., 1261P, 1871P; Sheu, F. R., 883P
Starkweather, H. W., Jr.
—; Jones, G. A.; Zoller, P.: The Pressure-Volume-Temperature Relationship and the Heat of Fusion of Polyoxymethylene, 257P
St-Cyr, D. See Clas, S.-D., 1271P
Stein, R. S. See Bhattacharya, S. K., 515P; Marand, H. L., 1361P; Suehiro, S., 745P
Stenger-Smith, J. See Lenz, R. W., 3241C
Stevenson, J. C.
—; Cooper, S. L.: Multiple Endothermic Melting Behavior in Poly(tetramethylene terephthalate)-containing Polyesters and Block Copolyether-esters, 953P
Stevenson, W. T. K. See Garton, A., 541C, 1377C
Stickler, M. See Buback, M., 293L
Storti, G. See Giannetti, E., 1835C, 2307C
Subbu, S. See Balakrishnan, T., 355C
Subramaniam, P.
—; Srinivasan, M.: Synthesis and Characterization of Polyimides Containing Heterocyclic Units, 1553C
Suebsaeng, T.
—; Wilkie, C. A.; Brown, C. E.: Reaction of Triphenylphosphine with Poly(ethylene terephthalate) and Certain Model Compounds at Elevated Temperature, 2705C
Suehiro, S.
—; Hendricks, R. W.; Lin, J. S.; Kyu, T.; Young, P.; Stein, R. S.: Dynamic Small-Angle Scattering System for the Study of Materials Deformation and Relaxation, 745P
Sugahara, Y. See Takahashi, A., 19C
Sugimori, S. See Higashi, F., 1003C, 1277C
Sugita, H. See Ueda, M., 159C
Suh, D. H.
—; Won, J. C.; Kim, D. K.; Jung, J. C.: A Novel Synthesis of Polysulfide by Phase Transfer-Catalyzed Terpolymerization of Malononitrile, Carbon Disulfide, and α,α'-Dichloro-*p*-xylene, 83L
Sukegawa, K. See Ban, H., 521C; Fujino, M., 109L

Sun, B. N.
—; Hsiao, C. C.: Analyzing Polymer Crazing as Quasifracture, 967P
Sun, L.
—; Lu, Z.; Lu, Y.; Lin, S.: Copolymerization of Ethylene and Butadiene with Supported Titanium Catalyst, 2113P
Suthar, B. See Desai, T., 491P
Suzuki, J. See Nakayama, Y., 559C
Suzuki, M. See Iwata, H., 3309C
Suzuki, T. See Aoki, H., 31C
Suzuki, Y. See Fukuda, W., 305L
Swamikannu, A. X. See Hsiue, G. H., 3043C
Szekely, G. See Renner, A., 1361C
Szeto, D. Y. S. See Fawcett, A. H., 459L

Tabata, M.
—; Lund, A.; Samskog, P. O.; Lunell, S.; Huang, M. B.: Cationic and Polymeric Radicals of Vinyl Monomers in Halogenated Matrices: An ESR and SCF MO Study, 2725C
Tabata, Y. See Otsuhata, K., 601C
Tacx, J. C. J. F.
—; Linssen, H. N.; German, A. L.: Effect of Molar Mass Ratio of Monomers on the Mass Distribution of Chain Lengths and Compositions in Copolymers: Extension of the Stockmayer Theory, 61C
—; Van Der Velden, G. P. M.; German, A. L.: Investigation of the Intramolecular Structure of Styrene-Ethylmethacrylate Copolymers by ^{1}H- and ^{13}C-NMR: Reassignment of ^{1}H-NMR Spectra, 1439C
Tagoshi, H.
—; Endo, T.: Syntheses of Polymers that Undergo No Shrinkage on Crosslinking, 77L
Tajima, I. See Sakata, J., 1721C
Takagishi, K. See Uehara, K., 95L
Takahagi, T. See Nakayama, Y., 559C
Takahashi, A.
—; Sugahara, Y.: Studies on Graft Copolymerization onto Cellulose Derivatives. XXVII. Photo-induced Graft Copolymerization onto Nitrocellulose, 19C
Takahashi, H. See Sato, T., 2839C
Takahashi, M. See Saito, H., 1761P
Takahashi, T. See Fukuchi, Y., 269L, 401L
Takahashi, Y.
—; Ishida, T.; Furusaka, M.: Monoclinic-to-orthorhombic Transformation in Polyethylene, 2267P
Takata, T. See Endo, T., 517L
Takei, M.
—; Tsujita, Y.; Shimada, S.; Ichihara, H.; Enokida, M.; Takizawa, A.; Kinoshita, T.: Electron Spin Resonance Studies of Manganese(II) and Copper(II) Salts of Poly(ethylene-*co*-methacrylic acid)s, 997P
Takemoto, K. See Miyata, M., 229L; Moghaddam, M. J., 3297C
Takizawa, A. See Takei, M., 997P
Tamura, M. See Yano, T., 457C, 477C
Tamura, S. See Ito, O., 1429C
Tan, L. See Haken, J. K., 1315C
Tan, L.-S.
—; Arnold, F. E.: Benzocyclobutene in Polymer Synthesis. I. Homopolymerization of Bisbenzocyclobutene Aromatic Imides to Form High-Temperature Resistant Thermosetting Resins, 1819C
—; Arnold, F. E.; Soloski, E. J.: Benzocyclobutene in Polymer Synthesis. III. Heat-Resistant Thermosets Based on Diels-Alder Polymerization of a Bisbenzocyclobutene and a Bismaleimide, 3103C
Tanaka, H. See Sato, T., 2839C
—; Sakai, I.; Sasai, K.; Sato, T.; Ota, T.: ong-Range Interaction Between Radical Center and β-Hydrogens of Penultimate Monomer Unit in ESR of Model Propagating Acrylate Radicals, 11L
Tanaka, J. See Sasaki, Y., 2465C
Tanaka, M. See Shirai, M., 2075P; Uehara, K., 95L
Tang, P. L. See Ma, J. T., 195L
Tanigaki, M. See Yoshikawa, M., 89L, 263L
Taraiya, A. K.
—; Unwin, A. P.; Ward, I. M.: The Role of Differential Scanning Calorimetry and X-ray Diffraction in Identifying Crystal Continuity in Highly Oriented Samples of Die-drawn Polypropylene, 817P
Tarascon, R.
—; Shugard, A.; Dabbagh, G.: The Synthesis and Lithographic Evaluation of a New Organosilicon Novolac-Based Resist, 3173C
Tarr, R. D. See Katritzky, A. R., 3323C
Tarshiani, Y. See Lipscomb, N. T., 529C
Tasaka, S. See Jo, Y. S., 463P
Tateishi, K. See Saigo, K., 2085C
Taylor, L. D.
—; Kolesinski, H. S.; Edwards, B.; Haubs, M.; Ringsdorf, H.: The Photochemical Rearrangement of Polymeric N-(1-Pyridinio) Amidates. A Novel, Aqueous Photoresist System, 177L
Taylor, L. T. See Madeleine, D. G., 1641P
Taylor, R. T. See Pelter, M. W., 2651C
Tazuke, S. See Inubushi, S., 1779C
Terada, K. See Kamiya, Y., 1409P
Terroba, P. See Martinez, G., 1629C
Teshirogi, T.
Polyimides from 4-Aminophenylsuccinic Acid and 3-(4-Aminophenyl)glutaric Acid (Note), 3403C
Tesoro, G.
Review of *Crosslinked Epoxies*, 539L
Review of *Epoxy Resins-Chemistry and Technology, 2nd Edition*, 539L
Review of *Polymer Modified Textile Materials*, 491L
Tessier, M.
—; Marechal, E.: Study of the Synthesis of Poly(isobutylene-b-Amide-11) by Polycondensation of α,ω-Dianhydride Oligoisobutylene with α,ω-Diamino Oligoamide-11. I. Study of Amine-Anhydride and Amide-Anhydride Reactions on Low Molecular Weight Models and on Oligomers and Polymers, 2785C
Teyssié, P. See Voyer, R., 117C
Tezuka, Y. See Imai, K., 1961C
Thanuja, J.
—; Srinivasan, M.: Synthesis and Characterization of Polyazo(amine-Imide)s, 1697C
Thomas, D. A. See Chang, M. C. O., 1627P
Thomas, E. L. See Brady, J. M., 2385P
Thyagarajan, G. See Janarthanan, V., 2127P
Tian, C.-X. See Zeldin, M., 2835C
Tibbetts, S. J. See Jenekhe, S. A., 201P
Tidjani, A. See de Candia, F., 1897P
Tidrick, S. L. See Chatzi, E. G., 1585P
Tiers, G. V. D. See Errede, L. A., 3375C
Till, C. See Munro, H. S., 2873C
Ting, R. Y. See Stack, G. M., 55P
Tirrell, D. A. See Pearce, E. M., vC; Zussman, M. P., 313C
Tirrell, M. See Buback, M., 293L
Tkaczyk, M. See Hrabák, F., 267C
Tokumaru, K. See Goto, Y., 1671C
Tomazos, D. See Percec, V., 2047C
Tomoi, M.
—; Inomata, K.; Kakiuchi, H.; Noguchi, Y.: Polymer-Supported Bases. VI. Synthesis of Phosphatidylcholines from Cadmium-Free L-α-Glycerophosphorylcholine Impregnated to Macroporous Polystyrene Resins Containing Dialkylaminopyridine Groups (Note), 2291C
—; Ishigaki, S.; Arita, Y.; Kakiuchi, H.: Polymer-Supported Bases. IX. Synthesis and Catalytic Activity of Polymer-Bound 4-(1-Pyrrolidino)pyridine Moieties, 2251C
Tong, T. Z. See Ma, J. T., 195L
Toporowski, P. M. See Roovers, J., 1251P
Toppare, L. See Türker, L., 2485P
Tribone, J. J. See Ramos, A. R., 501P

Tripathy, S. K. See Hopfinger, A. J., 2007P
Trumbo, D. L.
Copolymerization Behavior of 3-Vinyl Thiophene (Note), 3127C
Synthesis of Polyamides Based on 1,8-Diamino-*p*-Menthane (Note), 2859C
Synthesis of Polyamides Based on 1,8-Diamino-*p*-Menthane, 405L
—; Guyhaniyogi, S. C.; Harwood, H. J.: Analysis of the 400 MHz PMR Spectrum of Poly(2-vinylbenzofuran) Note), 1331P
Tsai, H.-B. See Lee, Y.-D., 2039C
Tsai, W. H. See Venkatachalam, R. S., 2447P
Tsenoglou, C.
Network Architecture and Modulus of Miscible Heteropolymer Blends, 2329P
Tsonis, C. P. See Wazeer, M. I. M., 1539P
Tsou, A. H.
—; Peppas, N. A.: Kinetic Analysis of Curing of Tetraepoxides and Diamines in the Presence of Etherification Side Reactions, 2043P
Tsubakiyama, K.
—; Yamamoto, M.; Nishijima, Y.: Photoinduced Polymerization and Oligomerization of 4-Vinylbenzophenone, 1231C
Tsubokawa, N.
—; Jian, Y.; Sone, Y.: Cationic Grafting from Carbon Black. VIII. Cationic Ring-Opening Polymerization and Copolymerization of Oxepane Initiated by Acylium Perchlorate Groupson Carbon Black, 2715C
—; Kobayashi, K.; Sone, Y.: Grafting onto Carbon Black by the Reaction of Reactive Carbon Black Having Masked Isocyanate or Acyl Azide Group with Functional Polymers, 223C
Tsujioka, S.-I. See Kitani, A., 1531C
Tsujita, Y. See Takei, M., 997P
Tsukada, M.
Structure of the Enzyme-resistant Fraction of Tussah Silk (Antheraea pernyi) Fibroin (Note), 949P
Tsunoda, S.
—; Koezuka, H.; Kurata, T.; Yanaura, S.; Ando, T.: Electrical Properties of MOS and MIS Diodes Using an Electrochemically Prepared Poly(*N*-methylpyrrole), 1697P
Tsutsumi, H. See Miyata, M., 229L
Tsutsumi, N. See Kiyotsukuri, T., 807C, 2225C, 2849C, 3409C; Nagata, M., Jr., 235C
Tucker, P. A. See Chen, G. Y., 1677P
Türker, L.
—; Kisakürek, D.; Şen, Ş.; Toppare, L.; Akbulut, U.: Electroinitiated Polymerization of Halophenols: Electroinitiated Potential-Lumo Relations, 2485P
Turner, D. T. See Singh, D. P., 1705P
Turturro, A. See Bottino, A., 785P

Uchida, Y. See Fukuchi, Y., 269L, 401L
Uchikura, M. See Nagase, Y., 3131C
Ueda, A. See Inoue, H., 1077C
Ueda, M. See Inoue, K., 2859C
—; Ito, H.: Radical Reactivity of α-Trifluoromethylstyrene, 89C
—; Mano, M.; Ito, H.: Reactivities of Methacrylate Derivatives in Radical Polymerization as Evaluated by Mercury Method, 2395C
—; Mano, M.; Yazawa, M.: Radical-Initiated Homo- and Copolymerization of Acetonyl Methacrylate (Note), 2295C
—; Sugita, H.: Synthesis of Poly(1,3,4-oxadiazole)s by Direct Polycondensation of Dicarboxylic Acids with Hydrazine Sulfate Using Phosphorus Pentoxide/Methanesulfonic Acid as Condensing Agent and Solvent, 159C
Uehara, K.
—; Takagishi, K.; Yamano, S.; Tanaka, M.: Fabrication and Optoelectrical Properties of Polypyrrole-Rhodamine B Two-Layer Organic Photovoltaic Cell, 95L
Uematsu, I. See Sasaki, S., 637P
Ueno, A. See Anzai, J.-I., 1519C
Ungar, G.
—; Organ, S. J.; Keller, A.: X-Ray Evidence for Sharp Chain Folds in Crystalline Linear Alkanes, 259L
Uno, H.
—; Endo, T.: Quaternary Ammonium Salts for Cationic Polymerization Initiator, 453L
Unwin, A. P. See Taraiya, A. K., 817P
Urata, Y. See Kojima, T., 1479C
Uryu, T.
—; Ohkawa, H.; Oshima, R.: Hole Transport in Polymers of (*N*-Ethylcarbazol-3-yl) methyl Acrylate and Methacrylate, 1227P

Vallat, M.-F.
—; Plazek, D. J.: Effects of Thermal Treatment on Biaxially Oriented Poly(ethylene terephthalate). II. The Anisotropic Glass Temperature, 545P
—; Plazek, D. J.; Bhushan, B.: Effects of Thermal Treatment on Biaxially Oriented Poly(ethylene terephthalate). III. Creep Behavior Following Various Thermal Histories, 555P
Van Ballegooie, P.
—; Rudin, A.: Grafting Behavior of Copolymers of Styrene and *ortho*-Vinylbenzaldehyde, 2449C
Van Bogart, J. W. C. See Errede, L. A., 3375C
Vand Der Velden, G. P. M. See Tacx, J. C. J. F., 1439C
Vanderhart, D. L. See Pérez, E., 1979P
Vanderhoff, J. W. See Delgado, J., 1495P; Lu, Y. Y., 1187P
van Ginkel, G. See van Gurp, M., 1613P
van Gurp, M.
—; van Ginkel, G.; Levine, Y. K.: On the Distribution of Dye Molecules in Stretched Poly(vinyl alcohol), 1613P
Vasile, C.
—; Odochian, L.; Agherghinei, I.: Thermoxidative Degradation of Polypropylene, 1639C
Vasnev, V. A. See Otton, J., 2199C
Vega, J. R. See Alassia, L. M., 201L
Venkatachalam, R. S.
—; Boerio, F. J.; Roth, P. G.; Tsai, W. H.: Surface-enhanced Raman Scattering from Bilayers of Polystyrene, Diglycidal Ether of Bisphenol-A, Poly(4-vinyl pyridine, and Poly(4-styrene sulfonate), 2447P
Venkatasubramanian, N. See Polk, M. B., 2405C
Vernekar, S. P.
—; Ghatge, N. D.; Wadgaoknar, P. P.: Decomposition Rate Studies of Azobisnitriles Containing Functional Groups (Note), 953C
Vilgis, T. A.
—; Boue, F.: Brownian Motion of Chains and Crosslinks in a Permanently Linked Network: The Dynamic Form Factor, 2291P
Vinogradova, S. V. See Otton, J., 2199C
Viras, F.
—; Viras, K.: Preferential Solvation in Polymer Cosolvent Systems: Polystyrene + Cyclohexane + Ethanol and Poly(vinyl-2-pyridine) + Nitromethane + Carbon Tetrachloride, 2525P
Viras, K. See Viras, F., 2525P
Viswanathan, T. See Mathias, L. J., 233L
Vitalini, D. See Ballistreri, A., 2113C
Vittoria, V. See de Candia, F., 1897P
Vofsi, D. See Cabasso, I., 2997C
Vogl, O. See Ghiggino, K. P., 505L; Purgett, M. D., 657C, 677C
Voyer, R.
—; Prud'homme, R. E.; Jérôme, R.; Teyssié, P.: Polymerization of Optically Active β-Substituted β-Propiolactones. IV. β-1,1-Dichloroalkyl β-Propiolactones Polymerized with Aluminum Triisopropoxide, 117C
Vrentas, J. S.
—; Duda, J. L.; Ling, H.-C.: Influence of the

Glass Transition on Solvent Self-Diffusion in Amorphous Polymers, 1059P
Vuković, R.
—; Kurešević, V.; Fleš, D.: The Influence of Steric Factors on the Thermal Degradation of Alternating Poly[phenylvinyl Alkyl Ethers (Or Thioethers)-co-maleic Anhydride] (Note), 1249C
Vulić, I.
—; Okano, T.; Kim, S. W.; Feijen, J.: Synthesis and Characterization of Polystyrene-Poly(Ethylene Oxide)-Heparin Block Copolymers, 381C

Wada, Y. See Nomura, R., 627C
Wadgaoknar, P. P. See Vernekar, S. P., 953C
Wagner, K. P. See Nowlin, T. E., 755C
Wakelyn, N. T. See Bell, V. L., 827C
Walasek, J.
Statistics of Polymer Chains in Orienting Fields, 1907P
Walker, C. C.
High Performance Size Exclusion Chromatography of Polyamic Acid, 1649C
Walker, J. A.
—; Warren, L. F.; Witucki, E. F.: New Chemically Prepared Conducting "Pyrrole Blacks", 1285C
Wang, B.
—; Krause, S.: A Partial Phase Diagram for a Mixture of Polystyrene with a Low Molecular Weight Styrene-Dimethylsiloxane Block Copolymer, 2237P
Wang, B.-P. See Chien, J. C. W., 3089C
Wang, S. See Garton, A., 1545P
Wang, S. P. See Garton, A., 1377C
Wang, S.-T. See Sada, E., 1035P
Wang, Y. See Choy, C. L., 1569P; Pan, C.-Y., 2737C
Ward, I. M. See Alhaj-Mohammed, M. H., 1751P; Humphreys, J., 141P; Nix, E. L., 127P; Taraiya, A. K., 817P
Ward, T. C. See Madeleine, D. G., 1641P
Warren, L. F. See Walker, J. A., 1285C
Watterson, A. C. See Salamone, J. C., 2923C
Wazeer, M. I. M.
—; Ali, Sk. A.; Tsonis, C. P.: Characterization of Acrylic Acid Sulfur Dioxide Copolymers by Carbon-13 NMR Spectroscopy (Note), 1539P
Weill, G. See Kretz, M., 663P, 1553P
Weisenberger, L. A.
—; Koenig, J. L.: The Determination of Network Structures in Anhydride-cured Butanediol Diglycidal Ether Using ^{13}C-NMR, 771P
Weiss, R. A. See Garton, A., 1545P
Weisskopf, R.
Characterization of Polyethylene Terephthalate by Gel Permeation Chromatography (GPC), 1919C
Welch, K. J. See Brown, C. E., 131C
Wendorff, J. H. See Müller, J., 421L
Wen-E, Y.
—; Pu-Chen, Y.; Yi-Kuan, W.: Modified Cellulose Acetate Flat Membranes for Desalination, 2683C
West, R. See Wolff, A. R., 701C, 713C
Westphal, S. P. See Mirabella, F. M., Jr., 1995P
Whang, W. T.
—; Wu, S. C.: The Liquid Crystalline State of Polyimide Precursors, 2749C
Wiff, D. R.
—; Yeoh, O. H.: Review of *Advances in Elastomers and Rubber Elasticity*, 50L
Wilczek, L. See Peng, K. L., 2235C
Wilensky, S. B. See Aronson, S., 1259C
Wilkie, C. A. See Suebsaeng, T., 2705C
Williams, D. J. See Guerra, G., 301P
Williams, J. G. See Mirabella, F. M., Jr., 1995P
Williams, R. J. J. See Cuadrado, T. R., 1735P
Willison, J. H. M.
—; Abeysekera, R. M.: A Liquid Crystal Containing Cellulose in Living Plant Tissue, 71L
Wilson, T. W.
—; Fornes, R. E.; Gilbert, R. D.; Memory, J. D.: Effect of Ionizing Radiation on the Dynamic Mechanical Properties of an Epoxy and a Graphite Fiber/Epoxy Composite, 2029P
Winkler, R. E.
—; Nauman, E. B.: Inhibition of the Thermal Polymerization of Styrene by *N*-Phenyl-*N'*-Isopropyl-*p*-Phenylenediamine (Note), 2853C
Winnik, M. A. See Buback, M., 293L
Witucki, E. F. See Walker, J. A., 1285C
Wobst, M.
Rotating Frame Proton Spin-Lattice Relaxation Measurements of Poly(Ethylene Oxides), 527P
Wöhrle, D.
—; Knothe, G.: Polymers from Nitriles. VII. Polymerization of Fumaronitrile with Triethylamine as Initiator, 2435C
Wolf, C. J. See Grayson, M. A., 2145P
Wolff, A. R.
—; Maxka, J.; West, R.: ^{29}Si Nuclear Magnetic Resonance of Dialkylpolysilanes, 713C
—; Nozue, I.; Maxka, J.; West, R.: ^{29}Si Nuclear Magnetic Resonance of Dimethyl and Phenylmethyl Containing Polysilanes, 701C
Won, J. C. See Suh, D. H., 83L
Wong, C. M. See Isayev, A. I., 2303P
Wu, C. R.
—; Liedberg, B.: Infrared Reflection-Absorption Spectroscopy of Polyacrylonitrile on Copper and Aluminium Surfaces, 1127P
Wu, K.-W. See Chen, S.-A., 1143C, 1487C
Wu, L. See Ma, J. T., 195L
Wu, S. C. See Whang, W. T., 2749C
Wu, S. K. See Liu, R. X., 17L
Wuensche, P.
—; Mueller, S.; Lorkowski, H.-J.: Radiolysis of Polymers of Chlorine Methacrylates, 2669C
Wunderlich, B. See Cheng, S. Z. D., 1947P

Xia, D. W. See Nwankwo, I., 581P
Xiao, C. See Lu, C. X., 1659C, 3337C
Xiao, H. X. See Al-Salah, H. A., 1609C
Xiao, Z. See Junhua, Wu, 433L
Xiaojiang, Z.
—; Pu, H. H.; Yafei, L.: Morphology and Properties of Blended NBR/PVC/BR Elastomers, 255L
Xie, S. See Purgett, M. D., 657C
Xu, P. See Sada, E., 1035P
Xueli, D. See Junhua, Wu, 433L

Yafei, L. See Xiaojiang, Z., 255L
Yağci, Y.
—; Ledwith, A.: Mechanistic and Kinetic Studies on the Photoinitiated Polymerization of Tetrahydrofuran, 1911C
Yamada, E. See Goto, Y., 1671C
Yamada, K. See Nakanishi, F., 329C
Yamada, Y. See Higashi, F., 1979C
Yamamoto, M. See Sakata, J., 1721C; Tsubakiyama, K., 1231C
Yamamoto, O. See Matsumura, K., 2215P
Yamamoto, Y. See Ohtsuka, T., 481L
Yamane, H. See Matsumoto, A., 1975C
Yamano, S. See Uehara, K., 95L
Yamashita, Y. See Chujo, Y., 2991C; Kawakami, Y., 1307C
Yan, D. Y.
—; Hu, X.: Transannular Polymerization of 1,5,9-cyclododecatriene, 65L
Yanagishita, H. See Matsumura, K., 2215P
Yanaura, S. See Tsunoda, S., 1697P
Yandell, M. D. See Ghiggino, K. P., 505L
Yang, D.-K. See Krigbaum, W. R., 1711P
Yang, Y. See Lu, C. X., 1659C
Yano, T.
—; Inoue, T.; Ikai, S.; Shimizu, M.; Kai, Y.; Tamura, M.: Highly Active Supported Catalysts for Olefin Polymerization: Preparation and Characterization of the

Catalyst, 477C
—; Inoue, T.; Ikai, S.; Shimizu, M.; Kai, Y.; Tamura, M.: Highly Active Supported Catalysts for Olefin Polymerization. Supports from a Grignard Reagent for Preparation of Highly Active Catalysts, 457C
Yao, K. D. See Ma, J. T., 195L
Yasuda, H. See Yasuda, T., 1781P, 2061P
Yasuda, T.
—; Okuno, T.; Yoshida, K.; Yasuda, H.: A Study of Surface Dynamics of Polymers. II. Investigation by Plasma Surface Implantation of Fluorine-Containing Moieties, 1781P
—; Yoshida, K.; Okuno, T.; Yasuda, H.: A Study of Surface Dynamics of Polymers. III. Surface Dynamic Stabilization by Plasma Polymerization, 2061P
Yasuda, Y. See Araki, T., 285C
Yazawa, M. See Ueda, M., 2295C
Ye, D.
—; Overberger, C. G.: Structure Characteristics of Halouracils Containing Chiral Centers and Their Polymers with Polyethylenimine, 765C
Yee, A. F.
—; Bankert, R. J.; Ngai, K. L.; Rendell, R. W.: Strain and Temperature Accelerated Relaxation in Polycarbonate, 2463P
Yeoh, O. H. See Wiff, D. R., 51L
Yi, M. H.
—; Lee, S. G.; Choi, K.-Y.; Jung, J. C.: Synthesis and Properties of Polysulfonamides Containing Thiophene Links, 1507C
Yi-Kuan, W. See Wen-E, Y., 2683C
Yokota, R.
—; Horiuchi, R.; Kochi, M.; Soma, H.; Mita, I.: High Strength and High Modulus Aromatic Polyimide/Polyimide Molecular Composite Films, 215L
Yokozawa, T. See Mizuya, J., 3119C
Yoneyama, M. See Kakimoto, M.-A., 149C, 2863C
—; Kuruppu, K. D. A.; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of Aromatic Polyamides and Copolyamides from Phenylindanedicarboxylic Acid and Aromatic Diamines, 2917C
Yoneyama, T. See Kitagawa, M., 207L
Yonezawa, N. See Chen, Y., 3397C
Yoshida, K. See Yasuda, T., 1781P, 2061P
Yoshikawa, M.
—; Ochiai, S.; Tanigaki, M.; Eguchi, W.: Application and Development of Synthetic Polymer Membranes III. Separation of Water-Ethanol Mixture through Synthetic Polymer Membranes Containing Ammonium Moieties, 263L
—; Ohsawa, Y.; Tanigaki, M.; Eguchi, W.: Application and Development of Synthetic Polymer Membranes I. Separation of Aqueous Ethanol Mixture by Pervaporation through Common Polymer Membranes Containing Methacrylic Esters, 89L
—; Yukoshi, T.; Sanui, K.; Ogata, N.: Separation of Water from Aqueous Ethanol Solution through Quaternized Poly(4-vinylpyridine-co-acrylonitrile) Membranes (Note), 335C
Yoshimura, Y.
Kinetics of Reactions of Methyl α-Eleostearate with Cresols, 1343C
Yoshio, Y. See Sada, E., 1035P
Younan, A. F. See Badran, A. S., 2529C
Young, P. See Suehiro, S., 745P
Yu, P. Y. See Erskine, D., 465L
Yu, X. See Li, C., 315P
Yu, Y.
—; Bell, J. P.: Chemistry of Epoxide-Polycarbonate Copolymer Networks, 247C
Yukoshi, T. See Yoshikawa, M., 335C

Zannetti, R.
—; Marega, C.; Marigo, A.; Martorana, A.: Layer-lattices in Ziegler-Natta Catalysts, 2399P
Zanocco, A.
—; Garrido, J.; Lissi, E. A.: Effect of Stirring on Photoinitiated Polymerization, 2827C
Zeldin, M.
—; Tian, C.-X.: Detection and Mass Spectral Analysis of Cyclic Oligomers from the Synthesis of Hydroxyl-Terminated and Trimethylsiloxyl End-Blocked Poly(methyl 3-pyridinylsiloxane)s (Note), 2835C
Zeronian, S. H. See Cimecioglu, A. L., 2129C
Zhang, Y. L. See Ma, J. T., 195L
Zhu, Z. See Lu, C. X., 3337C
Ziang, P. See Junhua, Wu, 433L
Zoller, P. See Starkweather, H. W., Jr., 257P
Zuk, A. See Andrzejewska, E., 3151C
Zussman, M. P.
—; Tirrell, D. A.: Backbone-assisted Reactions of Polymers. VII. Kinetics of Isomerization of Poly[(chloromethyl)thiirane] in the Absence of Solvent, 313C

Subject Index to Volume 26

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 26, 1988. The Edition in which an item appears is indicated by a C, P, or L, respectively, following the page number.

Abiotic polymers, 1265C
Acetate, cellulose, 2683C
Acetic acid, aqueous, 301C
Acetonitrile medium, 1035C
Acetonyl methacrylate, 2295C
Acetylenes, hydrocarbon, 2603C
Acetyl perchlorate, 393C
Acid chlorides, 2777C
Acrylamide, 1035C, 1115C, 2831C
Acrylate, methyl(*N*-ethylcarbazol-3-yl), 1227P
Acrylate radicals, 11L
Acrylates, 135L, 2047C
—, alkyl, 1791C
—, new, 517L
Acrylic acid, 267C, 2099C
Acrylic acid sulfur dioxide copolymers, 1539P
Acrylonitrile, 1093C, 3159C
—, electro-initiated polymerization of, 301C
Acylium groups, 2715C
Adeninyl pendant group, 3337C
Adhesion, hot-melt, 129L
Adsorption of complexed cadmium to cellulose, 1067P
Aging, effects of, 421L
Aging effects on polyester-polyamide copolymers, 1461P
Aging of drawn polypropylene fibers, 1897P
Air-water interface, 159L
Alcohols, perfume, 2355C
Alcoholysis reactions, 2183C
Aliphatic amines, 2941C
Aliphatic amine surface conditioners, 1149P
Aliphatic amino acids, 573C
Aliphatic polyamides, 2381C
Alkanes, crystalline linear, 259L
ω-alkenoate, derivatives, 677C
ω-alkenoates, 657C
Alkyl cyanoacrylates, 459L
Allene, derivatives, 3119C
Allenyl glycidyl, ether, 3119C
Aluminum triisopropoxide, 117C
Amidates, polymeric N-(1-pyridinio), 177L
Amidation, 2769C
Amide-anhydride reactions, 2785C
Amide group, 1405C
Amide linkages, 2157C
Amine-cured resins, 1377C
Amine-epoxide reaction, steric hindrance in, 79C
Amines, aliphatic, 2941C
—, functional, 1335C
Aminimides, 1779C
Amino acids, aliphatic, 573C
4-aminobenzoic acids, 3269Cum moieties, 263L
Ammonium salts, 453L
—, quaternary, 2141C
Amorphous polymers, 361L
Anhydride, maleic, 849C, 1189C, 2273C
Anion, electrolyte, 1531C
Anionic polymerization, 201L, 269L, 1011C
Anisotropy, 3071C
—, mechanical, of poly(vinylidene fluoride), 141P
Annealing, gas permeability of membranes affected by, 1931P
Anomalous freezing point, 2413P
Aqueous polymerization, 1115C, 1587C
Aramids, 2225C
—, silicon-containing, phenylated, 2777C
Arbuzov reactions, 3251C
Aromatic-aliphatic copolyamides, 2263C
Aromatic polyamides, 3213C
Aromatic sulfonates, 2113C
Aryl alcohol system, 269L
Aryloxyterephthalic acid, 1621C
Aryl viologens, 653C
Asymmetric inclusion polymerization, 229L
Atactic polypropylene, 1323C
Atactic stereochemistry, 1331P
Autoxidation kinetics, 1323C
Azobiscyanopentanoic acid, 1077C
Azobisisobutyronitrile, 503C
Azobisnitriles, 953C

Bases, polymer-supported, 2251C
Benzene, 2873C
Benzene, 1,4-bis[(dialkoxyphosphinyl)hydroxymethyl], 885C
Benzhydrol functional group, 865C
Benzocyclobutene, 3103C
Benzocyclobutene, homopolymerization of, 1819C
—, in polymer synthesis, 1819C
Benzodiglyme units, 2075P
Benzoic acid, metal salts of, 17L
Benzoin ethyl ether, 1465C
Benzoin isobutyl ether, 529C
Benzoin methyl ether, 2827C
Benzophenone tetracarboxylic dianhydride, 1165C
Bicyclo[2.2.2]oct-2-ene mesogenic unit, 2171C
2,2′-biimidazole, 3015C
Binary polymer mixture, 2379P
Binary solvent system, 2525P
Biomedical materials, 1795P
Biphenyl, substituted, 1677C
Birefringence in molten miscible blends, 1761P
Birefringence-strain in elastomeric networks, 235P
Bisbenzocyclobutene, 3103C
Bis-α-biomophenylacetyl, compounds of, 2899C
Bis-dienes, 2907C
Bismaleimide, 3103C
Bismaleimide, resin systems, 521L
Bismaleimides, 3L, 1165C, 2811C
Bisnadimides, 2811C
1,1′-bis(β-aminoethyl)ferrocene, 2769C
2,5-bis(4-aminophenyl)-3,4-diphenylthiophene, 2811C
Bis-η^5-(neomenthyl cyclopentadienyl) zirconium dichloride, 2369C
Bis(*p*-nitrophenyl) β-truxinate, 2941C
Bisphenol, 2475C
Bisphenol-A, 153L, 729P
—, diglycidyl ether of, surface-enhanced Raman scattering from films of, 2447P
Bisphenol-A based polymers, gas permeation in, 709P
Bisphenol-A polycarbonate, 1541C
—, latent energy of deformation of, 433P
Bisphenolate, 2039C
Blends, miscible, cooperative chain relaxation in, 1761P
—, thermodynamics of, 1769P
Blends of block copolymer and midblock-associating resin, viscoelasticity and order in, 677P
Blends of brittle particles in ductile matrix, toughening of, 807P
Blends of α-helical polymers, compatibility in, 637P
Blends of miscible heteropolymers, networks and modulus in, 2329P
Blends of polybenzimidazole with benzophenone-based polyimide, 301P
Blends of poly(*p*-phenylene vinylene), chemical and electrochemical doping in, 2247P
Blends of poly(vinylethylene) and cis-1,4-polyisoprene, rheology of, 839P
Blends of poly(vinyl methyl ether) with styrenic copolymers, 2257P
Blends of PVC and copolymers, dielectric behavior of, 1425P
Blends of PVC with polyalkyleneoxides, 1595P

Blends, polyester-nitrocellulose, compatibility in, 1313P
Blends, thermosetting–thermoplastic, development and characterization of, 65P
Block copolymers, 281L
—, synthesis of, 1689C
—, thermally stable, 1689C
Block copolyurethanes, 1393C
Bond-angle inversion in poly(dimethylsiloxane), 989P
Bonding, hydrogen, 1769C
Branching and morphology in polyethylene, 2385P
Bu_3SnH, 2573C
Butadiene, 2113P
Butadiene derivatives, 1,3, 229L
Butler, 305L
Butyl acrylate, 1495P
—, copolymerization of, 1937C
Butyllithiums, 2235C
2-butyl-7-methylene-1,4,6-trioxaspiro(4,4) nonane, 2737C

Calorimetric relaxation, 1923P
Calorimetry, 1419C
Capillary die swell, 1157C
Captodative monomers, 233L
Captodative radicals, 913C
Carbanion, of poly(divinylbenzene), 393C
Carbazole donor, 1239C
Carbon black, 2715C
—, grafting onto, 223C
Carbon clusters, 131C
Carbon dioxide, 159P
—, permeation of, 1035P
Carbon-13 NMR, 503C
Carbon-13 NMR correlation times τ_c, 893P
Carbon-13 NMR spectroscopy, 1539P
Carbon surface, 1377C
Carbon tetrachloride solvents, 2537C
Carboxamides, 1969C, 1979C
Carboxylic acid catalysis, 2183C
Catalysis, phase transfer, 721C
Catalysts, highly active, 457C
—, superactive and stereospecific, 2003C
—, Ziegler-Natta, layer lattices in, 2399P
Catalytic esterification, 2199C
Cation-cation intractions, 997P
Cationic grafting, 2715C
Cationic polymerization, 481L, 3031C
—, living, 3361C
Cationic polymerization initiator, 453L
Cationic radicals, 2725C
Cationomers, polyurethane, 1609C
Cellulose, 71L
Cellulose acetate, 2683C
Cellulose acetate membranes, 1035P
Cellulose, crystalline, 1769C
—, microstructure of, 1769C
—, selective adsorption of complexed cadmium on, 1067P
Cellulose derivatives, 19C, 341L
—, liquid crystalline properties of, 1101P
Celluloses, analysis of, 1769C
Cellulose triacetate ^1H and ^2H NMR of water and methanol in, 2215P
Cellulose, viscoelastic parameters at ultrasonic frequencies in, 339P
Ceramics, 103L
Ceric ion, 2019C
Ceric salts, 2019C
Chain conformation and energy storage under stress, 1349P
Chain conformation in drawn and dipole-oriented vinylidene cyanide-vinyl acetate copolymer, 463P
Chain dynamics and stress-strain of polymers, computer simulation of, 1337P
Chain folds, 259L
Chain molality in polymer surfaces, 1781P
Chain motion in networks, 2291P
Chain relaxation in molten miscible blends, 1761P
Chain scission and crosslinking in irradiated polyethylene, computer simulation of, 595P
Chain segment distribution in orienting fields, 1907P
CH-catalysts, 2003C
Chemiluminescence, 1205P
China clay, 609C
Chiral centers, 765C
Chiral polymers, new, 485L
Chitosan, 985C
Chloride/phenylacetylene, 1287P
Chlorine methacrylates, 2669C
Chlorobenzene, 3167C
2-chloroethyl α-chloroacrylate, 503C
Cholestric crystal, 71L
Chromatograms, 3141C
Chromatography, 1649C, 3141C
Chromophones, trinitrofluorenone acceptor, 1239C
Cloud point method, 33L
Cobalt(III), oxygenated, 1115C
Cold drawing, 1801P
Coleman, 2127P
Colorimetric analysis, 1217P
Color, in polyimide film, 465L
Comb-like polymers, solution behavior of, 581P
Combustion, 1159P
Comonomers, ionogenic, 1937C
Compatibility in fracture-resistent blends of polyethersulfones with epoxy, 65P
Compatibility of IPN's during synthesis, thermodynamic analysis of, 1735P
Compatibility of poly(ethyl oxazoline) in solutions and blends, 603P
Compatibilization of blends of brittle and ductile polymers, 807P
Compatibilizer-aided toughening of blends, 807P
Composites of epoxy and graphite fiber, effect of irradiation on, 245P, 533P
Composites, metallized polyimide films, aggregation in, 1641P
Compounds, polar organic, 1903C
Conducting and electrode polarization in blends of PVC and ethylene-vinyl acetate copolymers, 1425P
Conducting polymer blends, 2247P
Conducting polymers, 911P
Conductive powder, 2763C
Conductivity, electrical, 1809C
Copolyacrylate, 1239C, 2047C
Copolyamides, 807C, 2849C, 2917C
Copolyamides, aromatic-aliphatic, 2263C
—, fluorine containing, 2991C
Copolycarbonates, thermotropic, 3077C
Copoly(ester-amide)s, 3269C
Copolyesteramides, aromatic, 1969C
Copolyesters, 835C
Copolyesters, liquid crystal, 2405C
—, thermotropic, 2171C, 2405C
Copolyesters of *p*-hydroxybenzoic acid and 2-hydroxy-6-naphthoic acid, flow instability in melts of, 1711P
Copolymer, ethylene-1-alkene, crystallinities of, 1271P
—, ethylene-propylene block, fractionation and turbidity analysis of, 1881P
—, multiblock, 3043C
Copolymerization, 2603C
Copolymerization, emulsifier-free, 1937C
Copolymers, 1991C
Copolymers, co-crystallization of, 2169P
—, emulsion, 2307C
—, polyester-polyamide, microstructure under heating and aging, 1461P
—, silicone-vinyl block, 1077C
—, triblock, 1867C
—, vinylidene fluoride-trifluoroethylene, solid state transition in, 55P
Copolymers: melting of copolyether-ester blocks containing poly(tetramethylene terephthalate), 953P
Copolymer, sulfonated polystyrene, effect of neutralization by amines on, 569P
Copolymethacrylates, 2047C
Copolysiloxanes, 2047C
Copolyurethanes, block, 1393C
Copoly(vinylamine-vinylalcohol), 3337C

Copper, binuclear, 285C
Copper(II) salts, 997P
Corona discharge, 3309C
Corundum, 1587C
Crazing, quasifracture model for, 967P
Creep measurements in thermally treated biaxially oriented PET, 555P
Cresols, 1343C
Crosslink density, 1529P
Crosslinking of chains, molecular weight relations for, 1P
Crosslinking, thermally reversible, 2923C
Crosslinks in butanediol diglycidal ether cured with phthalic anhydride, 771P
Crystal lamellar thickness of nylon 66, 467P
Crystal, liquid, 71L
Crystalline linear alkanes, 259L
Crystallinity of ethylene-1-alkene copolymers, 1271P
Crystallization from melt, fractionation during, 221P
Crystallization of mixtures, homopolymer and copolymer, 2169P
Crystallization of PET in uniaxial stress fields, 1657P
Crystallization of polybutadiene, NMR study of, 389P
Crystal structure of polydiacetylene monolayers, 367P
Curing, thermal process, 1779C
Currents, depolarization, 139L
Cyanoacetamides, 1361C
3-cyano-3-ethoxycarbonylpropyl vinyl ether, 2839C
Cyanopyridinium salt polymer, 993C
Cyanuric chloride, 583C
Cyclic oligomers, 2835C
Cycloalkylene sulfonium salt, 3241C
Cyclobutane moiety, 2695C
Cyclobutane rings, 3397C
Cyclo dehydration reaction, 1743C, 1757C
Cyclodextrin, 1465C
Cyclododecatriene, 1,5,9, 65L
Cyclohexene oxide, 481L
Cyclopolymerization(s), 115L, 305L, 2085C
Cyclopolymerization, of N-t-butyl-N-allylacrylamide, 305L

Dead-end polymerization, 819C
Decomposition, of epoxy resin, 409L
Decomposition rate, 953C
Deformation and energy storage in chains, 1349P
Deformation, asymmetric, of symmetrically loaded networks, 1297P
Deformation of bisphenol-A polycarbonate, latent energy of, 433P
Deformation of poly(tetramethylene oxide), 1553P
Deformation of polytetramethylene oxide, influence of MWD and morphology on, 663P
Deformation of semicrystalline polymers, 1049P
Deformation under uniaxial tension, neck formation and steady-state drawing in, 1801P
Dehydroalanines, urea-containing, 233L
Dehydrobromination, 2737C
Dekmezian, 893P
Deoxycholic acid canal, 229L
Depolarization currents, 139L
Desalination, 2683C
Desorption, 3375C
Diacetylen, model for X-ray induced solid state polymerization of, 277P
Diacetylenes, fluorinated, 3229C
Diacetylenic vinyl compounds, 321C
Diacids, aromatic and aliphatic, 149C
Dialkylaminopyridine groups, 2291C
Dialkylpolysilanes, 713C
Diallyl carbonates, 2573C
Diallylsilanes, 2085C
Diamine(s), 2941C, 3323C
Diamines, aromatic, 1705C, 2917C
1,8-diamino–menthane, 2859C
1,8-diamino-p-menthane, 405L
3,5-diaminobenzanilide, 2863C
Dicarboxylic acids, 159C, 835C, 2263C, 2863C
Dichloroethane, 2537C
Dichroism, linear, 3397C
Dielectric properties of liquid-crystal copolyesters of 4-hydroxybenzoic and 2-hydroxy 6-naphthoic acids, 1751P
Dielectric study of PVC and mixtures of PVC with copolymer, 1425P
Diels-Alder, polymerization, 3103C
Diene polymers, 615C
Diethyl 2,2-diethoxyethylphosphonate, 2997C
Diethyl 2-(methacryloyloxy)ethyl phosphate, 1791C
Diethyl (2-methacryloyloxy)ethyl phosphate, copolymerization, 1791C
Diethylene glycol bis(*n*-butyl fumarate), polymerization of, 1975C
α,α′-diethylstilbene, 2613C
Differential scanning calorimeter, 2359C
Differential scanning calorimetry (DSC) of drawn polypropylene, 817P
Differential scanning calorimetry (DSC) of mixture of polystyrene and styrene-dimethylsiloxane block copolymer, 2237P
Differential scanning calorimetry (DSC) of polyester-nitrocellulose blends, 1313P
Differential scanning calorimetry (DSC) of vinylidene fluoride-trifluoroethylene copolymers, 55P
Diffusion coefficients of gases in bisphenol-A based polymers and polysulfone, 709P
Diffusion of solvent in amorphous polymer, temperature dependence of, 1059P
Diglycidyl ether, 153L
Diglycidyl ether, of bisphenol A, 1C
Dihydrobenzene derivatives, 2359C
Diisocyanates, 2263C
—, aromatic, 3015C
Dilation, 159P
Dilatational strain, 207L
Dimer diacid diisocyanate, 3167C
Dimethacrylate, di-*n*-butylstannyl, 849C
Dimethacrylates, oligoglycol, 287L
Dimethyl, 701C
Dimethyldiallylammonium chloride, 333L
3,3-dimethyloxetane, 207C
Dimethyl malonate, 2281C
Diolefins, amphiphilic, 159L
1,3-dioxane moieties, 3251C
1,3-dioxolane moieties, 3251C
Diphenols, 2475C
Diphenyl chlorophosphate, 169C, 1979C
—, polycondensation of, 3071C
Dipropargyl sulfide, 115L
Dispersion polymerization, 1187P
Distribution of reactive chain sites in crosslinking, 1P
Dithioamides, 2899C
p-divinylbenzene, 99L
Divinylsulfone, 2465C
Drawing of elastic materials, rheology of, 1801P
Drawing of PEEK in solid-state extrusion, 795P
Drawing of ultrahigh MW polyethylene reactor powder, 1865P
Drug delivery system, 195L
Drug solubility, in polymers, 41L
Drying, of polymers, 2375C
DTA curves, 2849C
Ductility, induced, in deformation of semicrystalline polymers, 1049P
Dynamic mechanical properties, group contribution analysis of, 1627P
Dynamic mechanical properties of drawn poly(vinyl alcohol), 2509P
Dynamic mechanical properties of hydrocypropylcellulose solutions, 211P
Dynamic mechanical properties of irradiated epoxy and epoxy composite, 2029P
Dynamic mechanical properties of plasticized acidic styrene copolymer, 569P
Dynamic mechanical relaxations in polyterephthalates based on trimethylene glycols, 1397P
Dynamic viscoelasticity, test of Leonov model for, 2303P

n-eicosane, 2273C
Elastic modulus, 2631C
Elastin model networks, 865P
Elastomer reinforced with glassy polymer, 2229P
Elastomers, NBR/PVC/BR, 255L
Electrical properties of ion-implanted ladder polymers, 201P
Electrical properties of poly(*N*-methylpyrrole) organic semiconductor devices, 1697P
Electric fields, high static, 1361P
Electrochemical synthesis and optical analysis of poly(2,2′-dithienyl)-5,5′-diylvinylene, 911P
Electroinitiated polymerization of halophenols, 2485P
Electron donor-acceptor complexes, interchain, 935C
Electron energy loss spectroscopy applied to synthetic organic polymers, 621P
Electron microscopy and atomic composition of polymers, 621P
Electron spin resonance, 997P
Electron spin resonance (ESR) study of amino spin probe mobility in nylon 6, 421P
Electron-transfer reactions, 481L
Emulsifier-free emulsion polymerization, 1207C
Emulsion polymerization, 385L, 1143C, 1207C, 1471C, 1487C, 2307C
Endothermic peaks, 2849C
Epoxidation, with monoperoxyphthalic acid, 1867C
Epoxide-polycarbonate copolymer networks, 247C
Epoxides, 269L, 401L
Epoxy-carboxy addition reaction, 3L
Epoxy, curing, 1985C
Epoxy polymer, 973C
Epoxy reacted with blocking agents, sorption and transport in films of, 1261P
Epoxy resin(s), 409L, 541C, 1361C, 1377C
Epoxy resin, effect of ionizing radiation on dynamic mechanical properties of, 2029P
Epoxy resins, kinetic analysis of curing in, 2043P
Equilibrium constant, 935C
ESR spectroscopy, 11L, 2725C, 2953C
ESR spectroscopy of mechanoradicals, 1307P
Esterification, catalytic, 2183C, 199C
Esters, 1-ethoxy-2,2,2-trifluoroethyl, 267C
Ethanol, styrene in, 1187P
Ether, allenyl glycidyl, 3119C
—, benzoin isobutyl, 529C
—, photosensitive crown, 1519C
Etherification side reactions in cure of epoxy resins, 2043P
Ethyl acrylate, 355C
Ethylene, 2113P, 2487C, 2705C, 3089C
Ethylene-chlorotrifluoroethylene, 43C
Ethylene copolymers, 755C
Ethylene glycol bis(*n*-butyl fumarate), polymerization of, 1975C
Ethylene glycol bis(isopropyl fumarate), polymerization of, 1975C
Ethylene oxide, 2031C
Ethylene polymerization, 2369C
N-ethylmaleimide, 1011C
Ethylvinylether, 601C
Evaporation, 3375C
Excited state processes, 1021C
Expoxide, thermal curing process, 1779C
Extrusion conditions and fiber structure of liquid crystalline polymer, 1677P

Fenton's reagent, 985C
Ferric laurate, 901C
Ferric salts, 1285C
Fibroin, structure of enzyme-resistant fraction of molecular conformation in silk fibroin, 949P
Field ionization, 2381C
Flame retardants, intumescent, 2113C
Flame retardation, 885C
Flash photolysis, 1429C
Flory-Huggin, 469L
Flory-Huggins (FH) theory, 2379P
Fluctuations, thermal, 421L
Fluorescence of dye molecules in stretched PVA films, 1613P
Fluorescence of flexible solutes in PMMA matrix, 1727P
Fluorescence quenching, 1179C
Fluorinated diacetylenes, 3229C
Fluorine, 2991C
Fluorqpolymer films, 1237P
Fourier expansion, 745P
Fourier Transfer Infrared, 1149P
Fourier transform mass spectra, of poly(phenylene sulfide), 131C
Fourier transform NMR spectroscopy, 1C
Fractionation of homopolymers during crystallization from melt, 221P
Fracture in thermosetting–thermoplastic blends, 65P
Fracture toughness of LLDPE related to morphology, 1995P
Free volume in amorphous polymers, 1823P
Free volume in PMMA matrix, 1727P
Freezing point, anomalous, 2413P
Friction coefficient, radius of gyration and intrinsic viscosity, 1137P
Friedel-Crafts conditions, 2537C
Fumaronitrile, 2435C
Functionalization, 2031C
Fuoss Law, 397L
Furanization, 637C
Furyl acrylic acid, *trans* β-2, 1681C

Gamma irradiation, 333L
Gamma rays, 601C
Gases, monomer, 1721C
Gas phase chemical modification, 559C
Gas phase chemical reaction, 559C
Gas sorption, 729P
Gas transport model, 1009P
Gel permeation chromatography, 1919C, 3141C
Gel permeation chromatography (GPC) of hydrolyzed nylon 66 crystal, 467P
Gels, polystyrene, mechanical properties of, 267P
Glass, porous, 1519P
Glass transition, 1923P
Glass transition and energy storage in deformation, 1349P
Glass transition and nature of free volume, 1823P
Glass transition and temperature dependence of solvent diffusion, 1059P
Glass transition related to side-chain length in polymaleimides, 935P
Glass transition temperatures of linear polymers, models for estimation of, 2007P
Glass transition in thermally treated biaxially oriented PET, 545P
Glasses, 2341P
Glasses, pressure dependence of relaxation of, 501P
Glassy polyesters, sorption and transport of gases in, 883P
Glassy polymer as elastomer reinforcement, 2229P
Glassy polymers, 1009P
Gloyoxal, 2475C
Glyme units, 2075P
GPC, cadmium-free, 2291C
Graft copolymerization, 19C, 2019C, 3159C
Graft copolymers, 827C, 1561C
Graft polymerization, 3309C
Graphite surface, 1377C
Grignard reagent, 457C, 477C

Halide ions, 1457C
Halogen, matrices, 2725C
Halophenols, electrointiated polymerization of, 2485P
Halouracils, 765C
Head-to-head defect, 1217P
Heat of fusion of crystalline poly(4-methylpentene-1), 1111P
Henry's law, 1035P
Heparin, 381C
Heraclitus number, 139L
Heterocycles, polyvinyl, 3127C

Heterocyclic thiaxanthone units, 1063C
Heterocyclic units, 1553C
Hexachloroantimonate, α-methoxyphenylmethylium, 3189C
Hexamethylenediamine, 2769C
1,3,5-hexatriene-1,6-disulfonic acid, 187C
H-NMR, 3275C
Hole transport, in polymers, 1227P
Homopolycarbonates, thermotropic, 3077C
Homopolymerization, radical-catalyzed, 1903C
Homopolymers, 2501C
Hopping model, 1227P
Hydrazine sulfate, 159C
Hydrocarbon acetylenes, 2603C
Hydrogen bonds, 275C, 2093P
Hydrogen peroxide, 501L
Hydrophilic branches, 1561C
Hydrophilic-hydrophobic polymer composites, 529L
Hydrophilic monomers, 445C
Hydrophobic backbone, 1561C
Hydroxybenzoic acid, 3269C
Hydroxylamine, 2623C
4′-hydroxyphenyl-4-hydroxybenzoate, 1173P
Hydroxypropylcellulose, cholesteric solutions of, 413P
—, dynamic mechanical properties of solutions of, 211P
(Hydroxypropyl)cellulose, ordered phases in isobutyric acid/water mixtures of, 113P
p-hydroxystyrene/styrene copolymers, 1991C

Images, molecular, 433L
Imidazoles, 153L
Imide group, 1405C
Imides, aromatic, 1819C
Imino polyurethane, 1659C
Infrared spectra of polyacrylonitrile on Cu and Al surfaces, 1127P
Infrared spectra of polydiacetylene monolayers, 367P
Infrared spectra of polyester-nitrocellulose blends, 1313P
Infrared spectra of polymer blends with ionic interactions, 1545P
Infrared spectra of surface-hydrolyzed Kevlar, 1585P
Infrared spectra of thianthrenic polymers, 2203P
Infrared spectral changes, 2127P
Infrared techniques, 1733C
Instron Capillary Rheometer, 2631C
Interaction parameter in miscible blends, 1769P
Interaction parameter-polymer concentration curve, 469L
Interfacial tension between demixed polymer solutions, 1077P
Interpenetrating polymer networks, analysis of thermodynamic compatibility during synthesis of, 1735P
Intramolecular electron donor-acceptor, 2423C
Intrinsic viscosity, 2525P
—, relation with radius of gyration and translational friction coefficient, 1137P
Iodine complex, of poly(vinyl alcohol-co-vinyl acetate), 299L
Iodine vapor, 405C
Ion deceleration region, 1457P
Ion implantation doping of ladder polymers, 201P
Ion implantation, of polymers, 1457P
Ion selective electrode study of anion selectivity with cationic polyelectrolyte, 649P
Ionene polymers, 3323C
Ionic interactions of polymer blends, FTIR study of, 1545P
Ionic miscibility enhancement, 1385P
Ionic products in ground polymer, 1307P
Ionomers of zinc-neutralized sulfonated polystyrene, EXAFS study of, 289P
Ionomers, telechelic sulfate, 367C
Ions, oxidative transition metal, 743C
γ-irradiation, 491C, 2465C
Irradiation of epoxy, graphite fiber, and epoxy/graphite fiber composites, 245P, 533P
Irradiation of PTFE and resistance to chemical etching, 2133P
Isocyanate(s), 223C, 3167C
Isomerization, kinetics of, 313C
Isomers, constitutional, 2047C
Isophthalic acid, 2077C
Isotactic poly(2-hydroxyethyl methacrylate), 859C
Isotactic polypropylene, molten, 225L
Isothermal crystallization, 1361P
Isothermal structural relaxation, 1541C
Itaconic acid, 601C

KAHR model, 2341P
Ketones, 1,1′-dinaphthyl ether phenyl, 783C
Kevlar-49 fibers, surface hydrolysis of, 1585P
Kinetic parameters, 293L, 965C
Kinetics of crystallization of PET under stress, 1657P

Lamination, 3199C
Langmuir capacity, 729P
Laser desorption, 131C
Laser imaging, 185L
Latex, 9C
Levonorgestrel delivery system, 195L
Light scattering of colloid particles interpreted with master curves, 353P
Lignin, 973C
Limonene, 2859C
Linear dichroism, 3397C
Lineshapes, ^{31}P-NMR, 191L
Lipophilic side chain, 1519C
Liquid crystalline cellulose derivatives, 1101P
Liquid crystalline copolyesters, dielectric properties of, 1751P
Liquid-crystalline PET and copolyesters, flow behavior and fiber properties of, 179P
Liquid crystalline PET/60PHB copolyester, structure of fibers from, 1677P
Liquid crystalline phases of (hydroxypropyl)cellulose in isobutyric acid/water mixtures, 113P
Liquid crystalline polyester morphology, 515P
Liquid crystalline polymers, high modulus large diameter strands from, 1549P
Liquid crystal polyesters, melt spinning of ultrahigh modulus fibers from, 1845P
—, depression of phase transitions by diluents in, 83P
Liquid crystal polymers, 835C
Liquid crystals, dynamic mechanical properties of, 211P
Liquid crystals of hydroxypropylcellulose, 413P
Liquid polymers, thermodynamics of mixing of, 91P
Lithiation, of TM1P, 2235C
Lithographic evaluation, 3173C
Lobanov-Frenkel, 893P
Lower critical solution temperature of ethylene-propylene block copolymer, 1881P
Lyotropic liquid crystal, 2749C

Macromolecules, 2093P
Macromonomers, 511L, 2991C
Magnesium chloride, 2487C
Magnesium compounds, 2973C
Magnetic resonance, 191L
Maleic anhydride, 2273C
Maleic anhydride, polymerization of, 1903C
Maleimide, *N*-substituted, 1011C
Maleimides, bis- or tetra-, 1405C
Malononitrile, 83L
Manganese(II) salts, 997P
Mass spectrometry, 1315C, 2381C, 2835C
Materials, novel polymeric, 429L
—, solid porous, 429L
Matrix resins, 1165C, 2811C
Mayo-Lewis copolymerization model, 965C
Measurements, photoinduced discharge, 441L
Mechanical anistropy of PVDF sheets, 141P

Mechanical anisotropy in rolled nylon 66, 1569P
Mechanical properties of fibers from nematic melts, 1711P
Mechanical properties of fibers of PET copolyesters, 179P
Mechanical properties and transport in aging drawn polypropylene, 1897P
MeHQ, 3071C
Melting behavior of poly(tetramethylene terephthalate)-containing polyesters and block copolyether-esters, 953P
Melting point, 129L
Melt spinning of large diameter strands from liquid crystal polymers, 1549P
Melt spinning of thermotropic liquid crystal polyesters, 1845P
Membrane permeatation, 147L
Membrane potential photoinduced, 1519C
Membranes, flat, 2683C
—, oxygen permeable, 1307C
—, synthetic polymer, 89L
Mercury method, 2395C
Meso-dilactide, stereoselective polymerization of, 47L
Mesogen, 2613C
Metalation, 123L
Metal chlorides, 2529C
Metal polymer composites, 2763C
Metal salts, of 2(2,4-dihydroxybenzoyl)benzoid acid, 17L
Metallic derivatives, 2199C
Metallized films of polyimides, gold aggregates in, 1641P
Metallocene-methylaluminoxane, 3089C
Methacrylate, 1227P
Methacrylate, acetonyl, 2295C
—, derivatives of, 2395C
—, poly(2-hydroxyethyl), 1179C
Methacrylates, 517L, 2047C, 2997C
Methacrylates, chlorine, 2669C
—, (hydroxy)alkyl, 595C
Methacrylic acid, 267C
Methacrylic acid (MAA), 355C
Methacrylic esters, 89L
α-methoxyphenylmethylium hexachloroantimonate, 3189C
Methyl acrylate, 609C
Methyl α-*p*-cyanobenzylacrylate, 2281C
Methyl α-eleostearate, 1343C
Methylenecyclobutanes, 381L
Methyl methacrylate, 287L, 901C, 1795P, 2529C, 2827C, 2275C
—, polymerization of, 1903C
Methyl orange, 347L
α-methyl β-propiolactone, 1593C
N-methylpyrrolidone, 3235C
3-methyltetrahydrofuran, 207C
Microanalysis, of polymers, 201C
Microemulsions, 429L
Microemulsions, polymerization of, 429L
Microscopy, high resolution electron (HREM), 433L
Microspheres, core-shell type polymer, 281L
Miscibility of polybenzimidazole with polyimide in blends, 301P
Miscibility of polyester-nitrocellulose blends, 1313P
Miscibility of polystyrene with styrene-dimethylsiloxane block copolymer, 2237P
Miscibility of poly(vinyl methyl ether) and styrenic copolymers in blends, 2257P
Miscible blends, 2279P
Miscible blends, rheology of, 839Py
Modulus of interpenetrating networks, 2329P
Moieties, 4-(1-pyrrolidino)pyridine, 2251C
Molar mass ratio, of chain lengths, 61C
Molecular modeling in prediction of T_g, 2007P
Molecular motion near T_g, 1627P
Molecular orbital analysis, 1199C
Molecular orbital energies of halophenol monomers, 2485P
Molecular orientation in drawn PET, 1439P
Molecular orientation of dyes in PVA films, 1613P
Molecular structure model, die swell, 1157C
Molecular structure and permeation behavior of PMMA, 1021P
Molecular weight, 1649C
Molecular weight distribution from meniscus-depletion sedimentation equilibrium, 1143P
Molecular weight, of copolymers, 287L
—, distribution of, 1835C
Molecule binding, to abiotic polymers, 1265C
Monolayer polymerization of diacetylenes, 367P
Monomer gases, mixed, 1721C
Monomer-polymer, transition of, 2953C
Monomers, aromatic imides, 1819C
—, captodative, 233L
—, hydrophilic, 445C
—, oriented, 2141C
—, water-soluble, 385L
Monomer synthesis, 2157C
Monomer transport, 1495P
Monte-Carlo simulation, 965C, 2379P
Morphology development in drawing of semicrystalline polymers, 1049P
Morphology of films of HDPE and linear LDPE, 2385P
Morphology of liquid-crystalline polyester film, 515P
Morphology of PEO binary mixtures, 1947P
Morphology of poly(dimethylsiloxane) with in-situ polymerized styrene, 2229P
Morphology and relaxations in ultradrawn polyethylene, 2433P
Morphology of vinylidene fluoride-trifluoroethylene copolymers, 55P
Mosaic, membranes, 511L

Negative ions, 1237P
Nematic melts, fiber spinning from, 1711P
Network formation in epoxy resin cure, 2043P
Networks, Brownian motion of chains and crosslinks in, 2291P
—, crosslinking sites and distribution of lengths in, 1P
—, interpenetrating, group contribution analysis of damping behavior of, 1627P
—, mechanical instability of, 1297P
—, thermodynamic analysis of compatibility in IPN's, 1735P
Networks in miscible heteropolymer blends, 2329P
Nickel phosphite derivatives, 465C
Nitriles, 2435C
Nitrocellulose, 19C
Nitrous oxide, 181L
^{1}H NMR, 333L
^{1}H-NMR spectra, 1439C
^{13}C-NMR, 1439C
^{13}C-NMR chemical shifts, 615C
^{13}C-NMR spectroscopy, 1287P
^{13}C-NMR technique, 71C
^{13}C-NMR technique, 79C
NMR, pulsed field gradient, 2367P
NMR relaxation, 319L
NMR spectroscopy, 637C
NMR techniques, two dimensional, 1C
Nuclear magnetic relaxation, 319L
Nuclear magentic resonance, 1991C
Nuclear magnetic resonance ^{29}Si, 701C, 713C
Nuclear magnetic resonance (NMR) of crosslinked epoxy resin, 771P
—, of drawn poly(tetramethylene oxide), 1553P
—, of irradiated polyethylene, 1979P
—, study of dipole orientation in vinylidene cyanide-vinyl acetate copolymer, 463P
—, study of kinetics of crystallization of polybutadiene, 389P
—, (^{1}H and ^{2}H NMR) of water and methanol in cellulose triacetate film, 2215P
Nucleation phenomenon, 1361P
Nucleation theory, 2413P
Nucleophiles, phosphorus, 2651C
Nucleophilic substitution, 2581C
Nylon 6, 491C
Nylon 6 film, mobility of amino spin probes in, 421P

Nylon 66, lamellar thickness of single crystal of, 467P
—, mechanical anisotropy in, 1569P
Nylon-6 surface, 2991C
Nylon 11, stretched and plasticized, piezoelectricity in, 447P
Nylon 12, trifluoroacetylated, 3141C

Octanol-water coefficients, 41L
OH radical, 1457C
OH radicals, 573C
Olefin polymerization, 457C, 477C, 2369C, 3089C
α-olefins, 65L, 657C
Oligoglycol dimethacrylates, 287L
Oligoisobutylene, α,ω-dianhydride, 2785C
Oligomerization, 1231C
Oligomerization, of vinyl monomers, 2553C
Oligomers, reactive, 1975C
—, soluble amino terminated, 493L
Oligovinylpyrrolidone, 1561C
Optoelectrical properties, 95L
Organopolysilanes, 109L
Organosilicon, Novolac-based resist, 3173C
Organotin polymers, 595C, 2573C
Orientation in drawn ultrahigh-molecular weight PE, 1965P
Orientation in spun fibers from liquid-crystalline PET copolyesters, 179P
ortho-vinylbenzaldehyde, 2449C
Oxazoline monomers, 2501C
Oxepane, 2715C
Oxidative transition metal ions, 743C
Oxides, organoantimony, 627C
Oxidoreduction, 865C
Oxiranes, 627C
Oxygen, 2831C
Oxygen permeable membranes, 1307C

Paracyclophane polymers, substituted, 405C
Parameter *x*, 2341P
Parameters, kinetic, 1743C, 1757C
Particle formation, 385L
Particle size distribution, 1143C, 1487C
Parylene C, deposition rate, 2953C
PDMS model networks, 2367P
PEEK, 1205P
Penicillin, skeleton, 485L
Pentadiène-1,3, 1093C
Perfluorobenzene, 2873C
Perfluoropropane, 1237P
Perfluoro-substituents, on the benzene ring, 2225C
Permeatation, membrane, 147L
Permeation of CO_2 and CH_4 in glassy aromatic polyesters, 883P
—, of gases in bisphenol-A based polymer, 709P
—, of gases in PMMA as affected by tacticity, 1021P
—, of gases in tetramethyl bisphenol-A polymers, 1931P
Peroxide, 3309C
Peroxyester, 1671C
Pervaporation, 263L
Pesticides, 2355C
pH, 501L
Phase diagram of mixture of polystyrene and styrene-dimethylsiloxane block copolymer, 2237P
Phase separation, 469L, 2279P
Phase separation in blends of α-helical polymers, 637P
—, in polyester-polyamide copolymers on heating and aging, 1461P
—, in polyurethanes, 315P
Phase transfer agents, 2039C
Phase transfer catalysts, 1629C
Phase transformation, monoclinic-orthorhombic, in PE, 2267P
Phenoxyterephthalic acid, 1621C
N-phenyl-*N'*-isopropyl-*p*-phenylenediamine, 2853C
Phenylated soluble aramids, 2777C
5,5'-1,4-phenylene-bis(2-cyano-2,4-pentadienoic acid), 329C
p-phenyleneterephthalamide, poly, 3235C
1-phenylethyl trifluoroacetate, 3031C
Phenylglycidylether, 511C
Phenylindanedicarboxylic acid, 2917C
Phenylmethyl, 701C
Phenylphosphonic dichloride, 2077C, 3123C
Phenyl-4'-vinylphenylbutadiyne, 321C
Phosphatidylcholines, 2291C
Phosphonate esters, acrylated, 2997C
Phosphonates, acrylated, 3251C
Phosphorus pentoxide/methanesulfonic acid, 159C
Phosphorylation, 493L
Photochemical reactions, 1681C
Photochromism, 653C
Photodegradation, 1295C
Photodimerizable polymers, 2075P
Photodimerization, 1681C, 2694C
Photodimer units, 3297C
Photografting, vapour phase, 2099C
Photo-induced graft copolymerization, 19C
Photoinitiated polymerization, 2827C
Photoinitiators, 185L, 1911C
Photoinitiators, water soluble, 1021C
Photon correlation, spectroscopy, 2367P
Photophysics, 505L
Photopolymerization, 1681C, 2873C
Photopolymers, 2881C
Photoreaction, 159L
Photoreactive polyamides, 2695C
Photoresists, 2517C
Photosensitivity, in polymers, 2881C
Photostabilizers, 2-(2'-hydroxphenyl)-2H-benzotriazole, 505L
—, new class of, 17L
Photovoltaic cell, 95L
Phthalonitrile resin, 3199C
Physical aging of polycarbonate in simple compression and extension, 875P
Piezoelectricity in nylon 11 films, 447P
Pivalolactone, 827C
Plant tissue, 71L
Plasma implantation of fluorine-containing probes in polymer surfaces, 1781P
Plasma, polymerization, 2873C
Plasma polymerization as stabilizer for nylon-6 and PET surfaces, 2061P
Plasma polymerization, of mixed monomer gases, 1721C
Plastic dilatation, 207L
Plasticization, 159P
Plasticization of zinc-neutralized sulfonated polystyrene ionomers, 289P
PMDA-BDAF, 1199C
Polarized reflection spectrum of PET, 1439P
Polar organic compounds, 1189C
Poly(acrylamide), 2623C
Polyacrylamide, water-insoluble, dilute solution properties of, 491P
Polyacrylates, photoinduced discharge characteristics of, 441L
—, synthesis of, 441L
Polyacrylonitrile on Cu and Al surfaces, infrared spectra of, 1127P
Poly(*N*-acryloyl-*m*-aminobenzoic acid), dilute solution properties of, 491P
Poly(alkyl acrylate)s, 1315C
Polyamic acid, 1649C
Polyamic ester/polyimide resins, 1149P
Polyamide-imide, aromatic, 99C
Polyamide-imides, BTDA-based, 2157C
Polyamide synthesis, 2077C
Polyamide, thermal conductivity of, 857P
A-B polyamides, 2345C
AA-BB polyamides, 2345C
Polyamides, 235C, 405L, 1063C, 2345C, 2859C, 2863C
Polyamides, aromatic, 2917C, 3123C
—, aromatic-aliphatic, 1705C
—, containing thymine photodimer units, 3297C
—, from 4-phenoxy, 149C
—, photocleavage of, 3397C

—, photoreactive, 2695C
—, preparation and properties, 1705C
Polyamine-imides, aromatic, 1697C
—, synthesis of, 1697C
Polyaniline, flexible, 1531C
Polyaramides, amorphous, 959C
Polyarylates, 2039C, 2225C
Polyarylenequinodiimides, 1125C
Poly(arylene vinylene), electrical conductivity, 1809C
—, synthesis, 1809C
Poly(aryl-ether-ether-ketone) (PEEK), solid-state extrusion of, 795P
—, transport of CH_2Cl_2 in, 2145P
Polyazo(amine-imide)s, synthesis and characterization, 1697C
Polybenzimidazole–polybenzoxazole, block copolymer, 1689C
Poly(benzimidazolyl)thiaxanthones, 1051C
Polybenzoxazinone, aromatic, 195C
Polybutadiene, 493L, 1573C
Polybutadiene, epoxidation, 1867C
—, hydroxylated, 3167C
Polybutadiene-polysulphide, synthesis of, 1573C
Polybutadienes, 1429C
Polybutadienes, ring, 1251P
Poly[2-*N*-carbazolylethyl acrylate, 2423C
Polycarbonate, 33L, 875P
Polycarbonate-aromatic sulfonates system, 2113C
Polycarbonate, cold drawn, 421L
—, strain and temperature accelerated relaxation in, 2463P
Polycarbonate from tetramethyl bisphenol-A, gas transport in, 1931P
Poly(carboxylic acid), 1419C
Poly[(chloromethyl)thiirane], 313C
Polychloroprene, 2359C, 2561C
Polychlorotrifluoroethylene, substituted by sulfur, 2651C
Polycondensation, 2039C, 2849C
Polycondensation, $CaCl_2$-promoted, 3235C
—, direct, 1969C
Polycyanoethylmethylsiloxane polyurea urethane elastomers, segmental compatibility in, 315P
Polydiacetylene monolayers, optical properties of, 367P
Poly(dialkoxyphosphinyl-*s*-triazine)s, 583C
Poly(diglycidal ether of bisphenol A) (epoxy), 2127P
Poly(2,6-dimethylphenylene oxide), 827C
Poly(2,6-dimethyl-1,4-phenylene oxide), 2589C, 3391C
Polydimethylsiloxane, 2589C, 3391C
Poly(dimethylsiloxane), 3131C
Poly(dimethylsiloxane) networks reinforced by in-situ polymerization of styrene, 2229P
Poly(dimethylsiloxane), statistical properties of, 989P
Poly(2,2′-dithienyl)-5,5′-diylvinylene, electrochemical synthesis and optical analysis of, 911P
Poly(divinylbenzene), linear, 393C
Polyelectrolyte complex, interpretation of light scattering curves from, 353P
Polyelectrolyte solutions, 397L
Polyelectrolytes, cationic, counterion selectivity in, 649P
Polyenesulfonic acid, 167C, 177C, 187C
Poly(epichlorohydrin), 2881C
Polyester, film-forming, 2597C
Polyesterification, 1003C, 1277C
Polyesterification, direct, 1979C
Polyesters, aromatic, 1621C
—, linear, 2517C
—, thermotropic, 1173P
—, ultrahigh modulus fibers from liquid crystal melt spinning of, 1845P
Polyesters containing poly(tetramethylene terephthalate), melting of, 953P
Poly(esterthioetheramines), 357L
Poly(ether-ester), fully aromatic, 313L
Polyethers, aromatic, 783C
—, compatibility in blends with PVC, 1595P
Poly(ethyl cyanoacrylate), 459L
Polyethylene, 129L
Polyethylene and copolymers, co-crystallization of, 2169P
Polyethylene, coextrusion drawing of ultrahigh MW reactor powder of, 1865P
—, crystal orientation in ultra-drawing of, 1965P
—, high density and linear low density, effect of branching in, 2385P
—, irradiated, computer simulations of, 595P
—, irradiated, NMR study of, 1979P
—, linear, 1157C
—, linear row density, morphological basis of fracture toughness of, 1995P
—, molten, 1189C
—, monoclinic to orthorhombic transformation in, 2267P
Polyethylene films, 167C
Poly(ethylene glycol), 3043C
Poly(ethylene maleate), solubility parameter measured for films of, 2197P
Poly(ethylene oxide), 1419C, 2499P
Poly(ethylene oxide), morphology and molecular segregation in binary mixtures of, 1947P
Poly(ethylene oxides), proton spin-lattice relaxation of, 527P
Polyethylene surface, oxidation of, 3309C
Poly(ethylene terephthalate), 159P, 2183C, 2199C, 2705C
Polyethylene terephthalate, characterization, 1919C
Poly(ethylene terephthalate), crystallization in uniaxial stress fields, 1657P
—, fiber structure of liquid crystalline copolyester of, 1677P
—, mechanical properties affected by deformation of, 555P
—, polarized reflection spectrum and molecular orientation of, 1439P
—, thermal properties affected by deformation of, 545P
Polyethylene, ultradrawn, structure and relaxation of, 2433P
Polyethylenimine, 765C
Poly(ethyl methacrylate), 1795P
Poly(ethyl oxazoline), solubility and miscibility of, 603P
cis-polyfarnesene, ^{13}C-NMR spectra of, 71C
Polyfluoropolyol, solubility parameter measured for films of, 2197P
Polyhydrazide, reaction of, 1743C, 1757C
Poly(hydroxamic acid), 2623C
Poly(2-hydroxyethyl methacrylate), 1179C
Polyimide(s), 215L, 1553C, 2157C
Polyimide, aromatic, 99C
—, fluorine-containing, 1199C
Polyimide films, 465L
Polyimide films with metallic gold surface, 1641P
Polyimide molecular composite films, 215L
Polyimide precursors, 2749C
Polyisobutylene(s), 721C, 2235C
Poly(isobutylene-*b*-amide-11), 2785C
Polyisoprene(s), 319L, 1429C
Poly(*N*-isopropylacrylamide), 9C
Poly(*N*-isovaleryl ethyleneimine), 3043C
Poly(lactate), 47L
Poly-L-glutamates, phase behavior in blends with enantiomers of, 637P
Polymaleimides, glass transition and alkyl side-chain length in, 935P
Polymer blends, 2127P
Polymer complexes, 2093P
Polymer complexes, stabilized, 275C
Polymer cosolvent, 2525P
Polymer degradation, 1159P
Polymer end and functional groups, determination of, 1733C
Polymer endgroups, 1457C
Polymer, flexibility, 1295C
—, hydrophilic-hydrophobic composites, 529L
Polymer membrane, photoexcitable, 1519C
Polymer membranes, synthetic, 263L
Polymer microspheres, 281L
Polymer networks, 2589C
Polymer properties, theoretical predictions of, 1835C
Polymer solids, 207L

Polymeric membrane, 993C
Polymeric N-(1-pyridinio) amidates, 177L
Polymérisation, radicalaire, 1093C
Polymerization, anionic, 201L
—, aqueous, 1587C
—, dispersion, 1187P
—, emulsion, 1143C, 1207C, 1487C, 1835C, 2307C
—, inhibition, 485L
—, kinetics of photoinitiated dead-end, 819C
—, photoinduced, 1231C
—, photoinitiated, 1911C
—, radical, 381L
—, transannular, 65L
Polymerization systems, free radical, 293L
Polymers, abiotic, 1265C
—, adamantyl-containing, 2501C
—, amorphous, 361L
—, backbone-assisted reactions of, 313C
—, glassy, 1009P
—, introduction of hydroxyl functionality into, 343C
—, liquid crystal, 835C
—, poly(Schiff base), 1677C
—, polythiophene conducting, 351L
—, side chains, 1479C
—, synthetic fractionate, 181L
—, thermal properties of, 1885C
Polymer-water coefficients, 41L
Polymethacrylates with pendant oligo-oxyethylene chains, solution behavior of, 581P
Poly(methyl acrylate), viscoelastic behavior near T_g, 473P
Poly(methylene terephthalate), 2129C
Poly(4,4′-methylenediphenylene pyromellitamic acid), 2749C
Polymethyl methacrylate, 33L
Poly(methyl methacrylate), 985C, 1587C, 2499P, 2631C
—, adiabatic heating with pressure in, 459P
—, fluorescence of flexible solutes in, 1727P
—, gas permeation affected by tacticity of, 1021P
Poly(4-methylpentene-1), heat of fusion of, 1111P
Poly(methylpropylsilane), 521C
Poly(methyl 3-pyridinylsiloxane)s, 2835C
Poly(*N*-methylpyrrole) used in semiconductor devices, 1697P
cis-polymyrcene, ^{13}C-NMR spectra of, 71C
Polynorbornene, 429C
Polynucleotides, 1659C, 3337C
Polyoxymethylene, 921P
Polyoxymethylene, P-V-T properties and heat of fusion of, 257P
Poly(phenylene sulfide), 2581C
Poly(phenylene sulfide)s, of the thianthrene type, 255C
Poly(phenylene vinylene), 3241C
Poly(*p*-phenylene vinylene), conducting blends of, 2247P
Poly-(1,3-phenyl-1,4-phenyl)-hydrazide, 1743C, 1757C
Poly(1-phenyl-1-propyne), 3131C
Polyphosphazenes, 2923C
Polyphthalocyanines, 865C
Poly(phthalocyaninatosiloxane), molecular images of, 433L
Polypropylene, 225L, 1639C, 2465C, 2763C
—, atactic, 1323C
—, drawn, aging phenomena in, 1897P
—, thermal conductivity of, 857P
—, x-ray and DSC study of crystalline structure in, 817P
Poly(propylene glycols), 1923P
Polypyrrole, 351L, 743C
Polypyrrole-rhodamine B, 95L
Polypyrroles, ferric derived, 1285C
Polyquinazolinediones, 1253C
Polysilanes, 25L, 701C
Polysilazane, 103L
Polysiloxane(azobiscyanopentanamide)s, 1077C
Polysiloxanes, from silicic acid, 419C
Poly(styrene-co-divinylbenzene), 3375C
Poly(styrene-co-divinyl benzene) beads, 2355C
Polystyrene, crosslinking of, 2537C
Polystyrene + cyclohexane + ethanol, 2525P
Polystyrene films, 559C
Polystyrene gels, compression modulus of, 267P
Polystyrene, molecular interactions in binary cosolvent systems of, 981P
Polystyrene-poly(ethylene oxide)-heparin block copolymers, 381C
Polystyrene/poly(vinyl methyl ether) blends, 2279P
Polystyrenes, 1307C
Polystyrene, surface-enhanced Raman scattering from films of, 2447P
—, thermal conductivity of, 857P
Poly(styryl)lithium, 2031C
Poly(substituted-acetylene), 3131C
Polysulfide, 83L
Polysulfonamides, 1507C
Polysulfone, 123L, 159P
Polysulfone, gas permeation in, 709P
Polysulfone from tetramethyl bisphenol-A, gas transport in, 1931P
Polysulphide, 1573C
Polyterephthalates, based on trimethylene glycols, dynamic mechanical relaxations of, 1397P
Poly(tetrafluoroethylene)/poly(ethyl acrylate) blends, 1385P
Polytetrafluoroethylene, radiation hardening of, 2133P
Poly(tetramethylene oxide), drawn, molecular orientation in, 1553P
Polytetramethylene oxide, MWD and structural effects on deformation of, 663P
Polythiazoles, aromatic, 2899C
Polythiomethylene, 3151C
Poly(1,2-8,9-trans-quinacridono), 1483P
Polyurethane cationomers, 1609C
Polyurethane elastomers, segmental compatibility in, 315P
Polyurethanes, 885C
Polyurethanes, diisocyanate-based aromatic, 1295C
—, new, 3015C
Poly(vinyl acetate), viscoelastic behavior near T_g, 473P
Poly(vinyl alcohol), 299L
Poly(vinyl alcohol), distribution of dye molecules in stretched films of, 1613P
—, microstructure of, 1961C
—, property of, 1961C
—, α-relaxation in drawn films of, 2509P
Poly(vinyl benzoate), sorptive dilation of, 1409P
Poly(2-vinylbenzofuran), 1331P
Poly(vinyl butyral), sorptive dilation of, 1409P
Poly(vinyl chloride) blends with poly(propylene oxide) and poly(tetramethylene oxide), 1595P
Poly(vinyl chloride), dielectric behavior of, 1425P
—, dynamic viscoelasticity of gels of, 1871P
Poly(vinyl ether), 3361C
Poly(vinyl formal), thermooxidized, 31C
Poly(vinylidene fluoride), 1217P, 1361P
Poly(vinylidene fluoride), anions formed by finding of, 1307P
—, films, 1457P
—, mechanical anisotropy of, 141P
—, pyroelectricity related to drawing of, 127P
—, solubility parameters of, 785P
Poly(vinylmethylsiloxane), 195L
Poly(4-vinylpyridine), 347L
Poly(4-vinylpyridine-co-acrylonitrite) membranes, quaternized, 335C
2-polyvinylpyridine-iodine solutions, 1259C
Poly(vinyl-2-pyridine) + nitromethane + carbon tetrachloride, 2525P
Poly(vinyl pyridine), surface-enhanced Raman scattering from films of, 2447P
Poly(*N*-vinyl-2-pyrrolidone), 653C
Positron annihilation, 1541C
Potassium persulfate, 1471C
Powder, conductive, 2763C
Predictions, theoretical, 1835C
Preferential solvation, 2525P
β-propiolactones, 117C, 1593C
Propylene oxide, 3189C
Propylene, polymerizations, 2973C
Proton spin-lattice relaxation of poly(ethylene oxides), 527P
PVC, 1629C

PVC, stereoselective substitution on, 1629C
Pyridine, 1003C, 1259C, 1277C, 2077C, 3071C, 3123C
Pyridine moieties, 2251C
Pyroelectricity of drawn PVDF sheets, 127P
Pyrolysis gas chromatography mass spectrometry, 1315C
Pyrolysis, oxygen-promoted, 1159P
Pyrrole blacks, 1285C
Bis(pyrylium salts), 3323C

Quaternary ammonium salts, 453L, 2141C
Quinacridono, poly(1,2-8,9-trans-), 1483P
Quinodimethane, 2597C

Radiation effects on mechanical properties of epoxy and epoxy composite, 2029P
Radiation hardening of PTFE, 2133P
Radiation, high energy, 225L
Radiolysis, 2669C
Radius of gyration, intrinsic viscosity and translational friction coefficient, 1137P
Raman scattering, surface-enhanced, from bilayer polymer films, 2447P
Rate parameters, 293L
Rayons, 1769C
γ-rays, 491C
Reactivity ratios, 1791C
Redox initiator, 985C
Rejuvenation, effects of, 421L
Relaxation of glasses, pressure dependence of, 501P
Relaxation processes, 361L
Relaxation processes in copolyesters of 4-hydroxybenzoic acid and 2-hydroxy 6-naphthoic acid, 1751P
—, in ultradrawn polyethylene, 2433P
Resin, phthalonitrile-based, 3199C
Resins, anhydride-cured, 541C
—, epoxy, 541C, 1779C
—, high temperature matrix, 1165C
—, high-temperature resistant, 1819C
—, nonphosphorylated, 1885C
—, phosphorylated, 1885C
—, photosensitive, 185L
—, physical properties, 1779C
Resin systems, 521L
Resonance, ^{29}Si nuclear magnetic, 701C, 713C
Resonance Raman spectra of polydiacetylene monolayers, 367P
Reversal of physical aging by applied strains, 875P
RF plasma deposition, 1237P
Rheology, 2279P
Ring polybutadienes, 1251P
Rubber, aging, 473L
—, asymmetric deformation under symmetric loading of, 1297P
—, furanized, 637C
Rubber gels, swollen, 2413P
—, isomerized natural, 615C
Rubber surface layer structure, 473L

Salt effects on cloudpoints and viscosities of PMMA with pendant PEO chains, 581P
Saran polymers, 1287P
Schiff-base polymers, 1677C
Schiff bases, of vinylbenzaldehyde, 1335C
Scholl reaction, 783C
Sebacoyl chloride, 2769C
Sedimentation equilibrium method for molecular weight distribution, 1143P
Selenium, 2651C
Semiconductors using poly(*N*-methylpyrrole), electrical properties of, 1697P
Sequence distribution, 299L
SiC, 25L
Silicic acid, 419C
Silicic acid, allyldimethylsilylated, 419C
Silicon, 807C
Silicon compounds, 609C
Sisal fibers, 3159C
Slope, of Flory-Huggins interaction parameter-polymer concentration curve, 469L
SO_3, 167C
Sodium sulfide, 2581C
Solid-state extrusion, 2499P
Solid state polymerization, X-ray induced, 277P
Solubility behavior of poly(vinylidene fluoride) in fifty liquids, 785P
Solubility parameter, method for measurement in polymeric films, 2197P
Solutions of liquid polymers, thermodynamics of mixing of, 91P
Solutions of polymers, model for entropy of, 1077P
Solvent cast films, 1393C
Solvent effects on compression modulus of polystyrene gels, 267P
Solvent interactions with polystyrene in binary cosolvent systems, 981P
Solvent penetration kinetics, 1087P
Sorption, 159P
Sorption and transport in epoxy reacted with blocking agents, 1261P
Sorption of CH_2Cl_2 in PEEK, effect of morphology on, 2145P
Sorption of CO_2 in poly(vinyl benzoate) and poly(vinyl butyral), 1409P
Sorption of water and methanol in cellulose triacetate, 2215P
Spectroscopic studies, 2561C
Spectroscopy, 1419C
Spectroscopy, high pressure, 465L
Spiro ortho, pendant ester groups, 517L
Spiroothoesters, 77L
Statistical mechanics of Brownian motion in networks, 2291P
Statistical mechanics of polymer chain in orienting fields, 1907P
Statistical thermodynamics of inhomogeneous polymer solutions, 1077P
Stereochemistry, 2281C
Stereoselective polymerization, 47L
Steric factors, 1249C
Stilbenedicarboxylic acid, *trans*-4,4′, 835C
Stirring, 2827C
Stockmayer theory, extension of, 61C
Stoichiometric equivalence, 2129C
Stoichiometry, 191L
Stress-dependent diffusion, model of, 1087P
Stress relaxation at elevated temperature or strain in polycarbonate, 2463P
Stress-strain behavior of polymers, computer simulation of, 1337P
Stress-strain in elastomeric networks, 1235P
Stress-strain isotherms for elastin, theoretical, 865P
s-Triazine rings, aromatic, 1885C
s-triazines, substituted, 1405C
Styrene, 135L, 529C, 1471C, 2449C, 2853C, 3031C
Styrene–butadiene, epoxidation, 1867C
Styrene, copolymerization of, 1937C
Styrene-ethylmethacrylate copolymers, 1439C
Styrene, in ethanol, 1187P
Styrene monomer, 1519P
Styrene/*p*-hydroxystyrene copolymers, 1991C
Styrylpyridinium, 2517C
Sulfates, 2529C
Sulfide, dipropargyl, 115L
Sulfonates, 2113C
Sulfonation, in dilute solution, 429C
Sulfone, polyether aromatic, 721C
Sulfonium salt, 77L
Sulfonium salt, cycloalkylene, 3241C
Sulfur, 2651C
Sulfur-centered radical, 1429C
Sulphur, in polyarylenequinodiimides, 1125C
Surface dynamics of polymers, 2061P
Surface dynamics of polymers using plasma implanted probes, 1781P
Surface modification, 2099C
Surfaces, accessible fibrillar, 1769C
Swelling stress in solvent penetration, 1087P
Synergism, 135L

Talc, 609C
Techniques, near infrared reflectance analysis (NIRA), 1733C
Telechelic polymers, 2235C
Telechelic sulfate ionomers, 367C
Telomerization, radical, 3275C
Temperature dependence, 361L
Temperatures, glass transition, 1791C
Tension, surface, 1985C
Terephthalic acids, halogenated, 235C
Terpolymerization, 83L
Tertiary amino polymers, 357L
Tetrabutylammonium perchlorate, 1035C
1,4,5,8-tetrahydro-1,4;5,8-diepoxyanthracene, 2907C
Tetrahydrofuran, polymerization, 1911C
Tetraisopropoxide, combined with titanium, 269L
Tetrakis(trialkyl-phosphite) nickel (o) derivatives, 465C
Thermal behavior, of fully aromatic poly(ether-esters), 313L
Thermal conductivity at high P and T, apparatus for measurement of, 857P
Thermal cycling, 2341P
Thermal decomposition, 1479C
Thermal degradation, 1249C, 1315C, 2561C
Thermal expansion, 159P, 921P
Thermal polymerization, 2853C, 3229C
Thermal reaction, of aromatic polyamides, 3213C
Thermal stress cracking, 43C
Thermodynamic behavior in mixing of chain liquids, 91P
Thermodynamic parameters, 935C
Thermodynamic parameters of polyoxymethylene, 257P
Thermodynamics of miscible blends, 1769P
Thermoelastic study of adiabatic heating in PMMA, 459P
Thermogravimetry, dynamical, 1743C, 1757C
—, isothermal, 1757C
—, nonisothermal, 1743C
Thermomechanical behavior of bisphenol-A polycarbonate, 433P
Thermooxidation, 31C
Thermooxidation, of PEEK, 1205P
Thermoplastics, 313L
Thermotropic copolyesters, 2171C, 2405C
Thermotropic homo and copolyesters, 2613C
Thermotropic polyesters, 1173P
Thermoxidative degradation, of polypropylene, 1639C
Thianthrenic polymers, infrared study of, 2203P
Thiaxanthone units, heterocyclic, 1063C
Thiaxanthones, poly(benzimidazolyl), 1051C
Thioindigo whites, 2,2′-substituted, 913C
Thionyl chloride, 1003C, 1277C, 3235C
Thiophene, 3-vinyl, 3127C
Thiophene links, 1507C
Thiophenol, 3275C
Thiopyrylium salt, 1671C
Thymine photodimer, units of, 3297C
Thyminyl pendant group, 3337C
Titanium catalyst, 2113P
Titanium tetraisopropoxide/phenol system, 401L
Titanium trichloride, 677C
Toluene, solution of, 2973C
Transitions, crystal-nematic, depression by diluent of, 83P
Transitions in dynamic viscoelastic behavior of gels, 1871P
Transitions in mixtures of block copolymer and midblock-associating resin, 677P
Transport of CH_2Cl_2 in PEEK, effect of morphology on, 2145P
Trialkyl phosphite, 583C
Triallylsilanes, 2085C
Tributyltin methacrylate, 595C
Triethylamine, 2435C
Triethylenetetramine complex, 1115C
Trifluoroacetate ester, 3031C
N-trifluoroacetylation, 3141C
α-trifluoromethylstyrene, radical reactivity of, 89C
Trifluoropropene, 601C
Trimethylaluminum, 3089C
Trimethylsiloxyl groups, 1307C
Bis(trimethylsilylmethoxy resorcinol), 3173C
Trioxane, 511C
Triphenylphosphir... 2705C
Triple ion formati..., 2553C
1,3,5-trithiane, 3151C
Tube concept, 319L
Turbidity analysis of ethylene-propylene block copolymer, 1881P

Ultrasonic viscoelastic parameters of cellulose sheets, 339P
Ultraviolet light, 2873C
Uniaxial drawing, 2499P
UO_2^{2+}, 391L
Uranium, 391L
Uranophiles, 391L
Urea, 135L
Urea group, 1405C
Urea oligomers, 285C
Urethane polymers, 3015C
UV-irradiation, 3151C

Vinyl acetate, 501L, 1495P
Vinylbenzaldehyde, 1335C
4-vinylbenzophenone, 1231C
Vinylbenzyl acetate, 343C
Vinyl compounds, 2831C
Vinyl esters, polymerization of, 1961C
Vinyl ether, 2839C
Vinylidine, 1287P
Vinylimidazole, 1-trityl-4, 107C
Vinyl monomers, 355C, 485L, 1671C, 2553C, 2725C, 2853C, 3159C
2-vinyloxyethyl phthalimide, 3361C
Viologen moiety, 341L
Viologen structure, 993C
Viscoelastic behavior of polycarbonate, 2463P
Viscoelastic boundary model for crazing as quasifracture, 967P
Viscoelasticity in mixtures of block copolymer and midblock-associating resin, 677P
Viscoelasticity in steady shear flows under oscillatory stress, 2303P
Viscoelasticity of amorphous polymers near T_g, 473P
Viscoelasticity of poly(vinyl chloride)/dioctyl phthalate gels, 1871P
Viscoelasticity of rubber networks, evaluation of theory of, 235P
Viscoelastic response, acoustic strip resonance apparatus for study of, 339P
Viscometric study of anion selectivity with cationic polyelectrolytes, 649P
Viscometry, 859C
Viscosity, longitudinal volume, 2631C
Vulcanizate blend, 1529P

XPS analysis, 559C
XPS spectrum, 1199C
X-ray detector, windowless energy-dispersive, 201C
X-ray diffraction, 2003C
X-ray diffraction of drawn polypropylene, 817P
X-ray diffraction of drawn poly(tertramethylene oxide), 1553P
X-ray scattering system, 745P

Ziegler-Natta catalysts, 755C, 2487C
Ziegler-Natta catalysts, layer-lattices in, 2399P